

BRIZO[®]

FREESTANDING
TUB FILLERS



BRIZO®

Brizo® is a luxury fittings brand that creates distinctive designs that don't just complete rooms, they inspire spaces.







AN OASIS FOR ONE.

Make your escape.

Your bath space isn't just another room in your house.

It's a retreat.

A refuge.

A place to shed the worries of the day, lose your inhibitions—and find your center.

Your bath is an oasis.

And Brizo® freestanding tub fillers offer the perfect way to complete this space, with a range of styles and finishes to complement any décor.

No matter your vision, Brizo lets you create a full bath suite to match it. So take a deep breath, open your mind—and let your imagination run wild.

Ultimate relaxation begins in 3...2...1...







SINGLE-HANDLE FREESTANDING TUB FILLERS

With clean lines and minimal ornamentation, Brizo® single-handle freestanding tub fillers effortlessly evoke a contemporary design aesthetic—bringing stunning new life to a modern or transitional bath space. Beyond simply making a statement, this collection of freestanding tub fillers incorporates a wealth of innovative features, including an indexing handshower to ensure drips land in the tub instead of on the floor, as well as H₂Okinetic® handshowers (on select models) to provide an indulgent experience while using less water. The patent-pending floor mount rough increases faucet stability, simplifies installation and allows for a constant spout height to the finished floor. And the high flow rate on all models allows you to fill the tub more efficiently—and escape to your private retreat even faster.



ORDERING SINGLE-HANDLE MODELS

With three unique architectures available, the hardest part of creating your perfect bath with a Brizo freestanding tub filler may be choosing which design you like best. Fortunately, the rough can be ordered separately and installed before you have to decide. This also minimizes the risk that the trim will be damaged or misplaced during construction. *Additional rough information page 20.*



TRIM



ROUGH*

**Rough available with and without stops*

UNCLUTTERED. UNCOMMON.
UNPARALLELED.
addition meets subtraction.

Minimalist? Maximalist? Yes. The Odin™ collection pairs a clean, Scandinavian design with a wealth of leading-edge technologies, for a combination of exquisite beauty and exceptional functionality. The Odin single-handle freestanding tub filler complements and completes this collection with a graceful silhouette and H₂Okinetic® handshower, which provides a luxurious, indulgent experience while using less water.



AVAILABLE FINISHES:

-  POLISHED CHROME (PC)
-  BRILLIANCE® BRUSHED NICKEL (BN)

FEATURES

- Floor mounted 1-hole installation
- Solid brass construction
- High flow ceramic mixing cartridge
- Single lever handle with hot and cold indicators
- Handshower holder indexes 90 degrees
- Auto-resetting diverter
- H₂Okinetic handshower
- 60-82" stretchable finished metal hose

FLOW RATE

- 14.5 gpm @ 60 psi, 55 L/min @ 414 kPa with R70100
- 12 gpm @ 60 psi, 46 L/min @ 414 kPa with R70100-WS
- Handshower flow rate 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa

DIMENSIONS

- 8 7/8" spout reach
- 40 1/2" overall height
- 35 7/8" from floor to spout outlet



FASHION ISN'T JUST ABOUT THE CLOTHES. *it's a lifestyle.*

A special edition within the Odin™ collection, the Jason Wu for Brizo™ line features the aesthetic sense of a renowned fashion designer, coupled with the design and innovation that could only come from Brizo®. Completing this full bath suite, the Jason Wu for Brizo single-handle freestanding tub filler allows you to create a spa retreat that not only relaxes your body—but also stimulates your imagination. The matte black finish makes a bold statement in any space, while the H₂Okinetic® handshower provides a drenching experience with less water usage.



AVAILABLE FINISHES:



T70175

FEATURES

- Floor mounted 1-hole installation
- Solid brass construction
- High flow ceramic mixing cartridge
- Single lever handle with hot and cold indicators
- Handshower holder indexes 90 degrees
- Auto-resetting diverter
- H₂Okinetic handshower
- 60-82" stretchable finished metal hose

FLOW RATE

- 14.5 gpm @ 60 psi, 55 L/min @ 414 kPa with R70100
- 12 gpm @ 60 psi, 46 L/min @ 414 kPa with R70100-WS
- Handshower flow rate 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa

DIMENSIONS

- 8 7/8" spout reach
- 40 1/2" overall height
- 35 7/16" from floor to spout outlet

SEAMLESS. DARING. DYNAMIC. *a study in contrast.*

Combining geometric structure with natural inspiration, Siderna® represents the merging of two very different worlds. Its soft, flowing curves mimic the movement of cascading waterfalls, while its stark, crisp lines evoke modern sophistication. The Siderna single-handle freestanding tub filler lets you complete this suite with three different finishes to match an array of environments.



AVAILABLE FINISHES:

-  POLISHED CHROME (PC)
-  BRILLIANCE® BRUSHED NICKEL (BN)
-  MATTE BLACK (BL)

FEATURES

- Floor mounted 1-hole installation
- Solid brass construction
- High flow ceramic mixing cartridge
- Single lever handle with hot and cold indicators
- Handshower holder indexes 90 degrees
- Auto-resetting diverter
- Touch-Clean® handshower
- 60-82" stretchable finished metal hose

FLOW RATE

- 14.5 gpm @ 60 psi, 55 L/min @ 414 kPa with R70100
- 12 gpm @ 60 psi, 46 L/min @ 414 kPa with R70100-WS
- Handshower flow rate 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa

DIMENSIONS

- 9⁵/₁₆" spout reach
- 40¹/₂" overall height
- 35¹³/₃₂" from floor to spout outlet



DIFFERENT. SURPRISING.
DRAMATIC.
a simple twist.

The twists and flourishes of Old World wrought iron find bold new expression in the Virage® collection. For the bathtub, the Virage single-handle freestanding tub filler pairs the collection's contemporary sophistication and hints of art deco styling with exceptional functionality, including an H₂Okinetic® handshower. Brought to life in five beautiful finishes, Virage is a uniquely elegant form that adapts to almost any space—a stunning way to create your own private spa retreat.



AVAILABLE FINISHES:

- | | | | |
|--|-------------------------------------|---|------------------------------------|
|  | POLISHED CHROME
(PC) |  | BRILLIANCE®
BRUSHED NICKEL (BN) |
|  | BRILLIANCE®
POLISHED NICKEL (PN) |  | BRILLIANCE®
BRUSHED BRONZE (BZ) |
|  | VENETIAN BRONZE®
(RB) | | |

FEATURES

- Floor mounted 1-hole installation
- Solid brass construction
- High flow ceramic mixing cartridge
- Single lever handle with hot and cold indicators
- Handshower holder indexes 90 degrees
- Auto-resetting diverter
- H₂Okinetic handshower
- 60-82" stretchable finished metal hose

FLOW RATE

- 14.5 gpm @ 60 psi, 55 L/min @ 414 kPa with R70100
- 12 gpm @ 60 psi, 46 L/min @ 414 kPa with R70100-WS
- Handshower flow rate 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa

DIMENSIONS

- 9³/₈" spout reach
- 40¹/₂" overall height
- 34⁹/₁₆" from floor to spout outlet



T70130



TWO-HANDLE FREESTANDING TUB FILLERS

Classic and timeless, the two-handle design pairs traditional styling with an array of configurations and trim kit options, allowing you to create a look that matches virtually any space. Separate trim kits include the handshower, spout and handles and are designed to coordinate with a variety of Brizo® bath collections, while floor mount, deck mount and wall mount installation options offer an added degree of flexibility. The patent-pending floor mount rough increases faucet stability, simplifies installation and allows for constant spout height to the finished floor. The rotating handshower cradle ensures drips go into the tub—not on the floor—and the stretchable finished metal handshower hose offers a beguiling combination of beauty and functionality.



ORDERING TWO-HANDLE MODELS

Brizo two-handle freestanding tub fillers offer exceptional flexibility, with separate trim kits and installation components providing an array of options to fit any space. To create a complete model, simply order the body assembly in your desired finish, select the trim kit (which includes handshower, spout and handles), and then add the appropriate floor mount, deck mount or wall mount risers/unions. For floor mount installations, a rough is also required. *Additional rough information page 20.*



*Rough available with and without stops
 † 2" riser extension set available for floor and deck mount models

INSPIRED. STATELY.
ILLUMINATING.
a beacon for the bath.

Drawing inspiration from the timeless beauty of lighthouses, the Baliza® bath collection features a unique architecture and simple, elegant lines. The Baliza two-handle freestanding tub filler brings these same qualities to the bathtub, completing the look and elevating any space. The result is a stunningly fresh perspective on a warm, traditional feel.



AVAILABLE FINISHES:

-  POLISHED CHROME (PC)
-  VENETIAN BRONZE® (RB)
-  BRILLIANCE® POLISHED NICKEL (PN)
-  BRILLIANCE® BRUSHED NICKEL (BN)
-  BRILLIANCE® BRUSHED BRONZE (BZ)

FEATURES

- Floor, deck or wall mounted 2-hole installation
- Dual column design, 8" center-to-center
- Solid brass construction
- High flow ceramic control valves
- Waterways insulated within risers to control surface condensation and heat (floor and deck mount models only)
- Handshower cradle rotates 90 degrees in either direction
- 60-82" stretchable finished metal hose

FLOW RATE

- 12 gpm @ 60 psi, 46 L/min @ 414 kPa with R70200
- 10 gpm @ 60 psi, 38 L/min @ 414 kPa with R70200-WS
- Handshower flow rate 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa

DIMENSIONS

FLOOR MOUNT	DECK MOUNT	WALL MOUNT
▪ 8 1/4" spout reach	▪ 8 1/4" spout reach	▪ 10 1/2" spout reach
▪ 42 3/8" overall height*	▪ 13 1/8" overall height*	▪ 10 5/8" overall height
▪ 31 3/4" from floor to spout outlet*	▪ 2 1/2" from deck to spout outlet*	



FLOOR MOUNT
 T70210-LHP
 T70305
 RP73766

DECK MOUNT
 T70210-LHP
 T70305
 RP73765

WALL MOUNT
 T70210-LHP
 T70305
 RP73764

* 2" riser extension set is available for floor and deck mount models (RP73767)

OPULENT. POISED.
POETIC.
artful indulgence.

The Charlotte™ collection infuses clean lines with classical elegance, deftly bridging the gap between traditional and modern design. The Charlotte two-handle freestanding tub filler makes a statement with sumptuous curves and exquisite details. Four stunning finishes—including Cocoa Bronze™ with Polished Nickel—are available to complement any décor.



AVAILABLE FINISHES:

-  POLISHED CHROME (PC)
-  BRILLIANCE* POLISHED NICKEL (PN)
-  BRILLIANCE* BRUSHED NICKEL (BN)
-  COCOA BRONZE™ WITH POLISHED NICKEL (PNCO)

FEATURES

- Floor, deck or wall mounted 2-hole installation
- Dual column design, 8" center-to-center
- Solid brass construction
- High flow ceramic control valves
- Waterways insulated within risers to control surface condensation and heat (floor and deck mount models only)
- Handshower cradle rotates 90 degrees in either direction
- 60-82" stretchable finished metal hose

FLOW RATE

- 12 gpm @ 60 psi, 46 L/min @ 414 kPa with R70200
- 10 gpm @ 60 psi, 38 L/min @ 414 kPa with R70200-WS
- Handshower flow rate 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa

DIMENSIONS

FLOOR MOUNT	DECK MOUNT	WALL MOUNT
▪ 8 1/4" spout reach	▪ 8 1/4" spout reach	▪ 10 5/8" spout reach
▪ 42 13/16" overall height*	▪ 13 9/16" overall height*	▪ 10 1/8" overall height
▪ 32 11/16" from floor to spout outlet*	▪ 3 7/16" from deck to spout outlet*	

*2" riser extension set is available for floor and deck mount models (RP73767)



FLOOR MOUNT
 T70210-LHP
 T70385
 RP73766

DECK MOUNT
 T70210-LHP
 T70385
 RP73765

WALL MOUNT
 T70210-LHP
 T70385
 RP73764

ELEGANT. MODERN.
ENDURING.
bridging past and present.

The Tresa® collection reunites us with the past by taking design cues from the earliest European fountains. Traditional styling provides it with the classic feel of these graceful structures. The Tresa two-handle freestanding tub filler takes this timeless aesthetic to the bathtub, with five distinctive finishes to match whatever vision you have for your spa oasis.



AVAILABLE FINISHES:

-  POLISHED CHROME (PC)
-  BRILLIANCE® POLISHED NICKEL (PN)
-  VENETIAN BRONZE® (RB)
-  BRILLIANCE® BRUSHED NICKEL (BN)
-  BRILLIANCE® BRUSHED BRONZE (BZ)

FEATURES


- Floor, deck or wall mounted 2-hole installation
- Dual column design, 8" center-to-center
- Solid brass construction
- High flow ceramic control valves
- Waterways insulated within risers to control surface condensation and heat (floor and deck mount models only)
- Handshower cradle rotates 90 degrees in either direction
- 60-82" stretchable finished metal hose

FLOW RATE

- 12 gpm @ 60 psi, 46 L/min @ 414 kPa with R70200
- 10 gpm @ 60 psi, 38 L/min @ 414 kPa with R70200-WS
- Handshower flow rate 2.0 gpm @ 80 psi, 7.6 L/min @ 552 kPa

DIMENSIONS

FLOOR MOUNT	DECK MOUNT	WALL MOUNT
▪ 8 1/4" spout reach	▪ 8 1/4" spout reach	▪ 10 1/2" spout reach
▪ 42 3/8" overall height*	▪ 13 1/8" overall height*	▪ 10 5/8" overall height
▪ 31 3/4" from floor to spout outlet*	▪ 2 1/2" from deck to spout outlet*	



FLOOR MOUNT
 T70210-LHP
 T70336
 RP73766

DECK MOUNT
 T70210-LHP
 T70336
 RP73765

WALL MOUNT
 T70210-LHP
 T70336
 RP73764

* 2" riser extension set is available for floor and deck mount models (RP73767)



FREESTANDING TUB DRAINS

Freestanding tub drains are not included with Brizo freestanding tub fillers. Tub waste and overflow models (#256, #257, #259) are available from Brasstech in coordinating finishes.

BRIZO® FINISHES:

-  POLISHED CHROME (PC)
-  BRILLIANCE® POLISHED NICKEL (PN)
-  BRILLIANCE® BRUSHED NICKEL (BN)
-  BRILLIANCE® BRUSHED BRONZE (BZ)
-  VENETIAN BRONZE® (RB)
-  MATTE BLACK (BL)

COORDINATING BRASSTECH® FINISHES:

- POLISHED CHROME
- POLISHED NICKEL
- SATIN NICKEL
- SATIN BRONZE
- VENETIAN BRONZE
- FLAT BLACK

FREESTANDING FLOOR MOUNT TUB FILLER ROUGHS

An exceptionally smart foundation, Brizo® freestanding tub filler roughs are in many ways as distinctive as the tub fillers themselves. Extensive research led to numerous thoughtful design and installation features: the patent-pending rough for floor mount models provides added stability, improved leak protection, constant spout height above the finished floor and simplified installation.

PREASSEMBLED TEST CAPS

- Allows for system pressure/leak testing before trim installation

ROBUST PLASTERGUARD PREASSEMBLED

- Provides protection from external contamination during construction
- Prevents damage during and after plumbing rough-in


INTEGRATED STOP VALVES

- Rough available with and without stops

MOUNTING SCREWS PROVIDED

STANDARD 1/2" NPT

- Soldering not required



R70100-WS

PREASSEMBLED O-RINGS

INFORMATION LABEL

- Indicates maximum allowed finished floor thickness
 - 3 1/2" and 4 1/2" for single- and two-handle models, respectively

RIGID METAL INSTALLATION TEMPLATE

- Two-handle template ensures 8" spread

FORGED BRASS BODY

PREASSEMBLED GASKET

- Provides added leak protection
- Isolates living space from crawl space or lower level

FLOW RATES:

R70100: Single-handle rough

- 14.5 gpm @ 60 psi, 55 L/min @ 414 kPa

R70100-WS: Single-handle rough with stops

- 12 gpm @ 60 psi, 46 L/min @ 414 kPa

R70200: Two-handle rough

- 12 gpm @ 60 psi, 46 L/min @ 414 kPa

R70200-WS: Two-handle rough with stops

- 10 gpm @ 60 psi, 38 L/min @ 414 kPa




Rough shown without preassembled plasterguard

FREESTANDING TUB FILLER INSTALLATION


FLOOR MOUNT TUB FILLER ROUGH INSTALLATION:

The patent-pending Brizo® floor mount tub filler rough is designed to make installing a freestanding tub filler easier than ever.

To install the rough, start by determining the location of the tub and position the rigid metal installation template so that it's properly aligned. Cut a hole in the subfloor so the rough will be able to slide up from below. Connect the supply lines to the 1/2" NPT threaded inlets on the rough and slide the rough assembly through the cut hole (making sure that "TUB SIDE" is facing the tub). Secure the rough directly to the subfloor (if it is greater than 3/4") with the 4 screws that are provided or to a 12" stringer below the subfloor (if it is less than 3/4"). The pre-assembled test caps allow for a full system pressure test for leaks prior to installing the trim.



Single-Handle Freestanding Tub Filler Rough (R70100 or R70100-WS)
Subfloor Installation



Two-Handle Freestanding Tub Filler Rough (R70200 or R70200-WS)
Subfloor Installation

FLOOR MOUNT TUB FILLER TRIM INSTALLATION:

Once the floor has been finished, install the trim. Carefully cut the plasterguard flush with the finished floor and remove the test caps; if a rough with integrated stops (WS models) was installed, verify that the stop valves are in the full open position. Carefully slide the single-handle tub filler trim or two-handle floor mount risers over the supply tubes until the base(s) rest on the floor, use the provided threaded bolts and washers to secure the trim to the rough (ensuring the faucet is level before tightening completely). Finally, slide the escutcheon(s) down to cover the base(s) and complete the installation.

For more information on installing Brizo Freestanding Tub Fillers, reference the Maintenance and Installation Guides available on brizo.com.

QUICK REFERENCE




ODIN™/JASON WU FOR BRIZO™
(p 10 + p 11)




SIDERNA®
(p 12)




VIRAGE®
(p 13)



BALIZA®
(p 16)



CHARLOTTE™
(p 17)



TRESA®
(p 18)

CONFIGURATIONS

Single-Handle	•	•	•			
Two-Handle Floor Mount				•	•	•
Two-Handle Deck Mount				•	•	•
Two-Handle Wall Mount				•	•	•

SPECIFICATIONS

Flow Rate (<i>rough without stops</i>)	14.5 gpm @ 60 psi 55 L/min @ 414 kPa	14.5 gpm @ 60 psi 55 L/min @ 414 kPa	14.5 gpm @ 60 psi 55 L/min @ 414 kPa	12 gpm @ 60 psi 46 L/min @ 414 kPa	12 gpm @ 60 psi 46 L/min @ 414 kPa	12 gpm @ 60 psi 46 L/min @ 414 kPa
Overall Height	40 1/2"	40 1/2"	40 1/2"	42 3/8" Floor 13 1/8" Deck 10 5/8" Wall	42 13/16" Floor 13 9/16" Deck 10 1/8" Wall	42 3/8" Floor 13 1/8" Deck 10 5/8" Wall
Spout Reach	8 7/8"	9 5/16"	9 3/8"	8 1/4" Floor & Deck 10 1/2" Wall	8 1/4" Floor & Deck 10 5/8" Wall	8 1/4" Floor & Deck 10 1/2" Wall
Floor/Deck to Spout Outlet	35 7/16"	35 13/32"	34 9/16"	31 3/4" Floor 2 1/2" Deck	32 11/16" Floor 3 7/16" Deck	31 3/4" Floor 2 1/2" Deck
Floor Mount Rough required (<i>order separately</i>)	•	•	•	•	•	•

FEATURES

H ₂ Okinetic® Handshower	•		•			
Touch-Clean® Handshower		•				
Indexing/Rotating Handshower Holder	•	•	•	•	•	•
Stretchable Finished Metal Hose	•	•	•	•	•	•

FINISHES

Polished Chrome (PC)	•	•	•	•	•	•
Brilliance® Polished Nickel (PN)			•	•	•	•
Venetian Bronze® (RB)			•	•		•
Brilliance® Brushed Nickel (BN)	•	•	•	•	•	•
Brilliance® Brushed Bronze (BZ)			•	•		•
Cocoa Bronze™ with Polished Nickel (PNCO)					•	
Matte Black (BL)	•	•				

Coordinating finishes are available from Brasstech® for freestanding tub drains, tub waste and overflow models (#256, #257, #259)

BRIZO® FINISH:	PC	PN	BN	BZ	RB	BL
COORDINATING BRASSTECH FINISH:	Polished Chrome	Polished Nickel	Satin Nickel	Satin Bronze	Venetian Bronze	Flat Black

