


MOEN®

FOR THE LOVE OF WATER







Something magical happens when we interact with water. A warm shower can lift the spirit. A cool glass of water can refresh and renew. Exploring water in nature can make anyone feel a part of something bigger. Water is essential to life. It connects us to our environment, and to each other. It's no wonder that being with water inspires a greater sense of harmony with the world and deepens moments that make us feel most alive. With each new product Moen creates, we celebrate water's ability to nourish, cleanse and bring people together. One innovation after another, we create new products and technologies **for the love of water.**

MOEN[®]

Contents



Flara® Bath Collection Featured in Chrome

INNOVATION AND STYLE **NEW**

- 23 U by Moen™ Smart Faucets
- 26 Flo by Moen™
- 42 Sinema™ Kitchen Collection – Black Stainless
- 94 M-CORE™ Perfectly Matched Trim
- 102 Flara® Bath Collection
- 107 Colinet™ Bath Collection
- 205 Nebia by Moen™
- 294 M-CORE™ Common Valve

MOEN® NETWORK **NEW**

- 23 U by Moen™ Smart Kitchen Faucets
- 25 U by Moen™ Smart Shower Options
- 26 Flo by Moen™

KITCHEN AND BAR

- 30 U by Moen™ Smart Faucets **NEW**
- 32 MotionSense™
- 33 MotionSense Wave
- 34 Waterhill®
- 36 Nio™
- 38 STō®
- 40 Weymouth®
- 42 Sinema™ **NEW**
- 44 Etch®
- 46 Paterson™
- 48 Aberdeen™
- 49 Voss
- 50 Notch®
- 52 Align®
- 54 Brantford®
- 56 Genta™
- 58 Arbor®
- 60 Camerist®
- 62 Sleek™
- 64 Belfield™
- 65 Integra®
- 66 Method™
- 67 Chateau®
- 69 Torrance™
- 70 Banbury®
- 71 Pot Fillers
- 72 Sip™ Beverage Faucets
- 73 Soap Dispensers

KITCHEN SINKS

- 76 Granite
- 78 1600™ Professional Series
- 79 1800™ Series
- 82 2000™ Series
- 84 2200™ Series
- 85 Sink Accessories

DISPOSALS**The Chef**

- 86 EXL Series **NEW**
- 86 GX Series

The Host

- 87 GT Series
- 87 GX Series

The Prep

- 88 GX Pro Series
- 88 GX Series
- 88 GT Series

The Lite

- 89 GX Pro Series
- 89 GT Series

BATH FAUCETS AND ACCESSORIES

- 92 Weymouth®
- 97 Arris®
- 102 Flara® **NEW**
- 107 Colinet™ **NEW**
- 112 90°™
- 118 Via®
- 122 Doux™
- 126 Wynford®
- 131 Align®
- 136 Voss™
- 141 Belfield
- 146 Kingsley®
- 150 Rizon®
- 153 Dartmoor™
- 157 Glyde™
- 159 Vichy™
- 161 Brantford
- 165 Eva®
- 169 Method™
- 173 Gibson™
- 176 Genta™
- 179 Chateau®

CUSTOM SHOWERING

- 191 U by Moen™ Shower
- 192 M-CORE™ 3-Series Perfectly Matched Trim **NEW**
- 192 Moentrol® Perfectly Matched Trim
- 192 Posi-Temp® Perfectly Matched Trim
- 204 Annex™
- 205 Nebia by Moen™ **NEW**
- 206 Tub Fillers
- 208 Rainshowers
- 210 Showerheads
- 211 Handheld Showers
- 212 Moen x Inly Aromatherapy Shower™ **NEW**
- 213 Handshower Accessories
- 213 Body Sprays
- 214 Tub Spouts and Drains

COORDINATING ACCESSORIES AND SAFETY

- 230 Pro-Fit® Installation System
- 225 SecureMount™ System
- 226 Mason™ Bath Accessories
- 227 Retreat® Bath Accessories
- 228 Arlys™ Bath Accessories **NEW**
- 229 Triva™ Bath Accessories
- 230 Iso® Bath Accessories
- 232 Sage® Bath Accessories
- 234 Kyvos™ Bath Accessories
- 235 Lounge™ Bath Accessories
- 236 Madison™ Bath Accessories
- 237 Preston™ Bath Accessories
- 238 Edgestone® Bath Accessories
- 239 Stockton® Bath Accessories
- 240 Danbury® Bath Accessories
- 241 Yorkshire™ Bath Accessories
- 242 Aspen™ Bath Accessories
- 243 30" Towel Bars
- 246 Shower Rods and Rings
- 253 Moen Lighting
- 255 Knobs and Pulls
- 256 Donner®
- 263 Bath Safety

REFERENCE

- 279 Premium Kitchen Finishes
- 280 Kitchen Finishes
- 282 Premium Kitchen and Bar/Prep Platforms
- 283 Kitchen and Bar/Prep Platforms
- 285 Sinks Series Options
- 286 Premium Bath and Shower Finishes
- 287 Bath and Shower Finishes
- 288 Premium Bath and Shower Platforms
- 289 Bath and Shower Platforms
- 290 Bath-Matching Accessories Finishes
- 291 Coordinating Accessories Finishes
- 292 Premium Bath-Matching Accessories
- 293 Coordinating Accessories
- 294 Bath-Matching Accessories
- 295 Valve Choices
- 296 Valve Flow Rate Chart





Science and sensation in sync. It's showering reimagined.

Indulge your senses with the shower of your dreams. Meticulously engineered for optimal warmth, rinsing and body coverage, Nebia by Moen™ delivers an immersive, spa-like experience. The design-forward product architecture provides two times the coverage while using up to 45% less water*.

*When compared to standard Moen 2.5gpm showerhead




Speak volumes of water and more.

U by Moen™ Smart Kitchen Faucets are revolutionizing the home through the power of voice control and hands-free, intuitive operation. With multiple ways to dispense precise volumes and temperatures, together or separately, this is water delivery how you want it, when you want it – every time. Just say the word to fill your pasta pot. Simply speak to pour the perfect baby bottle. Or, don't say anything and simply wave your hand to activate the water flow. Say hello to your new kitchen assistant.

Available in 8 collections with 7 finish options










Flexible installation meets freedom of design.

Easy install, countless possibilities. This is shower design on your time. The M-CORE™ Valve System makes the pro's life easier with a simpler install, and gives homeowners the flexibility to choose or change trim even after the valve has been installed. It's an ideal experience from start to finish.



Distinctive style elevates everyday water experiences.

Tailored traditional. Modern glamour. Industrial chic. All in one striking faucet. Colinet's uniquely versatile design blends elegant, contemporary elements with beautiful details to flow seamlessly with any desired style aesthetic. Immerse yourself in the bathroom of your dreams with this full suite of stunning fixtures.







A departure from the ordinary.

A strikingly beautiful evolution of traditional stainless, Moen's black stainless finish is thoughtfully designed to stand out on its own, or blend with existing elements and details. The chameleon of finishes, it's crafted to coordinate with a mixture of materials and colors to anchor any kitchen design. Discover Moen black stainless and add a new sophisticated aesthetic to your daily water encounters.



Art Deco glamour dazzles in kitchen designs.

Dramatic grandeur, inspired by the opulence of the Roaring 1920's. The Sinema™ kitchen collection merges traditional and modern style cues to exude graceful sophistication. Luxurious architectural scalloped details on the base and handle combine with a statuesque profile to command attention in any kitchen.








The next level in home water security.

The Flo by Moen™ whole home water monitoring security system offers peace of mind and puts you in control over your home's water. Help prevent pipe leaks, and monitor usage with the Flo by Moen Smart Water Shutoff. And for what you can't control, Flo by Moen Smart Water Detectors sense moisture and notify you whenever there is a threat present. With convenient smartphone controls, there are more options to keep the things you love protected.

Moen® Network



The **Moen® Network** uses smart technology to help simplify everyday tasks in the kitchen and bath and to enhance home protection.



The Moen® Network Take Control of Your Home

We're at the dawn of a new age in which we have more control over where, when and how we experience water in our homes each day. We are refining our industry with products that not only look beautiful, but respond more intuitively, are more personalized and enhance every interaction with water.



NEW

U^{BY} MOEN SMART FAUCET™

A voice-activated kitchen assistant to simplify everyday tasks at the sink.



flo^{BY} MOEN™

SMART WATER SHUTOFF

Remote water shutoff from your phone to protect your home, even when you're not there.



U^{BY} MOEN SMART SHOWER™

Personalize your shower experience and control it remotely with the latest in smart home technology.



NEW

flo^{BY} MOEN™

SMART WATER DETECTOR

Identify leaks or water issues to prevent damage and protect your home.

U by Moen™ Smart Kitchen Faucets

This line of smart kitchen faucets provides the extra set of hands everyone needs in the kitchen. Offering useful benefits – like precise measurements, exact temperature and unlimited personalized presets – and voice-activation technology, you can use new ways to activate your faucet to simplify everyday tasks at the sink.

See pages 30-31 for specific product detail.



NEW



Nio™
One-Handle Pulldown
U by Moen Smart Faucet

- S75005EVC
- S75005EVBL
- S75005EVSRS ●
- S75005EVBLS ●

POWERBOOST (Q3) reflex
DURALOCK® DURALAST™

NEW



STo®
One-Handle Pulldown
U by Moen Smart Faucet

- S72308EVC
- S72308EVBL
- S72308EVSRS ●
- S72308EVBG

POWERBOOST (Q3) reflex
DURALOCK® DURALAST™

NEW



Weymouth®
One-Handle Pulldown
U by Moen Smart Faucet

- S73004EVC
- S73004EVNL
- S73004EVSRS ●
- S73004EVBG
- S73004EVORB

POWERBOOST reflex
DURALOCK® DURALAST™

NEW



Paterson™
One-Handle Pulldown
U by Moen Smart Faucet

- S72003EVC
- S72003EVBL
- S72003EVSRS ●

POWERBOOST reflex
DURALOCK® DURALAST™

● Spot Resist Stainless Finish
POWERBOOST Power Boost™
reflex Self-Retracting Spray Hose
DURALOCK Duralock® Quick Connections
DURALAST Duralast® Cartridge

U by Moen™ Smart Kitchen Faucets



NEW



Align®
One-Handle Pulldown
U by Moen™ Smart Faucet

7565EVC
 7565EVBL
 7565EVSRS●
 7565EVBG
 7565EVBLS●

POWERBOOST (Q3) reflex
 DURALOCK® DURALAST™

NEW



Brantford®
One-Handle Pulldown
U by Moen Smart Faucet

7185EVC
 7185EVSRS●
 7185EVORB

POWERBOOST reflex
 DURALOCK® DURALAST™

NEW



Arbor®
One-Handle Pulldown
U by Moen Smart Faucet

7594EVC
 7594EVBL
 7594EVSRS●
 7594EVORB

POWERBOOST reflex
 DURALOCK® DURALAST™

NEW



Sleek™
One-Handle Pulldown
U by Moen Smart Faucet

7864EVC
 7864EVBL
 7864EVSRS●
 7864EVBLS●

POWERBOOST reflex
 DURALOCK® DURALAST™

● Spot Resist Stainless Finish
 POWERBOOST Power Boost™
 reflex Self-Retracting Spray Hose
 DURALOCK Duralock® Quick Connections
 DURALAST Duralast® Cartridge



U by Moen™ Smart Shower

The next-generation, Wi-Fi/cloud-based digital shower that offers mobile connectivity, unmatched personalization with up to 12 customized presets and the ability to control your shower with the in-shower controller, smartphone app or your voice via Amazon Alexa, Apple HomeKit/Siri and the Google Assistant.

See pages 188-191 for specific product detail.



**U by Moen
Two-Outlet Controller**
TS3302TB, TS3302BL




**U by Moen
Two-Outlet Valve**
S3102



**U by Moen
Four-Outlet Controller**
TS3304TB, TS3304BL



**U by Moen
Four-Outlet Valve**
S3104



Two- and Four-Outlet Controllers

- Wi-fi connected, app driven shower controller
- Precise temperature control
- Warm-up and pause mode
- Optional shower timer
- Compatible with Amazon Alexa, Apple HomeKit/Siri and Google Assistant
- Smart phone app available for Apple iOS and Android OS
- Remote activation via smart phone app
- Two presets on controller, 12 in total with smart phone app
- Valve and showerhead sold separately


Two- and Four-Outlet Valves

- Digital thermostatic shower valve
- Precise temperature control
- Two-outlet connection size: 1/2" inlets & 1/2" outlets
- Four-outlet connection size: 3/4" inlets & 1/2" outlets
- Fits standard 2'x4' wall
- Includes 30' data cable

Flo by Moen™

Whole Home Water Security

The best way to avoid water damage is to prevent it. Backed by years of product development and industry-leading technology, the smart water shutoff detects and stops leaks. From your toilet, shower or faucet, to the pipes in your foundation and behind your walls, the smart water shutoff monitors all of them, so there's no surprises on your water bill or catastrophes when you come home from vacation.



Smart Water Shutoff

Remote water shutoff from your phone and automatic water shutoff for protection even when you're offline.

Microleak™ Technology

Advanced sensors detect leaks as small as one drop of water per minute.

Proactive Protection

Daily health tests help keep your home leak-free and alert you when there's an issue.

Smart Water Detector

Stand-alone sensors that can be placed anywhere in a home to alert users if, when and where it detects moisture, temperature and humidity.

Savings

Save water and money while protecting your home and possessions from water damage.

Support

On-call experts to help you identify and troubleshoot detected leaks.

Contact your Moen sales representative or visit moen.com/flo for additional information.

Flo by Moen™

Whole Home Water Security

The smart water shutoff is a mainline water monitoring device for your home.

Flo by Moen includes built-in pressure, flow and temperature sensors and advanced cloud analytics. The smart water shutoff learns a consumer's home; monitors water usage on a daily, weekly and monthly basis; identifies leaks or excess water usage; alerts the homeowner of any issues; and can automatically shut off the home's water to prevent water damage and protect the home.



| | | |
|-------|--|------------|
| | 0.75" Shut Off | 900-001* |
| NEW | 1.00" Shut Off | 900-006* |
| NEW | 1.25" Shut Off | 900-002** |
| <hr/> | | |
| NEW | 0.75" NPT Spacer Kit | 930-001 |
| NEW | 0.75" CC Spacer Kit | 930-002 |
| NEW | 1" NPT Spacer Kit | 930-003 |
| NEW | 1" CC Spacer Kit (Ships Q3) | 930-004 |
| NEW | 1.25" NPT Spacer Kit (Ships Q3) | 930-005 |
| NEW | 1.25" CC Spacer Kit (Ships Q3) | 930-006 |
| <hr/> | | |
| NEW | Battery Back-Up Kit | 920-001*** |
| NEW | 25' DC Ext. Cable | 920-003 |



The Smart Water Detector senses the presence of water, freezing temperatures or high humidity, it will notify you through a push notification from the Flo by Moen App and can pair to the smart water shutoff to automatically shut the water off to the whole house.

| | | |
|-----|----------------------------------|-------------|
| NEW | Smart Water Detector 1 pk | 920-004**** |
| NEW | Smart Water Detector 3 pk | 920-005**** |

* Can be installed on lines up to 1-1/4"
 ** Can be installed on lines up to 1-1/2"
 *** Comes with 48" detector extension cable for hard to reach areas.
 **** Applicable laws and regulations require that these materials be shipped via ground transportation rather than air.

Kitchen and Bar



Sinema One-Handle Pulldown Kitchen Faucet featured in Spot Resist Stainless Finish



U by Moen™ Smart Faucets

NEW COLLECTION



SMART FAUCETS



Nio™
One-Handle Pulldown Kitchen Faucet
U by Moen™ Smart Faucet
S75005EV 🌞🌙



Weymouth™
One-Handle Pulldown Kitchen Faucet
U by Moen™ Smart Faucet
S73004EV 🌞🌙



Align™
One-Handle Pulldown Kitchen Faucet
U by Moen™ Smart Faucet
7565EV 🌞🌙



STō™
One-Handle Pulldown Kitchen Faucet
U by Moen™ Smart Faucet
S72308EV 🌞🌙



Paterson™
One-Handle Pulldown Kitchen Faucet
U by Moen™ Smart Faucet
S72003EV 🌞🌙





Arbor™
One-Handle Pulldown Kitchen Faucet
U by Moen™ Smart Faucet
7594EV 🌞🌙


U by Moen™ Smart Faucets

NEW COLLECTION



Brantford™
One-Handle Pulldown Kitchen Faucet
U by Moen™ Smart Faucet
 7185EV  



Sleek™
One-Handle Pulldown Kitchen Faucet
U by Moen™ Smart Faucet
 7864EV  

FINISH OPTIONS



Chrome (C), Matte Black (BL), Spot Resist™ Stainless (SRS), Brushed Gold (BG), Oil Rubbed Bronze (ORB), Black Stainless (BLS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.




KITCHEN FAUCETS WITH

U BY MOEN
SMART FAUCET™



PRODUCT INNOVATIONS:

U by Moen™ | Spot Resist™ | Power Boost™ | Power Clean™ | Reflex™



-  ADA-Compliant
-  Power Boost - Sto, Nio and Align will transition to PowerBoost in Q3
-  Power Clean

MotionSense™




FAUCETS



STō®
One-Handle Pulldown Kitchen
Faucet with MotionSense
 S72308E  



Brantford®
One-Handle Pulldown Kitchen
Faucet with MotionSense
 7185E  



Align®
One-Handle Pulldown Kitchen
Faucet with MotionSense
 7565E  



Arbor®
One-Handle Pulldown Kitchen
Faucet with MotionSense
 7594E  

FINISH OPTIONS



Chrome **(C)**, Spot Resist® Stainless **(SRS)**,
 Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference
 chart on pages 279-284.


Not all platforms available in all finishes.

KITCHEN FAUCETS WITH

***motion*sense®**

PRODUCT INNOVATIONS:

MotionSense® | Spot Resist® | Power Clean® | Reflex®

-  ADA-Compliant
-  Power Clean



FAUCETS



Align®
One-Handle Pulldown
Spring Kitchen Faucet with
MotionSense Wave
5923EW  



Align®
One-Handle Pulldown
Kitchen Faucet with
MotionSense Wave
7565EW  



Arbor®
One-Handle Pulldown
Kitchen Faucet with
MotionSense Wave
7594EW  



Brantford®
One-Handle Pulldown
Kitchen Faucet with
MotionSense Wave
7185EW  



Sleek™
One-Handle Pulldown
Kitchen Faucet with
MotionSense Wave
7864EW  

FINISH OPTIONS




Chrome (C), Matte Black (BL),
Spot Resist™ Stainless (SRS),
Oil Rubbed Bronze (ORB),
Lifeshine® Brushed Gold (BG),
Black Stainless (BLS)

Not all platforms available in all finishes.
To view ordering instructions, see
reference chart on pages 279-284.

KITCHEN FAUCETS WITH



PRODUCT INNOVATIONS:
MotionSense Wave® | Spot Resist® |
Power Clean™ | Reflex®

-  ADA-Compliant
-  Power Clean



FAUCETS



Two-Handle Kitchen Faucet
S713

Also available in Wrought Iron finish



One-Handle Kitchen Faucet
S711

MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar
YB9818



Towel Ring
YB9886



Drawer Knob
YB5405



Drawer Pull
YB5407




Traditional Soap Dispenser
S3945



Sip® One-Handle Beverage Faucet
S5510 ♻️



Traditional Pot Filler
S664 ♻️



Bottom Grid
GA780B
29" x 16"



Single Bowl
G18180
31" x 18" x 8½"

FINISH OPTIONS



Chrome **(C)**, Spot Resist® Stainless **(SRS)**,
Oil Rubbed Bronze **(ORB)**, Wrought Iron **(WR)**

Not all platforms available in all finishes.

To view ordering instructions, see reference
chart on pages 279-284.

PRODUCT INNOVATIONS:

Spot Resist®


♻️ ADA-Compliant



SMART FAUCET



**One-Handle Pulldown Kitchen Faucet
U by Moen™ Smart Faucet**
S75005EVC



FAUCETS



One-Handle Pulldown Kitchen Faucet
S75005



One-Handle Bar Faucet
S55005

MATCHING ACCESSORIES



Sip™ One-Handle Beverage Faucet
S5550

Chrome Secondary Handle Finish: Matte Black (MB)
Spot Resist Stainless Secondary Handle Finish: Matte Black (MB)
Matte Black Secondary Handle Finish: Brushed Gold (BG)



COORDINATING ACCESSORIES



18" Towel Bar
YB8818



Modern Soap Dispenser
S3947



Drawer Knob
YB8805



Modern Pot Filler
S665 



Single Bowl
GGB4014B
33x x 20½ x 9½



Bottom Grid
GA780B
29" x 16"

FINISH OPTIONS



Chrome [C], Matte Black [BL],
Spot Resist™ Stainless [SRS],
Black Stainless [BLS]

To view ordering instructions, see
reference chart on pages 279-284.

Secondary two-tone handle option
included:




-Chrome faucet: Chrome and Chrome/
Matte Black handle options

-Spot Resist Stainless faucet: Spot
Resist Stainless and Spot Resist
Stainless/Matte Black handle options

-Matte Black faucet: Matte Black and
Matte Black/Brushed Gold handle
options

PRODUCT INNOVATIONS:

U by Moen™ | Spot Resist™ | Power Clean™
| Powewr Boost™ | Reflex™


-  ADA-Compliant
-  Power Clean
-  Power Boost - Ships Q3



SMART FAUCET



One-Handle Pulldown Kitchen Faucet U by Moen[®] Smart Faucet
S72308EV



FAUCETS



One-Handle Pulldown Kitchen Faucet with MotionSense[™]
S72308E



One-Handle Pulldown Bar Faucet
S62308



One-Handle Pulldown Kitchen Faucet
S72308



COORDINATING ACCESSORIES



Modern Soap Dispenser
S3947




Modern Pot Filler
S665 ♿



Sip™ One-Handle Beverage Faucet
S5530 ♿



Single Bowl
G16100
32" x 20" x 10"



Bottom Grid
GA760
30" x 18"

FINISH OPTIONS



Chrome (C), Matte Black (BL),
Spot Resist™ Stainless (SRS),
Lifeshine™ Brushed Gold (BG)

Not all platforms available in all finishes.
To view ordering instructions, see
reference chart on pages 279-284.

PRODUCT INNOVATIONS:
U by Moen™ | MotionSense™ | Spot Resist™
Power Boost™ | Power Clean™ | Reflex™

- ♿ ADA-Compliant
- Power Clean
- Ⓜ Power Boost - Ships Q3

SELECT FAUCETS
WITH NEW
U BY MOEN
SMART FAUCET.



SMART FAUCET



One-Handle Pulldown Kitchen Faucet
U by Moen™ Smart Faucet
 S73004EVC 🌐🌐
 Optional porcelain handle cap included.



Porcelain handle cap included with S73004EVC, S73104, S73004 and S53004

FAUCETS



One-Handle Pulldown Spring Kitchen Faucet
 S73104 🌐🌐
 Optional porcelain handle cap included.



One-Handle Pulldown Kitchen Faucet
 S73004 🌐🌐
 Optional porcelain handle cap included.



One-Handle Pulldown Bar Faucet
 S53004 🌐🌐
 Optional porcelain handle cap included.



One-Handle Kitchen Faucet
 S72101 🌐



One-Handle Bar Faucet
 S62101 🌐



MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar
YB8418



Traditional Soap Dispenser
S3945



Towel Ring
YB8486



Sip™ One-Handle Beverage Faucet
S5510 ♿




Drawer Knob
YB8405



Traditional Pot Filler
S664 ♿



Drawer Pull
YB8407



Bottom Grid
GA726
14" x 16"



Double Bowl
G18252
32 1/2" x 18 1/8" x 9"

FINISH OPTIONS



Chrome, Spot Resist™ Stainless (SRS), Lifeshine™ Polished Nickel (NL), Oil Rubbed Bronze (ORB), Lifeshine™ Brushed Gold (BG)

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:

U by Moen™ | MotionSense™ | Spot Resist™
Power Boost™ | Power Clean™ | Reflex™

- ♿ ADA-Compliant
- ⊕ Power Boost
- Power Clean

SELECT FAUCETS WITH NEW

U BY MOEN
SMART FAUCET™

Sinema™

NEW COLLECTION



FAUCETS



One-Handle Pulldown Spring Kitchen Faucet

S5235 🌞🌞

Optional matching finish handle included.



One-Handle Pulldown Kitchen Faucet

S7235 🌞🌞

Optional matching finish handle included.



One-Handle Pulldown Bar Faucet

S6235 🌞🌞

Optional matching finish handle included.



Matching finish handle included with S5235, S7235 and S6235



COORDINATING ACCESSORIES



Modern Soap Dispenser
S3946



Towel Ring
S665



Single Bowl
GGB3019B - Black
GGR3019B - Gray
GGM3019B - Mocha
GGW3019B - White
25" x 22" x 9 1/2"



Sinema Sip™ One-Handle Beverage Faucet
S5535



Towel Bar
YB5218

FINISH OPTIONS






Chrome **(C)**, LifeShine® Polished Nickel **(NL)**, Matte Black **(BL)**, Spot Resist® Stainless **(SRS)**

Not all platforms available in all finishes.
To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:

U by Moen® | Spot Resist®
Power Boost® | Power Clean® | Reflex®

-  ADA-Compliant
-  Power Boost
-  Power Clean



FAUCETS



One-Handle Pulldown Kitchen Faucet
S72608



One-Handle Pulldown Bar Faucet
S62608

COORDINATING ACCESSORIES



18" Towel Bar
DN8318



Sip[™] One-Handle Beverage Faucet
S5520



Towel Ring
DN8386



Apron Front Double Equal Bowl

G18220
30" x 21" x 9"



Bottom Grid

GA772
13³/₅" x 16³/₅"

FINISH OPTIONS



Chrome, Spot Resist[™] Stainless (SRS)

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:
Spot Resist[™] | Power Clean[™] | Reflex[™]

- ADA-Compliant
- Power Clean



SMART FAUCET




NEW

One-Handle Pulldown Kitchen Faucet U by Moen® Smart Faucet

S72003EVC 

Optional wheel handle included.



Wheel handle included with S72003EVC,
S72103EVC, S72003 and S52003

FAUCETS



NEW


One-Handle Pulldown Spring Kitchen Faucet

S72103EVC 

Optional wheel handle included.



One-Handle Pulldown Kitchen Faucet

S72003 

Optional wheel handle included.



One-Handle Pulldown Bar Faucet

S52003 

Optional wheel handle included.



MATCHING ACCESSORIES



One-Handle Beverage Faucet
S5540



Soap Dispenser
S3955

COORDINATING ACCESSORIES



Apron Front Double bowl
G18220
30" x 21" x 9"



Bottom Grid
GA772
13³/₅" x 16³/₅"

FINISH OPTIONS



Chrome **(C)**, Matte Black **(BL)**,
Spot Resist[®] Stainless **(SRS)**

To view ordering instructions, see
reference chart on pages 279-284.

PRODUCT INNOVATIONS:
Spot Resist[®] | Power Boost[™]
Power Clean[™] | Reflex[™]

- ADA-Compliant
- Power Boost
- Power Clean

SELECT FAUCETS WITH NEW

UByMOEN
SMART FAUCET.



FAUCETS



One-Handle Pulldown Kitchen Faucet
7590  


COORDINATING ACCESSORIES



Towel Ring
DN6886



Single bowl
GGB3026B
33" x 22" x 9⁷/₁₆"



Bottom Grid
GGA52B
28⁵/₁₆" x 14⁵/₁₆"

FINISH OPTIONS





Chrome **(C)**, Lifeshine® Classic Stainless **(CSL)**,
Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference
chart on pages 279-284.

PRODUCT INNOVATIONS:

Power Clean™ | Reflex™

-  ADA-Compliant
-  Power Clean



FAUCETS



One-Handle Pullout Kitchen Faucet
9125  

MATCHING AND COORDINATING ACCESSORIES



Towel Ring
YB5186



Transitional Soap Dispenser
S3948



FINISH OPTIONS



Chrome **(C)**, Spot Resist[®] Stainless **(SRS)**,
Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference
chart on pages 279-284.

PRODUCT INNOVATIONS:
Spot Resist[®] | Power Clean[™] | Reflex[™]

-  ADA-Compliant
-  Power Clean



FAUCETS



One-Handle Pulldown Kitchen Faucet
9124



One-Handle Pulldown Bar Faucet
6124

COORDINATING ACCESSORIES



18" Towel Bar
YB2818



Transitional Soap Dispenser
S3946



Towel Ring
YB2886



Sip One-Handle Beverage Faucet
S5520



Double Bowl
G18252
32½" x 18⅛" x 9"

FINISH OPTIONS



Chrome **(C)**, Spot Resist[®] Stainless **(SRS)**,
Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference
chart on pages 279-284.

PRODUCT INNOVATIONS:

Spot Resist[®] | Power Boost[™] | Power Clean[™] | Reflex[™]


- Ⓜ ADA-Compliant
- Ⓜ Power Boost
- Power Clean



SMART FAUCET



One-Handle Pull-down Kitchen Faucet U by Moen™ Smart Faucet
7565EVC



FAUCETS



One-Handle Pull-down Spring Kitchen Faucet with MotionSense Wave™
5923EW



One-Handle Pull-down Kitchen Faucet with MotionSense™
7565E



One-Handle Pull-down Kitchen Faucet
7565



One-Handle Pre-Rinse Spring Pull-down Faucet
5923



One-Handle Pull-down Kitchen Faucet with MotionSense Wave™
7565EW



One-Handle Kitchen Faucet
7165



MATCHING AND COORDINATING ACCESSORIES



One-Handle Kitchen Faucet
7365



One-Handle Pulldown Bar Faucet
5965



18" Towel Bar
YB0418



Hand Towel Bar
YB0486



Modern Soap Dispenser
S3947



Sip™ One-Handle Beverage Faucet
S5530



Double Bowl
GS18231
31¾" x 20½" x 10"



Modern Pot Filler
S665

FINISH OPTIONS



Chrome (C), Matte Black (BL), Spot Resist™ Stainless (SRS), Lifeshine™ Brushed Gold (BG), Black Stainless (BLS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:

U by Moen® | MotionSense™ | MotionSense Wave™ | Spot Resist™ | Power Boost™ | Power Clean™ | Reflex™

- ADA-Compliant
- Power Boost (Ships Q3 7565 and 5965 Only)
- Power Clean

SELECT FAUCETS WITH NEW

U by MOEN
SMART FAUCET.



SMART FAUCET



**One-Handle Pull-down
Kitchen Faucet
U by Moen™ Smart Faucet**
7185EVC



FAUCETS



**One-Handle Pull-down
Kitchen Faucet
with MotionSense™**
7185E



**One-Handle Pull-down
Kitchen Faucet**
7185



**One-Handle
Kitchen Faucet**
7735



**One-Handle Pull-down
Kitchen Faucet with
MotionSense Wave™**
7185EW



**One-Handle Pull-down
Bar Faucet**
5985



**One-Handle Pullout
Kitchen Faucet**
7295



MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar
YB2218




Traditional Soap Dispenser
S3945



Towel Ring
YB2286



Sip One-Handle Beverage Faucet
S5510 

FINISH OPTIONS






Chrome, Spot Resist[®] Stainless **(SRS)**,
Oil Rubbed Bronze **(ORB)**

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:

MotionSense[®] | MotionSense Wave[®] | Spot Resist[®]
Power Boost[®] | Power Clean[®] | Reflex[®]

-  ADA-Compliant
-  Power Boost
-  Power Clean

SELECT FAUCETS WITH NEW

U BY **MOEN**
SMART FAUCET.



FAUCETS



One-Handle Pulldown Kitchen Faucet
7882

MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar
BH3818




Modern Soap Dispenser
S3947



Sip™ One-Handle Beverage Faucet
S5530



Single Bowl
GGB3026B
33" x 22" x 97/16"



Bottom Grid
GGA52B
28⁵/₁₆" x 14⁵/₁₆"

FINISH OPTIONS



Chrome **(C)**, Matte Black **(BL)**,
Spot Resist™ Stainless **(SRS)**

Not all platforms available in all finishes.

To view ordering instructions, see reference
chart on pages 279-284.

PRODUCT INNOVATIONS:

Spot Resist™ | Power Boost™ | Reflex™


- ADA-Compliant
- Power Boost



SMART FAUCET



**One-Handle Pulldown
Kitchen Faucet
U by Moen™ Smart Faucet**
7594EVC



FAUCETS



**One-Handle Pulldown
Kitchen Faucet
with MotionSense™**
7594E



**One-Handle Pulldown
Kitchen Faucet**
7594



**One-Handle Pulldown
Bar Faucet**
5995



**One-Handle Pulldown
Kitchen Faucet with
MotionSense Wave™**
7594EW



**One-Handle
Kitchen Faucet**
7790



MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar
YB2818



Modern Soap Dispenser
S3946



Towel Ring
YB2886



Sip® One-Handle Beverage Faucet
S5520 

FINISH OPTIONS






Chrome **(C)**, Matte Black **(BL)**,
Spot Resist® Stainless **(SRS)**,
Oil Rubbed Bronze **(ORB)**

Not all platforms available in all finishes.

To view ordering instructions, see reference
chart on pages 279-284.

PRODUCT INNOVATIONS:

U by Moen® | MotionSense® | MotionSense Wave® | Spot Resist®
Power Boost® | Power Clean® | Reflex®

-  ADA-Compliant
-  Power Boost
-  Power Clean

SELECT FAUCETS
WITH NEW

U by MOEN
SMART FAUCET.

Camerist®



FAUCETS



One-Handle Pullout Kitchen Faucet
7545



One-Handle Kitchen Faucet
7840



One-Handle Bar Faucet
4905



One-Handle Kitchen Faucet
7835



One-Handle Kitchen Faucet
7825



MATCHING AND COORDINATING ACCESSORIES



18" Towel Bar
YB2818




Modern Soap Dispenser
S3946



Towel Ring
YB2886



Sip® One-Handle Beverage Faucet
S5520 



FINISH OPTIONS



Chrome, Spot Resist® Stainless **(SRS)**,
Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:
Spot Resist® | Power Clean™ | Reflex®

-  ADA-Compliant
-  Power Clean




SMART FAUCET



NEW

**One-Handle Pulldown
Kitchen Faucet
U by Moen™ Smart Faucet**
7864EVC



FAUCETS



**One-Handle Pulldown
Kitchen Faucet with
MotionSense Wave™**
7864EW



**One-Handle Pulldown
Kitchen Faucet**
7864



NEW

**One-Handle
Kitchen Faucet**
7870



NEW

**One-Handle Pulldown
Spring Kitchen Faucet**
5925



NEW

**One-Handle Pulldown
Kitchen Faucet**
7871



NEW

**One-Handle Pulldown
Bar Faucet**
7664



COORDINATING ACCESSORIES



18" Towel Bar
YB2318



Towel Ring
YB2386



24" Towel Bar
YB2324



Double Equal Bowl
GS20210
31¾" x 18¼" x 7½"

FINISH OPTIONS



Chrome, Matte Black **(BL)**, Spot Resist™ Stainless **(SRS)**,
Black Stainless **(BLS)**, Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference
chart on pages 279-284.

PRODUCT INNOVATIONS:

U by Moen® | MotionSense Wave® | Spot Resist® |
Power Boost® | Power Clean® | Reflex®

- Ⓐ ADA-Compliant
- Ⓒ Power Boost
- Power Clean

SELECT FAUCETS
WITH NEW

U BY MOEN
SMART FAUCET.

Belfield™



FAUCETS



**One-Handle
Kitchen Faucet**
7240 



**Two-Handle
Kitchen Faucet**
7250 



**One-Handle
Kitchen Faucet**
7245 



**Two-Handle
Kitchen Faucet**
7255 

MATCHING AND COORDINATING ACCESSORIES




Towel Ring
YB9886



**Traditional
Soap Dispenser**
S3945



**Sip™ One-Handle
Beverage Faucet**
S5510 



18" Towel Bar
YB9818



D-Shape Double Bowl
G18252
32 1/2" x 18 1/8" x 9"

FINISH OPTIONS



Chrome **(C)**, Spot Resist™ Stainless **(SRS)**,
Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference
chart on pages 279-284.

PRODUCT INNOVATIONS:

Spot Resist™

 ADA-Compliant



FAUCETS



**One-Handle Pullout
Kitchen Faucet**
67315  

MATCHING AND COORDINATING ACCESSORIES



Towel Ring
YB2386



Soap Dispenser
3944



18" Towel Bar Only
YB8098


FINISH OPTIONS



Chrome **(C)**, Spot Resist® Stainless **(SRS)**

To view ordering instructions, see
reference chart on pages 279-284.

PRODUCT INNOVATIONS:
Spot Resist® | Power Clean™

-  ADA-Compliant
-  Power Clean



FAUCETS



One-Handle Pullout Kitchen Faucet
7585  

MATCHING ACCESSORIES



18" Towel Bar
YB2418



Hand Towel Bar
YB2486


FINISH OPTIONS



Chrome (C), Spot Resist™ Stainless (SRS)

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:
Spot Resist™ | Power Clean™

-  ADA-Compliant
-  Power Clean



LEVER- HANDLE KITCHEN FAUCETS



One-Handle Kitchen Faucet
7437



One-Handle Kitchen Faucet
7434



One-Handle Kitchen Faucet
7425



One-Handle Kitchen Faucet
7423



One-Handle Kitchen Faucet
7430

Chateau®

TWO-HANDLE KITCHEN FAUCETS



Two-Handle Kitchen Faucet
7907 



Two-Handle Kitchen Faucet
7906 




Two-Handle Kitchen Faucet
7910



Two-Handle Kitchen Faucet
7900

ONE-HANDLE BAR/PREP FAUCET



One-Handle Bar Faucet
4904 

TWO-HANDLE HI-FILL BAR FAUCET



Two-Handle Bar Faucet
4903 

TWO-HANDLE LAUNDRY FAUCET



Two-Handle Laundry Faucet
4975



Two-Handle Laundry Faucet
74998 

COORDINATING ACCESSORIES



Soap Dispenser
3944



Soap Dispenser
3942

FINISH OPTIONS



Chrome, Spot Resist® Stainless (SRS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:

Spot Resist™

 ADA-Compliant



FAUCETS



One-Handle Kitchen Faucet
7081



One-Handle Kitchen Faucet
7082

COORDINATING ACCESSORIES



Double Equal Bowl
GS202134Q
33" x 22" x 8"

FINISH OPTIONS



Chrome, Spot Resist® Stainless (SRS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:
Spot Resist®

ADA-Compliant



FAUCETS



One-Handle Kitchen Faucet
7050



One-Handle Kitchen Faucet
7051

COORDINATING ACCESSORIES



Double Offset Bowl
GS202334Q
33" x 22" x 9" and 7"

FINISH OPTIONS



Chrome, Spot Resist® Stainless (SRS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 279-284.

PRODUCT INNOVATIONS:
Spot Resist®

ADA-Compliant



POT FILLERS



Traditional Pot Filler
S664 



Modern Pot Filler
S665 

FINISH OPTIONS



Chrome, Lifeshine® Polished Nickel **(NL)**, Matte Black **(BL)**, Spot Resist® Stainless **(SRS)**, Lifeshine® Brushed Gold **(BG)**, Oil Rubbed Bronze **(ORB)**, Black Stainless **(BLS)**

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on page 284.

PRODUCT INNOVATIONS:

Spot Resist®

 ADA-Compliant

Sip™ Beverage Faucet



BEVERAGE FAUCETS



NEW

Nio™ One-Handle Beverage Faucet
S5550 ♿



NEW

Sinema™ One-Handle Beverage Faucet
S5535 ♿



NEW

Paterson™ Traditional One-Handle Beverage Faucet
S5540 ♿



Modern One-Handle Beverage Faucet
S5530 ♿



Transitional One-Handle Beverage Faucet
S5520 ♿



Traditional One-Handle Beverage Faucet
S5510 ♿

FINISH OPTIONS



Chrome, Lifeshine® Polished Nickel (NL), Matte Black (BL), Spot Resist® Stainless (SRS), Lifeshine® Brushed Gold (BG), Oil Rubbed Bronze (ORB), Black Stainless (BLS)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on page 284.

PRODUCT INNOVATIONS:

Spot Resist™

♿ ADA-Compliant

REPLACEMENT FILTER



Filtration System
S5500



SOAP DISPENSERS



Modern Soap Dispenser
S3947



Transitional Soap Dispenser
S3946



Paterson™ Traditional Soap Dispenser
S3955

NEW



Soap Dispenser
3944



Transitional Soap Dispenser
S3948



Traditional Soap Dispenser
S3945



Soap Dispenser
3942

FINISH OPTIONS



Chrome, Lifeshine® Polished Nickel **(NL)**, Matte Black **(BL)**, Spot Resist® Stainless **(SRS)**, Lifeshine® Brushed Gold **(BG)**, Oil Rubbed Bronze **(ORB)**, Black Stainless **(BLS)**

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on page 284.

PRODUCT INNOVATIONS:

Spot Resist®

Kitchen Sinks



Align® One-Handle Pre-Rinse Spring Pulldown Kitchen Faucet Featured in Chrome Finish

Sip™ Modern One-Handle High-Arc Beverage Faucet

Modern Soap Dispenser

1800™ Series Undermount Single Bowl Stainless Steel Sink



Moen Granite Offset 60/40 Double Bowl Low Divide Sink
Align® One-Handle High-Arc Pulldown Kitchen Faucet Featured in Matte Black
1800® Series Undermount Single Bowl Stainless Steel Sink

Granite Sinks



FINISH OPTIONS



Black **(B)**, Gray **(R)**, Mocha **(M)**, White **(W)**

Please see [moen.com/consumer-support/warranty](https://www.moen.com/consumer-support/warranty) for complete product warranty information.

Page 85 Available Accessories

SINGLE BOWL



Single Bowl Undermount Sink

GGB4010B - Black
 GGR4010B - Gray
 GGM4010B - Mocha
 GGW4010B - White
 33" x 18½" x 9½"



Single Bowl Dual Mount Sink

GGB3019B - Black
 GGR3019B - Gray
 GGM3019B - Mocha
 GGW3019B - White
 25" x 22" x 9½"



Single Bowl Dual Mount Sink

GGB3026B - Black
 GGR3026B - Gray
 GGM3026B - Mocha
 GGW3026B - White
 33" x 20⅞" x 9⅞"

DOUBLE EQUAL BOWL



Double Equal Undermount Sink

GGB4012B - Black
 GGR4012B - Gray
 GGM4012B - Mocha
 GGW4012B - White
 33" x 18½" x 9½"



Double Equal Bowl Dual Mount Sink

GGB3027B - Black
 GGR3027B - Gray
 GGM3027B - Mocha
 GGW3027B - White
 33" x 22" x 9½"



Double Equal Bowl Dual Mount Sink

GGB3028B - Black
 GGR3028B - Gray
 GGM3028B - Mocha
 GGW3028B - White
 33" x 22" x 9½"

DOUBLE OFFSET BOWL



Double Offset Undermount Sink

GGB4014B - Black
 GGR4014B - Gray
 GGM4014B - Mocha
 GGW4014B - White
 33" x 20½" x 9½"



Double Offset Bowl Dual Mount Sink

GGB3024B - Black
 GGR3024B - Gray
 GGM3024B - Mocha
 GGW3024B - White
 33" x 22" x 9½"



Double Offset Bowl Dual Mount Sink

GGB3029B - Black
 GGR3029B - Gray
 GGM3029B - Mocha
 GGW3029B - White
 33" x 22" x 10"

BAR/PREP



Single Bowl Dual Mount Bar/Prep Sink

GGB3018B - Black
 GGR3018B - Gray
 GGM3018B - Mocha
 GGW3018B - White
 15¾" x 15¾" x 7⅞"

1600™ Series Professional Style



UNDERMOUNT SINKS: ZERO RADIUS



Double Offset Bowl
G16221
Center Drain
34" x 20" x 10"



Single Bowl
G16100
Center Drain
32" x 20" x 10"



Double Equal Bowl
G16200
Center Drain
31" x 20" x 10"



Bar/Prep
G16430
Center Drain
16" x 20" x 10"



SoundSHIELD™

All stainless steel sinks feature SoundSHIELD, assuring exceptional noise reduction and quiet dependability.

Please see [moen.com/consumer-support/warranty](https://www.moen.com/consumer-support/warranty) for complete product warranty information.

Page 85 Available Accessories



PROFESSIONAL STYLE UNDERMOUNT SINKS: ZERO RADIUS



Double Offset Bowl
G18287
Rear Drain
31½" x 18" x 8½"



Double Equal Bowl
G18288
Rear Drain
28" x 18" x 8½"



Single Bowl
G18180
Rear Drain
31" x 18" x 8½"



Single Bowl
G18185
Rear Drain
22" x 18" x 8½"

UNDERMOUNT SINKS: APRON FRONT



**Apron Front
Double Equal Bowl**
G18220
Rear Drain
30" x 21" x 9"



**Apron Front
Single Bowl**
G18121
Rear Drain
31½⅙" x 20⅝" x 9"

UNDERMOUNT SINKS: LOW MIDDLE DIVIDE



**Low Middle Divide
Double Offset Bowl**
G18253
Center Drain
32" x 20⅝" x 9"



**Low Middle Divide
Double Equal Bowl**
G18252
Center Drain
32½" x 18⅞" x 9"

1800™ Series

UNDERMOUNT SINKS: D-SHAPE BOWLS



D Shape Double Offset Bowl
GS18246B
Rear Center Drain
31¼" x 20" x 8" and 10"



D Shape Double Offset Bowl
GS18264B
Rear Center Drain
31¼" x 20" x 8" and 10"



D Shape Single Bowl
GS18165B
Rear Center Drain
30½" x 18¼" x 9"



D Shape Single Bowl
GS18160
Rear Center Drain
23½" x 21¾" x 8"

UNDERMOUNT SINKS: DOUBLE BOWLS



Double Offset Bowl
GS18231
Center Drain
31¾" x 20½" x 10" and 8"



Double Equal Bowl
GS18212
Center Drain
31¾" x 18¼" x 9"



Double Equal Bowl
GS18211
Center Drain
31¼" x 18¼" x 8"



Double Equal Bowl
GS18242
Center Drain
31¾" x 18¼" x 10" and 8"



Double Equal Bowl
GS18215B **ADA** **FHA**
Rear Center Drain
31¾" x 18¼" x 7"



Double Equal Bowl
GS18210
Center Drain
31¾" x 18¼" x 7"

UNDERMOUNT SINKS: SINGLE BOWLS



Single Bowl
GS18110
Center Drain
30½" x 18¼" x 10"



Single Bowl
GS18190
Center Drain
23½" x 18¼" x 9"



Single Bowl
GS18195B **ADA** **FHA**
Rear Center Drain
GS18195L **ADA** **FHA**
Rear Left Drain
23½" x 18¼" x 5½"



Single Bowl
GS18161 **ADA** **FHA**
Rear Center Drain
30½" x 18¼" x 6"



Single Bowl
GS18191
Center Drain
23½" x 18¼" x 8"



Single Bowl
GS18192
Center Drain
GS18192B **ADA** **FHA**
Rear Center Drain
GS18192L **ADA** **FHA**
Rear Left Drain
23½" x 18¼" x 7"

DROP-IN SINKS



Double Equal Bowl
GS182154Q
Center Drain
31³/₄" x 18¹/₄" x 7"



Double Bowl Drop-in
GS182114Q
Center Drain
33" x 22" x 9"



Double Equal Bowl
GS182133Q
Center Drain
GS182134Q
Center Drain
33" x 22" x 8"



Single Bowl Drop-in
GS181631BQ **ADA** **FHA**
Rear Center Drain
33" x 22" x 7"



Single Bowl
GS181953Q
Center Drain
GS181954Q
Center Drain
25" x 22" x 10"



Single Bowl
GS18163B
Rear Center Drain
30¹/₂" x 18¹/₄" x 7"



UNDERMOUNT SINKS:
BAR/PREP



Bar/Prep
GS18440
Center Drain
16" x 20¹/₂" x 8"



Bar/Prep
GS18443
Center Drain
16¹/₂" x 18¹/₄" x 8"



Bar/Prep
GS181873
Center Drain
13" x 16" x 5.5"



Bar/Prep
GS18442
Center Drain
16¹/₂" x 18¹/₄" x 10"



Bar/Prep
GS18450
Center Drain
14¹/₂" x 12¹/₂" x 6"



SoundSHIELD™
All stainless steel sinks feature SoundSHIELD, assuring exceptional noise reduction and quiet dependability

Please see moen.com/consumer-support/warranty for complete product warranty information.

Page 85 Available Accessories

Q Model numbers ending in Q feature QuickMount™ installation hardware.

ADA/FHA ADA/FHA-Compliant
Sink compliant to ADA (ICC A117.1) and FHA accessibility specifications when installed to these required standards. See product specification sheet for details.

FHA FHA-Compliant
Sink compliant to FHA accessibility specifications when installed to these required standards. See product specification sheet for details.



2000™ Series



UNDERMOUNT SINKS



Double Equal Bowl

GS20210
Center Drain
GS20210B
Rear Center Drain
31³/₄" x 18¹/₄" x 7¹/₂"



Single Bowl

GS20192
Center Drain
23¹/₂" x 18¹/₄" x 7¹/₂"



Single Bowl

GS20194B **ADA** **FHA**
Rear Center Drain
23¹/₂" x 18¹/₄" x 5¹/₂"



Double Equal Bowl

GS20214
Center Drain
GS20214B **ADA** **FHA**
Rear Center Drain
31³/₄" x 18¹/₄" x 6"



Single Bowl

GS20193
Center Drain
GS20193B
Rear Center Drain
23¹/₂" x 18¹/₄" x 6¹/₂"



Bar/Prep

GS204502
Center Drain
14¹/₂" x 12¹/₂" x 5¹/₂"

DROP-IN SINKS



Double Offset Bowl
GS202334Q 4-hole
Center Drain
33" x 22" x 9" and 7"



Double Equal Bowl
GS202153BQ 3-hole
Rear Center Drain
GS202154BQ 4-hole
Rear Center Drain
33" x 22" x 7"



Single Bowl
GS201961BQ 1-hole
Rear Center Drain
GS201962BQ 2-hole
Rear Center Drain
GS201963BQ 3-hole
Rear Center Drain
GS201964BQ 4-hole
Rear Center Drain
GS201963Q 4-hole
Center Drain
GS201964Q 4-hole
Center Drain
25" x 22" x 7"



Double Offset Bowl
GS202861Q 1-hole
Center Drain
GS202864Q 4-hole
Center Drain
33" x 22" x 5½" and 8"



Double Equal Bowl
GS202173BQ **ADA** **FHA** 3-hole
Rear Center Drain
GS202174BQ **ADA** **FHA** 4-hole
Rear Center Drain
33" x 22" x 5½"



Single Bowl
GS201974BQ **ADA** **FHA** 4-hole
Rear Center Drain
GS201974LQ **ADA** **FHA** 4-hole
Rear Left Drain
GS201974RQ **ADA** **FHA** 4-hole
Rear Right Drain
25" x 22" x 5½"



Double Equal Bowl
GS202131Q 1-hole
Center Drain
GS202133Q 3-hole
Center Drain
GS202134Q 4-hole
Center Drain
33" x 22" x 8"

DROP-IN BAR SINKS



Bar/Prep
GS204571BQ 1-hole
Rear Center Drain
GS204573BQ 3-hole
Rear Center Drain
17" x 21¼" x 6½"



Bar/Prep
GS201673 3-hole
Rear Center Drain
20" x 20" x 10⅞"



Bar/Prep
KGS2045622BQ 2-hole
Rear Center Drain
15" x 15" x 5½"



SoundSHIELD™

All stainless steel sinks feature SoundSHIELD, assuring exceptional noise reduction and quiet dependability

Please see moen.com/consumer-support/warranty for complete product warranty information.

Page 85 Available Accessories
Q Model numbers ending in Q feature QuickMount™ installation hardware.

ADA/FHA **ADA/FHA-Compliant**

Sink compliant to ADA (ICC A117.1) and FHA accessibility specifications when installed to these required standards. See product specification sheet for details.

FHA **FHA-Compliant**

Sink compliant to FHA accessibility specifications when installed to these required standards. See product specification sheet for details.



2200™ Series



DROP-IN SINKS



Double Equal Bowl

GS222133 3-hole
Center Drain

GS222134 4-hole
Center Drain
33" x 22" x 8"



Single Bowl

GS221963B **FHA** 3-hole
Rear Center Drain

GS221964B **FHA** 4-hole
Rear Center Drain
25" x 22" x 7"



Double Equal Bowl

GS222163 3-hole
Center Drain

GS222164 4-hole
Center Drain
33" x 22" x 6 1/2"



Single Bowl

GS221983B **ADA** **FHA** 3-hole
Rear Center Drain

GS221984B **ADA** **FHA** 4-hole
Rear Center Drain
25" x 22" x 6 1/2"

DROP-IN BAR SINKS



Bar/Prep

GS2245622 2-hole
Center Drain
15" x 15" x 5 1/2"



SoundSHIELD™

All stainless steel sinks feature SoundSHIELD, assuring exceptional noise reduction and quiet dependability.

Please see moen.com/consumer-support/warranty for complete product warranty information.

Page 85 Available Accessories

Q Model numbers ending in Q feature QuickMount™ installation hardware.

ADA/FHA ADA/FHA-Compliant

Sink compliant to ADA (ICC A117.1) and FHA accessibility specifications when installed to these required standards. See product specification sheet for details.

FHA FHA-Compliant

Sink compliant to FHA accessibility specifications when installed to these required standards. See product specification sheet for details.



DRAIN ASSEMBLIES



3 1/2" Stainless Strainer
22037



3 1/2" Stainless Strainer
22036



2" Stainless Strainer
22174

SOAP DISPENSERS



Traditional Soap Dispenser
S3945



Transitional Soap Dispenser
S3948



Transitional Soap Dispenser
S3946



Modern Soap Dispenser
S3947



Soap Dispenser
3942



Soap Dispenser
3944

BOTTOM GRIDS



GA726 14" x 16"
GSA401 12⁷/₁₆" x 10¹¹/₁₆"
GSA401B 12⁷/₁₆" x 10¹¹/₁₆"
GSA409B 12" x 13¹/₂"
GSA405 10⁵/₈" x 15³/₁₆"
GSA405B 10⁵/₈" x 15³/₁₆"




GA749B 29" x 16"
GSA431B 18¹/₄" x 16"
GSA406B 8⁷/₈" x 12⁷/₁₆"
GSA404B 13⁷/₁₆" x 15¹/₁₆"



GGA55B 12" x 13³/₄"
GGA50B 11¹/₂" x 11¹/₂"



GGA57B 11" x 14⁵/₈"
GGA58B 12" x 15³/₄"



GA760 30" x 18"
GA763 13" x 18"
GA768 18" x 18"



GA780B 29" x 16"
GA7802B 12¹/₂" x 16"
GA781B 20" x 16"
GA785B 16" x 16"
GSA403B 25⁷/₁₆" x 13³/₈"



GGA56B 15¹/₁₆" x 17³/₁₆"



GGA53B 12¹/₄" x 15¹/₁₆"
GGA54B 12¹/₄" x 15¹/₁₆"



GA771 28" x 16"
GA772 13³/₅" x 16³/₅"



GSA402 17¹/₂" x 12¹/₄"
GSA402B 17¹/₂" x 12¹/₄"
GSA402L 17¹/₂" x 12¹/₄"
GSA402R 17¹/₂" x 12¹/₄"



GGA51B 19¹³/₁₆" x 13¹³/₁₆"
GGA52B 28⁵/₁₆" x 14⁵/₁₆"

CUTTING BOARDS



GA944 13" x 16¹/₂"



GA922 14" x 16"



GSA30 12⁷/₈" x 10¹/₈"



GSA31 15" x 16³/₄"

Garbage Disposals

WHAT'S GOING DOWN IN YOUR KITCHEN?

Do you go all out for dinner parties? Or would you rather just hang out? Moen® has the perfect garbage disposal for your kitchen based on how you use it.

LIGHTED SERIES

NEW



1 Horsepower
EXL100C

Features:



GX SERIES



1 Horsepower
GX100C

Features:



The Chef
Series

Designed for those who love to get creative in their kitchen and need the strongest cleanup possible.



Garbage Disposals

The Host
Series

Designed for those who frequently cook for guests and need advanced cleanup power.



GT SERIES



¾ Horsepower
GT75C

Features:



GX SERIES



¾ Horsepower Batch Feed
GXB75C



¾ Horsepower
GX575C

Features:



Garbage Disposals

GX PRO SERIES



½ Horsepower
GXP50C

Features:



GX SERIES



½ Horsepower
GX50C

Features:



GT SERIES



½ Horsepower
GT50C

Features:



The Prep
Series

Designed for those who slice, dice and peel as part of basic meal prep, and need a little more help with cleanup.



The **Lite**™
Series

Designed for those who rarely cook from scratch and just want cleanup to be simple.



GX PRO SERIES



1/3 Horsepower
GXP33C

Features:



GT SERIES



1/3 Horsepower
GT33C

Features:



Moen's Limited Warranty with In-Home Service guarantees help is there when you need it.

If service is requested during the warranty period, Moen® will have a service agent repair or replace the disposal in your home at no charge. Our garbage disposal portfolio includes warranties that vary from 2 to 10 years.

Please see moen.com/consumer-support/warranty for complete product warranty information. Browse the full collection at moen.com/garbage-disposals



Universal Xpress Mount™ fits Moen and most existing 3-bolt mounting assemblies



Permanent magnet motor designed to help reduce jamming



SoundSHIELD™ designed to provide sound deadening insulation*

*SoundSHIELD™ available on select models



Continuous feed grinds as long as power is on



High-speed VORTEX POWER™ motor provides fast, powerful grinding



Pre-installed power cord is a savings over other models where cord must be purchased separately; cord removes easily for optional hardwiring



Batch Feed Stopper activates disposal for safer operation; no wall switch required (only for batch feed disposals)



Fast Track™ Installation,
-Simple Snap Tool quickly secures mounting assembly
-Easy Open Dishwasher Inlet. No additional tools required.

Bath and Shower



Flara® Featured in Chrome Finish





LAVATORY FAUCETS



**One-Handle Bathroom
Faucet**
S42107 † ♿



**Two-Handle Widespread
Bathroom Faucet**
TS42114 * † ♿



**Two-Handle Wallmount
Bathroom Faucet**
TS42112 * † ♿



**Two-Handle Widespread
Bathroom Faucet**
TS42108 * † ♿



**Two-Handle Wallmount
Bathroom Faucet**
TS42106 * † ♿



TUB FILLERS



Freestanding Tub Filler
Cross Handle S22105
 TS25105
Lever Handle S22110
 TS25110



Two-Handle Wallmount Tub Filler with Handshower
Cross Handle S22105
Lever Handle S22110

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower
Cross Handle TS21102
Lever Handle TS21104



Two-Handle Roman Tub Trim
Cross Handle TS22101
Lever Handle TS22103



EXACTTEMP® ¾"



ExactTemp Valve Trim
TS32110 * ♿ ♻



ExactTemp Volume Control Trim
TS52104 * ♿ ♻

TRANSFER VALVES



M-CORE™ Transfer Valve Trim
UTS32205 * ♿ ♻



Three Independent Function Transfer Valve Trim
TS32206 * ♿ ♻
Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim
TS32205 * ♿ ♻
Use with valve 3372 or 3375



M-CORE 3S with Integrated Transfer Valve Trim
UTS4311 * ♿ ♻



Posi-Temp® with Integrated Transfer Valve Trim
TS32100 * ♿ ♻

M-CORE™ 3-SERIES



M-CORE 3S Tub/Shower Trim
UTS33103* ♿ ♻
UTS33103EP* ♿ ♻



M-CORE 3S Shower Only Trim
UTS33102* ♿ ♻
UTS33102EP* ♿ ♻

M-CORE 3S Valve Only Trim
UTS33101* ♿ ♻





MOENTROL®



Moentrol Tub/Shower Trim
TS33103NH*  



Moentrol Shower Only Trim
TS33102NH*  






Moentrol Valve Only Trim
TS33101*  

POSI-TEMP®



Posi-Temp Tub/Shower Trim
TS32104*   



Posi-Temp Shower Only Trim
TS32102*   



Posi-Temp Valve Only Trim
TS3210*  

MATCHING ACCESSORIES



Tank Lever
YB8401



Double Robe Hook
YB8403



18" Towel Bar
YB8418

24" Towel Bar
YB8424



Drawer Knob
YB8405



Drawer Pull
YB8407



Pivoting Paper Holder
YB8408 



Towel Ring
YB8486



COORDINATING ACCESSORIES



One Globe Bath Light
YB9861



Three Globe Bath Light
YB9863



Two Globe Bath Light
YB9862



Four Globe Bath Light
YB9864

WEYMOUTH FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**, LifeShine® Brushed Gold **(BG)**, Lifeshine® Polished Nickel **(NL)** Oil Rubbed Bronze **(ORB)**, Matte Black **(BL)**

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- ☒ Immersion Rainshower Technology
- ☞ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- ☞ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
S43001 † ♻️



Two-Handle Wallmount Bathroom Faucet
TS43003 * † ♻️ ♻️



Two-Handle Widespread Bathroom Faucet
TS43002 * † ♻️ ♻️

TUB FILLER



Freestanding Tub Filler
S93005 ♻️ ♻️

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower
TS93004 * ♻️ ♻️



Two-Handle Roman Tub Trim
TS93003 * ♻️ ♻️





EXACTTEMP® ¾"





ExactTemp Valve Trim
TS33002 *  





ExactTemp Volume Control Trim
TS33003 *  
For showerhead options, see page 180

TRANSFER VALVES





M-CORE™ Transfer Valve Trim
UTS23005*  





Three Independent Function Transfer Valve Trim
TS23006*  
Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim
TS23005 *  
Use with valves 3372 or 3375



M-CORE 3S with Integrated Transfer Valve Trim
UTS3311*  



Posi-Temp® with Integrated Transfer Valve Trim
TS22000*  



M-CORE® 3-SERIES



- M-CORE 3S Tub/Shower Trim**
UTS32003*
UTS32003EP*
- M-CORE 3S Shower Only Trim**
UTS32002*
UTS32002EP*
- M-CORE 3S Valve Only Trim**
UTS32001*

MOENTROL®



- Moentrol Tub/Shower Trim**
TS32003NH*
- Moentrol Shower Only Trim**
TS32002NH*
- Moentrol Valve Only Trim**
TS32001*

POSI-TEMP®



- Posi-Temp Tub/Shower Trim**
TS22003*
- Posi-Temp Shower Only Trim**
TS22003EP*
- Posi-Temp Shower Only Trim**
TS22002*
- Posi-Temp Shower Only Trim**
TS22002EP*
- Posi-Temp Valve Only Trim**
TS22001*



MATCHING ACCESSORIES



Tank Lever
YB0801



Double Robe Hook
YB0803



Pivoting Paper Holder
YB0808 (P)



5x Magnifying Mirror
YB0892



18" Towel Bar
YB0818

24" Towel Bar
YB0824



Towel Ring
YB0886



12" Designer Grab Bar
YG0812

18" Designer Grab Bar
YG0818

24" Designer Grab Bar
YG0824

36" Designer Grab Bar
YG0836

42" Designer Grab Bar
YG0842



COORDINATING ACCESSORIES



Iso™ Drawer Knob
DN0705



Iso Drawer Pull
DN0707



Iso One Globe Bath Light
DN0761



Iso Three Globe Bath Light
DN0763



Iso Two Globe Bath Light
DN0762



Iso Four Globe Bath Light
DN0764

ARRIS FINISH OPTIONS



Chrome, Brushed Nickel (**BN**), Matte Black (**BL**)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- ☒ Immersion Rainshower Technology
- ⚙ Moen M•PACT™ Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ♿ ADA-Compliant
- ↻ Pivoting Technology

† All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.


* Rough-in valve required. Please see price catalog for rough-in model numbers.

◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

Note: Iso's Brushed Nickel (BN) accessories finish does not perfectly match faucet finish.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
S6981 † ♻️



Two-Handle Widespread Bathroom Faucet
TS6984 * † ♻️ ♻️



One-Handle Bathroom Faucet
S6982 † ♻️



Two-Handle Widespread Bathroom Faucet
TS6985 * † ♻️

TUB FILLER



Freestanding Tub Filler
S931 ♻️ ♻️

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim
TS926 * ♻️ ♻️



Two-Handle Roman Tub Trim
TS927 * ♻️



EXACTTEMP® 3/4"

TRANSFER VALVES



Two-Handle Roman Tub Trim with Handshower
TS928 * ♿ ♻



Two-Handle Roman Tub Trim with Handshower
TS929 * ♿ ♻ ⬠ ⬠



ExactTemp Valve Trim
TS4201 * ♿ ♻



ExactTemp Volume Control Trim
TS4202 * ♿ ♻



Three Independent Function Transfer Valve Only Trim
TS4912 * ♿ ♻
Use with valve 3362 only




Two- or Three-Function Transfer Valve Only Trim
TS4911 * ♿ ♻



M-CORE™ Transfer Valve Trim
UTS4911 * ♿ ♻



M-CORE 3S with Integrated Transfer Valve Trim
UTS2411 * ♿ ♻



M-CORE™ 3-SERIES



M-CORE 3S Tub/Shower Trim

UTS3913*
UTS3913EP*

M-CORE 3S Shower Only Trim

UTS3912*
UTS3912EP*

M-CORE 3S Valve Only Trim

UTS3911*

MOENTROL®



Moentrol Tub/Shower Trim

TS3913NH*

Moentrol Shower Only Trim

TS3912NH*

Moentrol Valve Only Trim

TS3911*

POSI-TEMP®



Posi-Temp Tub/Shower Trim



TS2913*
TS2913EP*
TS2913NH*

Posi-Temp Shower Only Trim

TS2912*
TS2912EP*
TS2912NH*

Posi-Temp Valve Only Trim

TS2911*



MATCHING ACCESSORIES



Tank Lever
YB0301



Drawer Knob
YB0305



Hand Towel Bar
YB0386



12" Designer Grab Bar
YG0312




Double Robe Hook
YB0303



Drawer Pull
YB0307



18" Towel Bar
YB0318




18" Designer Grab Bar
YG0318



Pivoting Paper Holder
YB0308 (P)



Mirror
YB0392



24" Towel Bar
YB0324


24" Double Towel Bar
YB0322



24" Designer Grab Bar
YG0324



36" Designer Grab Bar
YG0336



Vanity Shelf
YB0390



42" Designer Grab Bar
YG0342



MATCHING ACCESSORIES



One Globe Bath Light
YB0361



Three Globe Bath Light
YB0363



Two Globe Bath Light
YB0362



Four Globe Bath Light
YB0364

FLARA® FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**, Brushed Gold **(BG)**, Polished Nickel **(NL)**

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- ☒ Immersion Rainshower Technology
- Ⓜ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- Ⓢ ADA-Compliant
- Ⓢ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



**One-Handle
Bathroom Faucet**
S44101 † ♻️



**Two-Handle Widespread
Bathroom Faucet**
TS44102 * † ♻️ ♿



**Two-Handle Wallmount
Bathroom Faucet**
TS44104 * † ♻️ ♿



**Two-Handle Widespread
Bathroom Faucet**
TS44103 * † ♻️



**Two-Handle Wallmount
Bathroom Faucet**
TS44105 * † ♻️



TUB FILLER



Freestanding Tub Filler
S44507

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim
TS44503



Two-Handle Roman Tub Trim
TS44505



Two-Handle Roman Tub Trim with Handshower
TS44504



Two-Handle Roman Tub Trim with Handshower
TS44506



EXACTTEMP® ¾"



ExactTemp Valve Trim
TS44401 *



ExactTemp Volume Control Trim
TS44402 *

For showerhead options, see page 180

TRANSFER VALVES



M-CORE™ Transfer Valve Trim
UTS9381 *



M-CORE 3S with Integrated Transfer Valve Trim
TS9211 *

Use with valve 3362 only

POSI-TEMP®



Posi-Temp Valve Only Trim
TS44201 *

M-CORE™ 3-SERIES



M-CORE 3S Tub/Shower Trim
UTS344303 *
UTS344303EP *



M-CORE 3S Shower Only Trim
UTS344302 *
UTS344302EP *



M-CORE 3S Valve Only Trim
UTS344301 *



MATCHING ACCESSORIES



Tank Lever
YB0501



Drawer Knob
YB0505



Towel Ring
YB0586



Double Robe Hook
YB0503



Drawer Pull
YB0507



18" Towel Bar
YB0518



Pivoting Paper Holder
YB0508 (P)

24" Towel Bar
YB0524



MATCHING ACCESSORIES



One Globe Bath Light
YB0561



Three Globe Bath Light
YB0563



Two Globe Bath Light
YB0562



Four Globe Bath Light
YB0564

COLINET® FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**, Brushed Gold **(BG)**,
Matte Black **(BL)**


Not all platforms available in all finishes.

To view ordering instructions, see reference chart
on pages 286-293.








- ☒ Immersion Rainshower Technology
- ☞ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- Ⓢ ADA-Compliant
- ☞ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS

| | | | |
|--|---|--|---|
|  |  |  |  |
| <p>One-Handle Bathroom Faucet S6700 † ♻️ Deckplate sold separately / 147204</p> | <p>One-Handle Bathroom Faucet S6705 † ♻️ Deckplate sold separately / 147204</p> | <p>One-Handle Vessel Bathroom Faucet S6711 † ♻️ Deckplate sold separately / 147204</p> | <p>Two-Handle Widespread Bathroom Faucet TS6720 * † ♻️ ♻️</p> |
| |  <p style="text-align: right; color: #0070C0;">NEW</p> |  <p style="text-align: right; color: #0070C0;">NEW</p> |  <p style="text-align: right; color: #0070C0;">NEW</p> |
| | <p>One-Handle Bathroom Faucet S6710 † ♻️ Deckplate sold separately / 147204</p> | <p>One-Handle Vessel Bathroom Faucet S6712 † ♻️ Deckplate sold separately / 147204</p> | <p>Two-Handle Widespread Bathroom Faucet TS6721 * † ♻️ ♻️</p> |



TUB FILLER



Two-Handle Wallmount Bathroom Faucet
TS6730 *†♻️

NEW



Two-Handle Wallmount Bathroom Faucet
TS6731 *†♻️



Freestanding Tub Filler
S905 ♻️

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim
TS903 *♻️



Two-Handle Roman Tub Trim with Handshower
TS904 *♻️

NEW



Two-Handle Roman Tub Trim
TS913 *♻️

NEW



Two-Handle Roman Tub Trim with Handshower
TS914 *♻️



EXACTEMP® ¾"



ExactTemp Valve Trim
TS3100 * ♿ ♻



ExactTemp Volume Control Trim
TS3300 * ♿ ♻

For showerhead options, see page 180

TRANSFER VALVES

NEW



M-CORE™ Transfer Valve Trim
UTS4172 * ♿ ♻



Three Independent Function Transfer Valve Trim
TS4173 * ♿ ♻
Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim
TS4172 * ♿ ♻
Use with valves 3372 or 3375

NEW




M-CORE 3S with Integrated Transfer Valve Trim
UTS9011 * ♿ ♻

NEW



Posi-Temp® with Integrated Transfer Valve Trim
TS2710 * ♿ ♻



M-CORE™ 3-SERIES



- M-CORE 3S Tub/Shower Trim**
UTS3713*
UTS3713EP*
- M-CORE 3S Shower Only Trim**
UTS3715*
UTS3715EP*
- M-CORE 3S Valve Only Trim**
UTS3711*

MOENTROL®



- Moentrol Tub/Shower Trim**
TS3713*
TS3713NH*
- Moentrol Shower Only Trim**
TS3715*
TS3715NH*
- Moentrol Valve Only Trim**
TS3711*

POSI-TEMP®



- Posi-Temp Tub/Shower Trim**
TS2713*
TS2713EP*
TS2713NH*
- Posi-Temp Shower Only Trim**
TS2712*
TS2712EP*
TS2712NH*
- Posi-Temp Valve Only Trim**
TS2711*

90°™



MATCHING ACCESSORIES



Tank Lever
YB8801



Drawer Knob
YB8805



Hand Towel Bar
YB8886



12" Designer Grab Bar
YG8812



Single Robe Hook
YB8803



Drawer Pull
YB8807



18" Towel Bar
YB8818

18" Designer Grab Bar
YG8818



Pivoting Paper Holder
YB8808 (P)



24" Towel Bar
YB8824

24" Designer Grab Bar
YG8824

36" Designer Grab Bar
YG8836

42" Designer Grab Bar
YG8842



MATCHING ACCESSORIES



One Globe Bath Light
YB8861



Three Globe Bath Light
YB8863



Two Globe Bath Light
YB8862



Four Globe Bath Light
YB8864

90° FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**

To view ordering instructions, see reference chart on pages 286-293.

- ☒ Immersion Rainshower Technology
- Ⓜ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ♿ ADA-Compliant
- ↻ Pivoting Technology

† All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.

* Rough-in valve required. Please see price catalog for rough-in model numbers.

◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

UL LISTED US All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
S8000 † ♻️



Two-Handle Widespread Bathroom Faucet
TS8002 * † ♻️



One-Handle Low Profile Bathroom Faucet
S8001 † ♻️

ROMAN TUB FAUCET



Two-Handle Roman Tub Trim
TS955 * ♻️

EXACTTEMP® 3/4"



ExactTemp Valve Trim
TS9711 * ♻️



ExactTemp Volume Control Trim
TS9712 * ♻️

For showerhead options, see page 180



TRANSFER VALVES



NEW

M-CORE™ Transfer Valve Trim

UTS2171 * ♻️ ♿



Three Independent Function Transfer Valve Trim

TS2172 * ♻️ ♿

Use with valve 3362 only



Two- or Three-Function Transfer Valve Trim

TS2171 * ♻️ ♿

Use with valves 3372 or 3375



NEW

M-CORE 3S with Integrated Transfer Valve Trim

UTS2811 * ♻️ ♿



NEW

Posi-Temp® with Integrated Transfer Valve Trim

TS8710 * ♻️ ♿

M-CORE™ 3-SERIES



NEW



M-CORE 3S Tub/Shower Trim

UTS3773* ♻️ ♿

UTS3773EP* ♻️ ♿

M-CORE 3S Shower Only Trim

UTS3772* ♻️ ♿

UTS3772EP* ♻️ ♿

M-CORE 3S Valve Only Trim

UTS3771* ♻️ ♿

POSI-TEMP®



Posi-Temp Tub/Shower Trim

TS8713* ♻️ ♿

TS8713EP* ♻️ ♿

Posi-Temp Shower Only Trim

TS8712* ♻️ ♿

TS8712EP* ♻️ ♿

Posi-Temp Valve Only Trim

TS8711* ♻️ ♿



MATCHING ACCESSORIES



Single Robe Hook
YB5003



Hand Towel Bar
YB5086



Pivoting Paper Holder
YB5008 (P)



12" Towel Bar
YB5012

18" Towel Bar
YB5018

24" Towel Bar
YB5024

COORDINATING ACCESSORIES



90° Tank Lever
YB8801



90° Drawer Knob
YB8805



90° Drawer Pull
YB8807



90° 12" Designer Grab Bar
YG8812

90° 18" Designer Grab Bar
YG8818

90° 24" Designer Grab Bar
YG8824

90° 36" Designer Grab Bar
YG8836

90° 42" Designer Grab Bar
YG8842



90° One Globe Bath Light
YB8861



90° Three Globe Bath Light
YB8863



90° Two Globe Bath Light
YB8862



90° Four Globe Bath Light
YB8864

VIA FINISH OPTIONS



Chrome

To view ordering instructions, see reference chart on pages 286-293.

- ☒ Immersion Rainshower Technology
- Ⓜ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ♿ ADA-Compliant
- ↻ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
S6910 †



Two-Handle Widespread Bathroom Faucet
TS6925 * †

TUB FILLER



Freestanding Tub Filler
S3105


ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower
TS984 *



Two-Handle Roman Tub Trim
TS983 *





EXACTTEMP® ¾"





ExactTemp Valve Trim
TS3101 *  





ExactTemp Volume Control Trim
TS3102 *  
For showerhead options, see page 203

TRANSFER VALVES



M-CORE™ Transfer Valve Trim
UTS9204 *   NEW





Three Independent Function Transfer Valve Trim
TS9205 *  
Use with valve 3362 only



M-CORE 3S with Integrated Transfer Valve Trim
UTS2611 *   NEW



Two- or Three-Function Transfer Valve Trim
TS9204 *  
Use with valves 3372 or 3375



Posi-Temp® with Integrated Transfer Valve Trim
TS2200 *   NEW



M-CORE™ 3-SERIES

NEW





M-CORE 3S Tub/Shower Trim

UTS3203*  

UTS3203EP*  

M-CORE 3S Shower Only Trim

UTS3202*  

UTS3202EP*  

M-CORE 3S Valve Only Trim

UTS3201*  

MOENTROL®



Moentrol Tub/Shower Trim

TS3203NH*  

Moentrol Shower Only Trim

TS3202NH*  

Moentrol Valve Only Trim

TS3201*  


POSI-TEMP®



Posi-Temp Tub/Shower Trim

TS2203*  


TS2203EP*  

TS2203NH*  



Posi-Temp Shower Only Trim

TS2202*  

TS2202EP*  

TS2202NH*  

Posi-Temp Valve Only Trim

TS2201*  



MATCHING ACCESSORIES



Tank Lever
YB0201



Corner Shower Basket
YB0275



Pivoting Paper Holder
YB0208 (P)



Single Robe Hook
YB0203



Hand Towel Bar
YB0286



18" Towel Bar
YB0218
24" Towel Bar
YB0224

DOUX FINISH OPTIONS



Chrome, Brushed Nickel (BN), Matte Black (BL)

To view ordering instructions, see reference chart on pages 286-293.

- ☒ Immersion Rainshower Technology
- Ⓜ Moen M•PACT™ Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ♿ ADA-Compliant
- Ⓟ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
4500 † ♻️



Two-Handle Centerset Bathroom Faucet
4505 † ♻️



Two-Handle Widespread Bathroom Faucet
T4520 * † ♻️ ♻️



One-Handle Bathroom Faucet
4507 ♻️



Two-Handle Widespread Bathroom Faucet
T4524 * † ♻️

TUB FILLERS



Freestanding Tub Filler
Cross Handle 655 ♻️
Lever Handle 655 ♻️ ♻️




ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower
Cross Handle T658 * ♻️
Lever Handle T654 * ♻️ ♻️




Two-Handle Roman Tub Trim
Cross Handle T657 * ♻️
Lever Handle T653 * ♻️ ♻️




EXACTTEMP® ¾"




**ExactTemp
Valve Trim**
T6601 *




**ExactTemp
Volume Control Valve Trim**
T6602 *
For showerhead options, see page 203

TRANSFER VALVES



**M-CORE™ Transfer
Valve Trim**
UT4511 *



**Three Independent Function
Transfer Valve Trim**
T4512 *
Use with valve 3362 only




**M-CORE 3S with Integrated
Transfer Valve Trim**
UT5500 *




**Moentrol® with Integrated
Transfer Valve Trim**
T5500 *



**Two- or Three-Function
Transfer Valve Trim**
T4511 *
Use with valves 3372 or 3375



**Posi-Temp® with Integrated
Transfer Valve Trim**
T4500 *



M-CORE™ 3-SERIES

NEW





M-CORE 3S Tub/Shower Trim

UT35503*
 UT35503EP*

M-CORE 3S Shower Only Trim

UT35502*
 UT35502EP*

M-CORE 3S Valve Only Trim

UT35501*

MOENTROL®



Moentrol® Tub/Shower Trim

T5503*
 T5503NH*

Moentrol Shower Only Trim

T5502*
 T5502NH*


Moentrol Valve Only Trim

T5501*







POSI-TEMP®





Posi-Temp Tub/Shower Trim

T4503*
 T4503EP*
 T4503NH*

Posi-Temp Shower Only Trim

T4502*
 T4502EP*
 T4502NH*

Posi-Temp Valve Only Trim

T4501*



BIDET



Two-Handle Bidet Faucet
T5245 * ♿ ♻

MATCHING ACCESSORIES



Tank Lever
YB5201



Pivoting Paper Holder
YB5208 (P)



Towel Ring
YB5286



Double Robe Hook
YB5203



24" Double Towel Bar
YB5222



18" Towel Bar
YB5218

24" Towel Bar
YB5224



Shower Basket
YB5275

COORDINATING ACCESSORIES



Kingsley® Drawer Knob
YB5405



Kingsley Drawer Pull
YB5407



**Waterhill® One Globe
Bath Light**
YB9861



**Waterhill Three Globe
Bath Light**
YB9863



**Waterhill Two Globe
Bath Light**
YB9862



**Waterhill Four Globe
Bath Light**
YB9864

FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**,
Lifeshine® Polished Nickel **(NL)**, Oil Rubbed Bronze **(ORB)**

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on
pages 286-293.

☒ Immersion Rainshower Technology

☞ Moen M•PACT® Common Valve System

EP Eco-Performance

NH Without Showerhead

♿ ADA-Compliant

⌚ Pivoting Technology

† All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.

* Rough-in valve required. Please see price catalog for rough-in model numbers.

◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6190 † ♻️



One-Handle Bathroom Faucet
6192 † ♻️



One-Handle Bathroom Faucet
6191 † ♻️



Two-Handle Widespread Bathroom Faucet
T6193 * † ♻️ ♻️

TUB FILLER



Freestanding Tub Filler
395 ♻️ ♻️

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower
T394 * ♻️ ♻️



Two-Handle Roman Tub Trim
T393 * ♻️ ♻️

Align®





EXACTTEMP® 3/4"



ExactTemp Valve Trim
T4291 *  





ExactTemp Volume Control Valve Trim
T4292 *  

TRANSFER VALVES





NEW

M-CORE™ Transfer Valve Trim
UT4191 *  





Three-Function Transfer Valve Trim
T4192 *  



Moentrol® with Integrated Transfer Valve Trim
T3290 *  



NEW

M-CORE 3S with Integrated Transfer Valve Trim
UT3290 *  



Two- or Three-Function Transfer Valve Trim
T4191 *  



NEW

Posi-Temp® with Integrated Transfer Valve Trim
T2190 *  

Use with valves 3372 or 3375



M-CORE® 3-SERIES



M-CORE 3S Tub/Shower Trim

UT3293*
UT3293EP*

M-CORE 3S Shower Only Trim

UT3292*
UT3292EP*

M-CORE 3S Valve Only Trim

UT3291*

MOENTROL®



Moentrol Tub/Shower Trim

T3293*
T3293NH*

Moentrol Shower Only Trim

T3292*
T3292NH*

Moentrol Valve Only Trim

T3291*

POSI-TEMP®



Posi-Temp Tub/Shower Trim

T2193*
T2193EP*
T2193NH*

Posi-Temp Shower Only Trim

T2192*
T2192EP*
T2192NH*

Posi-Temp Valve Only Trim

T2191*

BIDET



Two-Handle Bidet Faucet

T5191*

Align®



MATCHING ACCESSORIES



**Swiveling Double
Robe Hook**
YB0402



Single Robe Hook
YB0403



18" Towel Bar
YB0418

24" Towel Bar
YB0424



Pivoting Paper Holder
YB0408 (P)



Single-Post Paper Holder
YB0409



Hand Towel Bar
YB0486



12" Designer Grab Bar
YG0412

18" Designer Grab Bar
YG0418

24" Designer Grab Bar
YG0424

36" Designer Grab Bar
YG0436

42" Designer Grab Bar
YG0442

COORDINATING ACCESSORIES



Iso™ Drawer Knob
DN0705



Iso Drawer Pull
DN0707



Iso™ One Globe Bath Light
DN0761



Iso Three Globe Bath Light
DN0763



Iso Two Globe Bath Light
DN0762



Iso Four Globe Bath Light
DN0764

ALIGN FINISH OPTIONS



Chrome, Brushed Nickel (BN), Matte Black (BL),
Brushed Gold (BG)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 277-283.

☒ Immersion Rainshower Technology

⚙ Moen M•PACT® Common Valve System

EP Eco-Performance

NH Without Showerhead

♿ ADA-Compliant

⌚ Pivoting Technology

† All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.

* Rough-in valve required. Please see price catalog for rough-in model numbers.

◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

Note: Iso's Brushed Nickel (BN) accessories finish does not perfectly match faucet finish.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6903 † ♻️



Two-Handle Widespread Bathroom Faucet
T6905 * † ♻️ ♻️



Two-Handle Centerset Bathroom Faucet
6901 † ♻️



Two-Handle Wallmount Bathroom Faucet
T6906 * † ♻️ ♻️

TUB FILLER



Freestanding Tub Filler
695 ♻️ ♻️

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower
T694 * ♻️ ♻️



Two-Handle Roman Tub Trim
T693 * ♻️ ♻️



EXACTTEMP® ¾"

TRANSFER VALVES



ExactTemp Valve Trim
T4691 * ♿ ♻



M-CORE™ Transfer Valve Trim
UT4611 * ♿ ♻



Three Independent Function Transfer Valve Trim
T4612 * ♿ ♻
Use with valve 3362 only



M-CORE 3S with Integrated Transfer Valve Trim
UT3611 * ♿ ♻



ExactTemp Volume Control
T4692 * ♿ ♻



Two- or Three-Function Transfer Valve Trim
T4611 * ♿ ♻
Use with valves 3372 or 3375



Posi-Temp® with Integrated Transfer Valve Trim
T2690 * ♿ ♻



M-CORE™ 3-SERIES

NEW



M-CORE 3S Tub/Shower Trim

UT3693 *
UT3693EP *

M-CORE 3S Shower Only Trim

UT3692 *
UT3692EP *

M-CORE 3S Valve Only Trim

UT3691 *

MOENTROL®



Moentrol Tub/Shower Trim

T3693 *
T3693NH*

Moentrol Shower Only Trim

T3692 *
T3692NH*

Moentrol Valve Only Trim

T3691*

POSI-TEMP®



Posi-Temp Tub/Shower Trim

T2693 *
T2693EP *
T2693NH *

Posi-Temp Shower Only Trim

T2692 *
T2692EP *
T2692NH *

Posi-Temp Valve Only Trim

T2691 *

BIDET



Two-Handle Bidet Faucet

T5191 *



MATCHING ACCESSORIES



Tank Lever
YB5101



Pivoting Paper Holder
YB5108 (P)



Double Robe Hook
YB5103



Hairdryer Holder
YB5170



12" Designer Grab Bar
YG5112



18" Towel Bar
YB5118



Towel Ring
YB5186

18" Designer Grab Bar
YG5118

24" Designer Grab Bar
YG5124

24" Towel Bar
YB5124



MATCHING ACCESSORIES



One Globe Bath Light
YB5161



Three Globe Bath Light
YB5163



Two Globe Bath Light
YB5162



Four Globe Bath Light
YB5164

COORDINATING ACCESSORIES



90° Drawer Knob
YB8805



90° Drawer Pull
YB8807

VOSS FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**, Brushed Gold **(BG)**, Lifeshine™ Polished Nickel **(NL)**, Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference chart on pages 286-293.

- ☒ Immersion Rainshower Technology
- ☞ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- ☞ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6402 †



Two-Handle Widespread Bathroom Faucet
T6405 * †



Two-Handle Centerset Bathroom Faucet
6401 †

TUB FILLER



Freestanding Tub Filler
9025

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower
T9024 *



Two-Handle Roman Tub Trim
T9023 *

Belfield™



EXACTEMP® 3/4"



ExactTemp Valve Trim
T4411 * ♿ ♻️



ExactTemp Volume Control Valve Trim
T4412 * ♿ ♻️

TRANSFER VALVES



M-CORE Transfer Valve Trim
UT4301 * ♿ ♻️



M-CORE 3S with Integrated Transfer Valve Trim
UT3322 * ♿ ♻️



Posi-Temp with Integrated Transfer Valve Trim
T2310 * ♿ ♻️



Two- or Three-Function Transfer Valve Trim
T4301 * ♿ ♻️









Moentrol with Integrated Transfer Valve Trim
T3322 * ♿ ♻️









M-CORE® 3-SERIES



M-CORE 3S Tub/Shower Trim

UT3313*
 UT3313EP*

M-CORE 3S Shower Only Trim

UT3312*
 UT3312EP*



M-CORE 3S Valve Only Trim

UT3311*

MOENTROL®





Moentrol Tub/Shower Trim

T3313NH*

Moentrol Shower Only Trim

T3312NH*









Moentrol Valve Only Trim

T3311*

POSI-TEMP®



Posi-Temp Tub/Shower Trim

T2313*
 T2313EP*
 T2313NH*

Posi-Temp Shower Only Trim

T2312*
 T2312EP*
 T2312NH*

Posi-Temp Valve Only Trim

T2311*

Belfield™



MATCHING ACCESSORIES



Tank Lever
YB6401




Pivoting Paper Holder
YB6408



18" Towel Bar
YB6418



Hand Towel Bar
YB6486



24" Towel Bar
YB6424



24" Double Towel Bar
YB6422



Double Robe Hook
YB6403



12" Designer Grab Bar
YG6412

18" Grab Bar
YG6418

24" Grab Bar
YG6424



One Globe Bath Light
YB6461



Three Globe Bath Light
YB6463



Two Globe Bath Light
YB6462



Four Globe Bath Light
YB6464

BELFIELD FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**,
Lifeshine™ Polished Nickel **(NL)** (Ships Q2),
Oil Rubbed Bronze **(ORB)**, Matte Black **(BL)**

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

☒ Immersion Rainshower Technology

☒ Moen M•PACT™ Common Valve System

EP Eco-Performance

NH Without Showerhead

♿ ADA-Compliant

⌘ Pivoting Technology

† All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.

* Rough-in valve required. Please see price catalog for rough-in model numbers.

◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6102 † ♿



Two-Handle Widespread Bathroom Faucet
T6125 * ♿ † ♿



Two-Handle Centerset Bathroom Faucet
6121 † ♿



Two-Handle Wallmount Bathroom Faucet
T6107 * ♿ † ♿

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower
T922 * ♿ ♿



Two-Handle Roman Tub Trim
T920 * ♿ ♿



TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim

T4311 *
Use with valves 3372 or 3375

MOENTROL®



Moentrol® with Integrated Transfer Valve Trim

T4111 *



Moentrol Valve Only Trim

T3111 *

POSI-TEMP®








Posi-Temp Tub/Shower Trim

T2113*
T2113EP*
T2113NH*




Posi-Temp Shower Only Trim

T2112*
T2112EP*
T2112NH*

Posi-Temp Valve Only Trim

T2111*



MATCHING ACCESSORIES



Tank Lever
YB5401



Drawer Knob
YB5405



24" Double Towel Bar
YB5422



Vanity Shelf
YB5490



Double Robe Hook
YB5403



Drawer Pull
YB5407



18" Towel Bar
YB5418



Towel Shelf
YB5494



Pivoting Paper Holder
YB5408



Towel Ring
YB5486



12" Designer Grab Bar
YG5412

18" Designer Grab Bar
YG5418

24" Designer Grab Bar
YG5424

30" Designer Grab Bar
YG5430

36" Designer Grab Bar
YG5436

42" Designer Grab Bar
YG5442

COORDINATING ACCESSORIES



Waterhill® One Globe Bath Light
YB9861



Waterhill Three Globe Bath Light
YB9863



Waterhill Two Globe Bath Light
YB9862



Waterhill Four Globe Bath Light
YB9864

KINGSLEY FINISH OPTIONS



Chrome, Brushed Nickel (**BN**), Oil Rubbed Bronze (**ORB**), Wrought Iron/Matte Black (**WR**)

Wrought Iron and Matte Black are the same finish and interchangeable.

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 2886-293.

☒ Immersion Rainshower Technology

☞ Moen M•PACT® Common Valve System

EP Eco-Performance

NH Without Showerhead

♿ ADA-Compliant

Ⓢ Pivoting Technology

† All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.

* Rough-in valve required. Please see price catalog for rough-in model numbers.

◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6900 † ♻️



Two-Handle Widespread Bathroom Faucet
T6920 * † ♻️ ♻️

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower
T936 * ♻️ ♻️



Two-Handle Roman Tub Trim
T935 * ♻️ ♻️



TRANSFER VALVES



Three Independent Function Transfer Valve Trim

T2082 *

Use with valve 3362 only



NEW

M-CORE Transfer Valve Trim

UT2081 *



Two- or Three-Function Transfer Valve Trim

T2081 *

Use with valves 3372 or 3375



NEW

Posi-Temp® with Integrated Transfer Valve Trim

T2810 *

M-CORE® 3-SERIES



NEW



M-CORE 3S Tub/Shower Trim

UT3813EP*

M-CORE 3S Shower Only Trim

UT3812EP*

M-CORE 3S Valve Only Trim

UT3811*



POSI-TEMP®



Posi-Temp Shower Only Trim

T2812*

T2813EP*

T2813NH*

Posi-Temp Tub/Shower Trim

T2813*

T2812EP*

T2812NH*

Posi-Temp Valve Only Trim

T2811*



COORDINATING ACCESSORIES



Method™ Tank Lever
YB2401



Method Pivoting Paper Holder Ⓟ
YB2408



Method 18" Towel Bar
YB2418

Method 24" Towel Bar
YB2424



Method Double Robe Hook
YB2403



Method Hand Towel Bar
YB2486



Method 18" Double Towel Bar
YB2422

Method 24" Double Towel Bar
YB2423

RIZON FINISH OPTIONS

NEW



Chrome, Brushed Nickel **(BN)**,

Matte Black **(BL)**

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- ⊠ Immersion Rainshower Technology
- Ⓜ Moen M•PACT™ Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- Ⓢ ADA-Compliant
- Ⓟ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



LAVATORY FAUCETS



Two-Handle Centerset Bathroom Faucet
6802 †




Two-Handle Widespread Bathroom Faucet
T6805 * †

ROMAN TUB FAUCET



Two-Handle Roman Tub Trim
T683 * †

Dartmoor™



TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim

T2031 *  

Use with valves 3372 or 3375



NEW

M-CORE™ Transfer Valve Trim

UT2031 *  

Use with valves 3372 or 3375



POSI-TEMP®



Posi-Temp Tub/Shower Trim with Rainshower

T2283EP*  

Posi-Temp Shower Only Trim with Rainshower

T2282EP*  



Posi-Temp Tub/Shower Trim

T2183*  
T2183EP*  

Posi-Temp Shower Only Trim

T2182*  
T2182EP*  

Posi-Temp Valve Only Trim

T2181*  



MATCHING ACCESSORIES



Tank Lever
YB2101



Double Robe Hook
YB2103




Paper Holder
YB2108



18" Towel Bar
YB2118



Towel Ring
YB2186



24" Towel Bar
YB2124

COORDINATING ACCESSORIES



Flara® Drawer Knob
YB0305



Belfield™ 12" Grab Bar
YG6412



Flara Drawer Pull
YB0307

Belfield™ 18" Grab Bar
YG6418

Belfield™ 24" Grab Bar
YG6424



COORDINATING ACCESSORIES



**Belfield™ One Globe
Bath Light**
YB6461



**Belfield Three Globe
Bath Light**
YB6463



**Belfield Two Globe
Bath Light**
YB6462



**Belfield Four Globe
Bath Light**
YB6464

DARTMOOR FINISH OPTIONS



Chrome, Brushed Nickel **(BNI)**, Oli Rubbed Bronze **(ORB)**

To view ordering instructions, see reference chart on pages 286-293.

- ☒ Immersion Rainshower Technology
- Ⓜ Moen M•PACT™ Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ♿ ADA-Compliant
- Ⓜ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



Two-Handle Centerset Bathroom Faucet

T6172 † ♻️



Two-Handle Widespread Bathroom Faucet

T6173 * † ♻️

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim

T373 * ♻️

TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim

T2721 * ♻️
Use with valves 3372 or 3375



NEW

M-CORE™ Transfer Valve Trim

UT2721 * ♻️

POSI-TEMP®



Posi-Temp Tub/Shower Trim with Rainshower

T2843EP* ♻️



Posi-Temp Shower Only Trim with Rainshower

T2842EP* ♻️



Posi-Temp Tub/Shower Trim

T2743* ♻️



Posi-Temp Shower Only Trim


T2742EP* ♻️



Posi-Temp Valve Only Trim

T2741* ♻️

Glyde™



MATCHING ACCESSORIES



Double Robe Hook
YB2303



Paper Holder
YB2308



Towel Ring
YB2386



18" Towel Bar
YB2318

24" Towel Bar
YB2324

COORDINATING ACCESSORIES



Doux™ Tank Lever
YB0201



Iso™ Drawer Knob
YB0705



Iso™ Drawer Pull
YB0707

GLYDE FINISH OPTIONS


NEW



Chrome, Brushed Nickel **(BN)**,
Matte Black **(BL)**

To view ordering instructions, see
reference chart on pages 286-293.

- ⊗ Immersion Rainshower Technology
- ⊕ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- ⊖ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



LAVATORY FAUCET



One-Handle Bathroom Faucet
6710 †

POSI-TEMP®



Posi-Temp Tub/Shower Trim

T2663EP*
T2663NH*

Posi-Temp Shower Only Trim

T2662EP*
T2662NH*

Posi-Temp Valve Only Trim

T2661*



COORDINATING ACCESSORIES



Genta™ Single Robe Hook
BH3803



Genta 18" Towel Bar
BH3818

Genta 24" Towel Bar
BH3824



Genta Pivoting Paper Holder
BH3808 







Genta Hand Towel Bar
BH3886

VICHY FINISH OPTIONS



Chrome

To view ordering instructions, see reference chart on pages 286-293.

-
-  Immeration Rainshower Technology
 -  Moen M•PACT® Common Valve System
 - EP Eco-Performance
 - NH Without Showerhead
 -  ADA-Compliant
 -  Pivoting Technology
 - † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
 - * Rough-in valve required. Please see price catalog for rough-in model numbers.
 - ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6600 †



Two-Handle Widespread Bathroom Faucet
T6620 *†



Two-Handle Centerset Bathroom Faucet
6610 †

GARDEN TUB FAUCET



Two-Handle Garden Tub Faucet
T4943 *

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower
T924 *



Two-Handle Roman Tub Trim
T933 *

TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim
T2021 *
Use with valve 3372 or 3375



M-CORE™ Transfer Valve Trim
UT2021 * **NEW**

Brantford®



BIDET FAUCET



Two-Handle Bidet Faucet
T5225 * ♻️ ♿

POSI-TEMP®



Posi-Temp Tub/Shower Trim with Rainshower
T2253EP * ♻️ ♿

Posi-Temp Shower Only Trim with Rainshower
T2252EP * ♻️ ♿





Posi-Temp Tub/Shower Trim
T2153 * ♻️ ♿
T62153EP * ♻️ ♿ ♿
T62153NH * ♻️ ♿

Posi-Temp Shower Only Trim
T2152 * ♻️ ♿
T62152EP * ♻️ ♿ ♿
T62152NH * ♻️ ♿

Posi-Temp Valve Only Trim
T2151 * ♻️ ♿



Posi-Temp Tub/Shower with Remodel Valve Trim
T2157EP * ♻️ ♿



MATCHING ACCESSORIES



Tank Lever
YB2201



Paper Holder
YB2208



18" Towel Bar
YB2218

24" Towel Bar
YB2224



One Globe Bath Light
YB2261



Double Robe Hook
YB2203



Towel Ring
YB2286



12" Designer Grab Bar
YG2212

18" Designer Grab Bar
YG2218

24" Designer Grab Bar
YG2224



Two Globe Bath Light
YB2262



COORDINATING ACCESSORIES



Three Globe Bath Light
YB2263



Four Globe Bath Light
YB2264



Kingsley™ Drawer Knob
YB5405



Kingsley Drawer Pull
YB5407

BRANTFORD FINISH OPTIONS



Chrome, Brushed Nickel **(BNI)**, Oli Rubbed Bronze **(ORB)**

To view ordering instructions, see reference chart on pages 286-293.

- ☒ Immersion Rainshower Technology
- ⚙ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ♿ ADA-Compliant
- ⌚ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6400 † ♻️



Two-Handle Centerset Bathroom Faucet
6410 † ♻️



Two-Handle Widespread Bathroom Faucet
T6420 * † ♻️ ♻️

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim with Handshower
T944 * ♻️ ♻️



Two-Handle Roman Tub Trim
T943 * ♻️ ♻️

TRANSFER VALVES



Two- or Three-Function Transfer Valve Trim
T2011 * ♻️ ♻️
Use with valves 3372 or 3375



NEW

M-CORE™ Transfer Valve Trim
UT2011 * ♻️ ♻️



BIDET



Two-Handle Bidet Faucet
T5220 * ♻️ ♿

POSI-TEMP®



Posi-Temp Tub/Shower Trim with Rainshower
T2233EP* ⬡ ♻️ ♿



NEW



Posi-Temp Tub/Shower Trim with Remodel Valve
T2137EP* ⬡ ♻️ ♿




Posi-Temp Tub/Shower Trim
T2133* ♻️ ♿
T62133EP* ⬡ ♻️ ♿
T62133NH* ♻️ ♿

Posi-Temp Shower Only Trim
T2132* ♻️ ♿
T62132EP* ⬡ ♻️ ♿
T62132NH* ♻️ ♿

Posi-Temp Valve Only Trim
T2131* ♻️ ♿



MATCHING ACCESSORIES



Tank Lever
YB2801



Single Robe Hook
YB2803



Paper Holder
YB2808




Towel Ring
YB2886



Towel Shelf
YB2894



18" Towel Bar
YB2818



24" Towel Bar
YB2824



12" Designer Grab Bar
YG2812



18" Designer Grab Bar
YG2818



24" Designer Grab Bar
YG2824

COORDINATING ACCESSORIES



Iso® Drawer Knob
YB0705



Iso Drawer Pull
YB0707



MATCHING ACCESSORIES



One Globe Bath Light
YB2861



Two Globe Bath Light
YB2862



Three Globe Bath Light
YB2863



Four Globe Bath Light
YB2864

EVA FINISH OPTIONS



Chrome, Brushed Nickel **(BNI)**,
Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference
chart on pages 286-293.

☒ Immersion Rainshower Technology

☞ Moen M•PACT® Common Valve System

EP Eco-Performance

NH Without Showerhead

⊕ ADA-Compliant

Ⓢ Pivoting Technology

† All indicated Moen lav faucets are manufactured in
compliance with the applicable requirements of the
EPA High-Efficiency Lavatory Faucet Specification.

* Rough-in valve required. Please see price catalog for
rough-in model numbers.

◇ All indicated Moen flow-optimized showerheads
use up to 30% less water (compared to traditional
showerheads) without sacrificing performance, are
certified to meet WaterSense® labeling criteria and
contribute toward maximizing LEED® points.



All lighting fixtures can be mounted facing
either upward or downward (rings need to be
removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6810 †♿



**One-Handle Bathroom Faucet with
Vessel Extension**
6810 †♿ + A2020



**Two-Handle Widespread
Bathroom Faucet**
T6820 *♿†♿

Method™



ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim
T986 * ♻️ ♿

TRANSFER VALVES



Posi-Temp® with Integrated Transfer Valve Trim
T2800 * ♻️ ♿

POSI-TEMP®



Posi-Temp Tub/Shower Trim
T2803* ♻️ ♿
T2803EP* ♠️ ♻️ ♿
T2803NH* ♻️ ♿

Posi-Temp Shower Only Trim
T2802* ♻️ ♿
T2802EP* ♠️ ♻️ ♿
T2802NH* ♻️ ♿

Posi-Temp Valve Only Trim
T2801* ♻️ ♿



MATCHING ACCESSORIES



Tank Lever
YB2401



Double Robe Hook
YB2403



Pivoting Paper Holder
YB2408



9" Hand Towel Bar
YB2486



18" Towel Bar
YB2418

24" Towel Bar
YB2424



18" Double Towel Bar
YB2422

24" Double Towel Bar
YB2423

COORDINATING ACCESSORIES



Iso™ Drawer Knob
DN0705



Iso Drawer Pull
DN0707



90°™ 12" Designer Grab Bar
YG8812

90° 18" Designer Grab Bar
YG8818

90° 24" Designer Grab Bar
YG8824

90° 36" Designer Grab Bar
YG8836

90° 42" Designer Grab Bar
YG8842



COORDINATING ACCESSORIES



Iso™ One Globe Bath Light
DN0761



Iso Three Globe Bath Light
DN0763



Iso Two Globe Bath Light
DN0762



Iso Four Globe Bath Light
DN0764

METHOD FINISH OPTIONS



Chrome, Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 286-293.

- ☒ Immersion Rainshower Technology
- ☒ Moen M•PACT™ Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- Ⓢ ADA-Compliant
- ☒ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

Note: Iso's Brushed Nickel (BN) accessories finish does not perfectly match faucet finish.



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6145 † ♻️



Two-Handle Widespread Bathroom Faucet
T6142 * † ♻️ ♿



Two-Handle Centerset Bathroom Faucet
6150 † ♻️

ROMAN TUB FAUCET



Two-Handle Roman Tub Trim
T961 * ♻️ ♿



TRANSFER VALVES



NEW

M-CORE™ Transfer Valve Trim
UT2921 * ♿ ♻



Three Independent Function Transfer Valve Trim
T2922 * ♿ ♻
Use with valve 3362 only



NEW

Posi-Temp with Integrated Transfer Valve Trim
T2900 * ♿ ♻



Two- or Three-Function Transfer Valve Trim
T2921 * ♿ ♻
Use with valves 3372 or 3375

POSI-TEMP®



Posi-Temp Tub/Shower Trim with Rainshower
T3003EP* ♿ ♻ ♻



Posi-Temp Tub/Shower Trim with Rainshower
T3002EP* ♿ ♻ ♻




Posi-Temp Tub/Shower Trim
T2903EP* ♿ ♻ ♻
T2903NH* ♿ ♻



Posi-Temp Shower Only Trim
T2902EP* ♿ ♻ ♻
T2902NH* ♿ ♻



Posi-Temp Valve Only Trim
T2901* ♿ ♻



COORDINATING ACCESSORIES



Iso™ Single Robe Hook
DN0703



Iso Towel Ring
DN0786



Iso Pivoting Paper Holder
DN0708 (P)



Iso 18" Towel Bar
DN0718
Iso 24" Towel Bar
DN0724

GIBSON FINISH OPTIONS



Chrome, Brushed Nickel (**BN**),
Matte Black (**BL**)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 286-293.

- ⊠ Immersion Rainshower Technology
- Ⓜ Moen M•PACT™ Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- Ⓢ ADA-Compliant
- Ⓟ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.



LAVATORY FAUCETS



One-Handle Bathroom Faucet
6702 † ♿




Two-Handle Widespread Bathroom Faucet
T6708 * † ♿ ♻️

ROMAN TUB FAUCET



Two-Handle Roman Tub Trim
T908 * ♿ ♻️



TRANSFER VALVES



M-CORE™ Transfer Valve Trim
UT2401 * ♿ ♻



Three Independent Function Transfer Valve Trim
T2402 * ♿ ♻
Use with valve 3362 only



Posi-Temp® with Integrated Transfer Valve Trim
T2470 * ♿ ♻



Two- or Three-Function Transfer Valve Trim
T2401 * ♿ ♻
Use with valves 3372 or 3375

POSI-TEMP®



Posi-Temp Tub/Shower Trim
T2473EP* ♿ ♻ ♻
T2473NH* ♿ ♻

Posi-Temp Shower Only Trim
T2472EP* ♿ ♻ ♻
T2472NH* ♿ ♻

Posi-Temp Valve Only Trim
T2471* ♿ ♻



MATCHING ACCESSORIES



Single Robe Hook
BH3803



Pivoting Paper Holder
BH3808 [Ⓟ]



Hand Towel Bar
BH3886



18" Towel Bar
BH3818

24" Towel Bar
BH3824

GENTA FINISH OPTIONS



Chrome, Brushed Nickel **(BN)**, Matte Black **(BL)**

To view ordering instructions, see reference chart on pages 286-293.

☒ Immersion Rainshower Technology

Ⓜ Moen M•PACT® Common Valve System

EP Eco-Performance

NH Without Showerhead

♿ ADA-Compliant

Ⓟ Pivoting Technology

† All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.

* Rough-in valve required. Please see price catalog for rough-in model numbers.

◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

LAVATORY FAUCETS



One-Handle Bathroom Faucet
L4601 † ♻️



One-Handle Bathroom Faucet
L4635 † ♻️



One-Handle Bathroom Faucet
L4605 † ♻️



Two-Handle Centerset Bathroom Faucet
4925 † ♻️



One-Handle Bathroom Faucet
L4621 † ♻️



Two-Handle Widespread Bathroom Faucet
4945 * † ♻️



One-Handle Bathroom Faucet
L4625 † ♻️



Two-Handle Widespread Bathroom Faucet
4962 * †

ROMAN TUB FAUCETS



Two-Handle Roman Tub Trim
T999 * ♻️



Two-Handle Roman Tub Trim with Handshower
T991 * ♻️ ♻️



Two-Handle Roman Tub Trim
T990 * ♻️ ♻️

GARDEN TUB FAUCETS



Two-Handle Garden Tub
4902 ♻️



Two-Handle Garden Tub
T994 * ♻️ ♻️



POSI-TEMP®



Tub/Shower Trim
TL183* / TL183EP*

Shower Only Trim
TL182* / TL182EP* / TL182NH*

Shower Only Trim with Valve
2352* / L2352* / L2352EP*

Valve Only Trim with Valve
L2361*



Tub/Shower with Remodel Valve Trim Only
TL2369EP*

Tub/Shower with Remodel Valve Trim
L2369EP*

Shower Remodel Valve Trim Only
TL2368EP*

Shower Remodel Valve Only with Trim
L2368EP*

STANDARD



Standard Tub/Shower Trim
T471* / T471EP*

Standard Shower Only Trim
T473* / T473EP*



Standard Tub/Shower Trim with Valve
2995EP



Standard Tub/Shower Trim
TL471* / TL471EP*



Standard Tub/Shower Trim with Valve
2919EP / 2982EP



BIDET



Two-Handle Bidet Faucet
TL5265 * 

COORDINATING ACCESSORIES



Mason® Double Robe Hook
YB8003



Mason Towel Ring
YB8086



**Mason Paper Holder
(Roller Only)**
YB8099
+
Mason Mounting Posts (Pair)
YB8000



Mason Double Paper Holder
YB8088
(3 mounting posts, roller not included)
+
Mason Mounting Posts (Pair)
YB8000



Mason 24" Towel Bar (Bar Only)
YB8094

+
Mason Mounting Posts (Pair)
YB8000



Mason 18" Towel Bar (Bar Only)
YB8098

+
Mason Mounting Posts (Pair)
YB8000

CHATEAU FINISH OPTIONS



Chrome

To view ordering instructions, see reference chart on pages 286-293.

- ☒ Immersion Rainshower Technology
- ⚙ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ♿ ADA-Compliant
- ⌚ Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

Custom Showering



Nebia by Moen™ Featured in Chrome Finish







Voss™ Tub Filler
695



Mosaic™ Body Spray
TS1322



**Overhead-Mount
Rainshower Showerhead**
S1004

Now there's a shower to go with every body.

With expanded lines of tub fillers, body jets, rainshowers, handheld showers and the **U by Moen™** showering system, an at-home spa is right at your fingertips. Experience the ultimate in customization and transform any bathroom into a personalized escape, no matter the size and space.

There are numerous configurations for pairing products to create the perfect system for you. Combine a four-outlet U by Moen system with a showerhead, rainshower, handshower and body sprays, and bring the spa home. From soothing aching muscles to overindulging in self-care, there's a combination for every need.

Digital Showering



Once upon a time, people turned a handle to start their shower.

That was before Moen® made it possible to start your shower with the sound of your voice or a tap on your smartphone. Smart home assistants, such as Amazon’s Alexa, allow us to adjust lighting to fit our mood, play our favorite music and even order late-night pizza. So why not use the same technology to make an everyday shower amazing?

Compatible with Amazon Alexa, Apple HomeKit and Google Home, **U by Moen™** connects to your Wi-Fi for a customizable shower experience for your whole smart home portfolio. U by Moen remembers personalized settings by name and offers elegant finishes to fit harmoniously with any shower design. Make your shower work for you — all at the sound of your voice or the touch of an app.

With U by Moen, the wave of the future starts with a shower designed just for you.



- Personalized setting for every occasion
- Remote activation with Amazon Alexa, Apple HomeKit, Google Home and U by Moen smartphone apps
- Digital controller with LCD display
- Water-saving warm-up and pause
- Flexible installation with two- and four-outlet valves and controllers



[Available Q1]



[Available Q2]



Digital Showering



Digital Showering for Every Space



U by Moen™ with Two- and Four-Outlet Controller and Valve

From cozy showers to spacious spas, **U by Moen** combines luxuries such as body sprays and hand showers that turn a shower into an escape. Available with a two-outlet digital controller and valve for smaller spaces and a four-outlet digital controller and valve for larger spaces, make any shower you get in feel like getting away.

Two- and Four-Outlet Controllers

- Wi-Fi connected shower controller
- Easy-to-read 5-inch non-touch LCD screen
- Soft-touch buttons for each outlet and power, temperature and present buttons
- Stylish matte black and terra beige finishes coordinate with any shower design
- Five-Year Limited Warranty

Two- and Four-Outlet Valves

- Thermostatic digital valve with precise temperature and outlet control
- Compact valve design and 30-foot data cable for flexibility in install locations
- Easy servicing with accessible filter screens
- Optional battery backup kit (179573) for continued operation during power outages
- Four-outlet valve uses 3/4" inlets and 1/2" outlets; 16.0 gpm flow rate
- Two-outlet valve uses 1/2" inlets and 1/2" outlets; 10.3 gpm flow rate
- Five-Year Limited Warranty

Smartphone App

- Operates U by Moen shower remotely and allows customization and personalization of many additional preferences

Voice Activation

- Compatible with Amazon Alexa, Apple HomeKit and Google Home



**U by Moen
Two-Outlet Controller**
TS3302TB, TS3302BL



**U by Moen
Two-Outlet Valve**
S3102




**U by Moen
Four-Outlet Controller**
TS3304TB, TS3304BL



**U by Moen
Four-Outlet Valve**
S3104

Compatible with:



Visit moen.com/u.

Shower Spa

EXACTTEMP® ¾" THERMOSTATIC SHOWERING

Choose up to four showering products — rainshowers, handshowers or body sprays — in any combination you desire.



**Weymouth®
Valve Trim**
TS32110 *



**Arris®
Valve Trim**
TS33002 *



**Flara™
Valve Trim**
TS4201 * NEW



**Colinet™
Valve Trim**
TS44401 * NEW



**90™
Valve Trim**
TS3100 *



**Moen®
Valve Trim**
TS3411 *



**Weymouth
Volume Control**
TS52104 *



**Arris
Volume Control**
TS33003 *



**Flara
Volume Control**
TS4202 * NEW



**Colinet
Volume Control**
TS44402 * NEW



**90°
Volume Control**
TS3300 *



**Moen
Volume Control**
TS3600 *



**Via®
Valve Trim**
TS9711 *



**Doux™
Valve Trim**
TS3101 *



**Wynford®
Valve Trim**
T6601 *



**Align®
Valve Trim**
T4291 *



**Voss™
Valve Trim**
T4691 *



**Belfield™
Valve Trim**
T4411 *



**Via
Volume Control**
TS9712 *



**Doux
Volume Control**
TS3102 *



**Wynford
Volume Control**
T6602 *



**Align
Volume Control**
T4292 *



**Voss
Volume Control**
T4692 *



**Belfield
Volume Control**
T4412 *

Moen M•PACT® Common Valve System

ADA-Compliant

* Rough-in valve required. Please see price catalog for rough-in model numbers.

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 286-289.



The **ExactTemp**[®] valve uses thermostatic technology for precise temperature control while delivering the high-volume capability to feed multiple showering devices. Its thermostatic cartridge automatically compensates for fluctuations in hot and cold water supply to ensure comfort and pinpoint temperature accuracy. There's no need to readjust temperature as your hot water tank begins to cool. In addition, the handle position sets maximum water temperature and temperature memory, so you can easily dial up the same experience day after day.



Shower Spa

NEW COLLECTION


M-CORE™ WITH TRANSFER VALVE

Introducing **M-CORE**, a valve system that's faster to install and offers functionality with desired style choices to create an ideal shower system.





Weymouth®
with Transfer
Valve
UTS4311 *  





Arris®
with Transfer
Valve
UTS3311 *  





Flara®
with Transfer
Valve
UTS2411 *  



Colinet™
with Transfer
Valve
UTS9211 *  





90°™
with Transfer
Valve
UTS9011 *  





Via®
with Transfer
Valve
UTS2811 *  





Doux™
with Transfer
Valve
UTS2611 *  





Wynford®
with Transfer
Valve
UT5500 *  





Align®
with Transfer
Valve
UT3290 *  



Voss™
with Transfer
Valve
UT3611 *  



Belfield™
with Transfer
Valve
UT3322 *  



Shower Spa


NEW COLLECTION



A Designer's Dream

Enjoy **M-CORE™**'s improved style options including perfectly matching transfer trim, and attention to details that reflects a desire for a dream bathroom. Not only does M-CORE allow for a wider array of trim selections, it also lets those going through the new construction or remodeling process take their time with selections as functionality and style choices can be made after the valve is plumbed.


With M-CORE transfer valves, consumers can choose from a wide range of options to flow showering devices in a single or shared mode.

- Offers 3 or 6 function transfer ability:
 - 3 function: Three distinct or two distinct/one shared
 - 6 function: Three distinct or three shared
- Broad range of finishes and perfectly matched style





Weymouth®
Transfer Valve
Trim
UTS32205 *





Arris®
Transfer Valve
Trim
UTS23005 *



Flara®
Transfer Valve
Trim
UTS4911 *





90™
Transfer Valve
Trim
UTS4172 *





Via®
Transfer Valve
Trim
UTS2171 *



Doux™
Transfer Valve
Trim
UTS9204 *





Wynford®
Transfer Valve
Trim
UT4511 *





Align®
Transfer Valve
Trim
UT4191 *





Voss™
Transfer Valve
Trim
UT4611 *





Belfield™
Transfer Valve
Trim
UT4301 *



Rizon®
Transfer Valve
Trim
UT2081 *



Dartmoor™
Transfer Valve
Trim
UT2031 *





Glyde™
Transfer Valve
Trim
UT2721 *





Brantford®
Transfer Valve
Trim
UT2021 *





Eva®
Transfer Valve
Trim
UT2011 *



Gibson™
Transfer Valve
Trim
UT2921 *



Genta™
Transfer Valve
Trim
UT2401 *

Shower Spa

MOENTROL®

Operate one function at a time, such as showerhead or handshower, or operate two functions simultaneously.

Our **Moentrol** and **Posi-Temp**® valves offer the ability to incorporate two- or three-function transfer valves for exactly the shower experience you want. Both valves let you select from a broad range of modern, transitional and traditional suites.

- Two-function design offers two distinct operations, such as a showerhead or handshower.
- Three-function design permits the operation of one showering device at a time (i.e., showerhead or handshower) or the combination of both.
- Three independent functions allow for singular operation of any one of three showering devices (i.e., showerhead, handshower or tub spout).



Shower Spa



**Weymouth®
Valve Trim**
TS33101 *



**Arris®
Valve Trim**
TS32001 *



NEW

**Flara®
Valve Trim**
TS3911 *



**90°™
Valve Trim**
TS3711 *



**Weymouth
Two- Or Three-
Function Transfer
Valve Trim**
TS32205 *

Use with valves 3372 or 3375



**Arris
Two- Or Three-
Function Transfer
Valve Trim**
TS23005 *

Use with valves 3372 or 3375



NEW

**Flara
Two- Or Three-
Function Transfer
Valve Trim**
TS4911 *

Use with valves 3372 or 3375



**90°
Two- Or Three-
Function Transfer
Valve Trim**
TS4172 *

Use with valves 3372 or 3375



**Doux™
Valve Trim**
TS3201 *



**Wynford®
Valve Trim**
T5501 *



**Align®
Valve Trim**
T3291 *



**Voss™
Valve Trim**
T3691 *



**Doux
Two- Or Three-
Function Transfer
Valve Trim**
TS9204 *

Use with valves 3372 or 3375



**Wynford
Two- Or Three-
Function Transfer
Valve Trim**
T4511 *

Use with valves 3372 or 3375



**Align
Two- Or Three-
Function Transfer
Valve Trim**
T4191 *

Use with valves 3372 or 3375



**Voss
Two- Or Three-
Function Transfer
Valve Trim**
T4611 *

Use with valves 3372 or 3375



**Belfield™
Valve Trim**
T3311 *



**Kingsley®
Valve Trim**
T3111 *



**Belfield
Two- Or Three-
Function Transfer
Valve Trim**
T4301 *

Use with valves 3372 or 3375



**Kingsley
Two- Or Three-
Function Transfer
Valve Trim**
T4311 *

Use with valves 3372 or 3375

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 286-289.

Moen M•PACT® Common Valve System
 ADA-Compliant

* Rough-in valve required. Please see price catalog for rough-in model numbers.

Shower Spa

MOENTROL® THREE-FUNCTION

Choose up to two spray outlets — handshowers, showerheads or two body sprays — in addition to tub shower.



**Weymouth®
Valve Trim**
TS33101 *



**Weymouth
Three Independent Function
Transfer Valve Trim**
TS32206 *
Use with valve 3362 only



**Arris®
Valve Trim**
TS32001 *



**Arris
Three Independent Function
Transfer Valve Trim**
TS23006 *
Use with valve 3362 only



NEW

**Flara™
Valve Trim**
TS3911 *



NEW

**Flara
Three Independent Function
Transfer Valve Trim**
TS4912 *
Use with valve 3362 only



**90°™
Valve Trim**
TS3711 *



**90°
Three Independent Function
Transfer Valve Trim**
TS4173 *
Use with valve 3362 only



**Doux™
Valve Trim**
TS3201 *



**Doux
Three Independent Function
Transfer Valve Trim**
TS9205 *
Use with valve 3362 only



**Wynford®
Valve Trim**
T5501 *



**Wynford
Three Independent Function
Transfer Valve Trim**
T4512 *
Use with valve 3362 only



**Align®
Valve Trim**
T3291 *



**Align
Three Independent Function
Transfer Valve Trim**
T4192 *
Use with valve 3362 only



**Voss™
Valve Trim**
T3691 *



**Voss
Three Independent Function
Transfer Valve Trim**
T4612 *
Use with valve 3362 only



Belfield™ Featured in Chrome Finish

MOENTROL® MULTI-FUNCTION

With built-in two- or three-function transfer valve.

Choose up to two showering products — handshowers, showerheads or two body sprays — in any combination you desire.



Wynford®
T5500 *  



Align®
T3290 *  





Belfield™
T3322 *  



Kingsley®
T4111 *  

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 286-289.

-  Moen M•PACT® Common Valve System
-  ADA-Compliant
- * Rough-in valve required. Please see price catalog for rough-in model numbers.

Shower Spa

NEW COLLECTION





POSI-TEMP® WITH TRANSFER VALVE





Weymouth®
Posi-Temp with
Transfer Valve
TS32100 *





Arris®
Posi-Temp with
Transfer Valve
TS2200 *




90°™
Posi-Temp with
Transfer Valve
TS2710 *





Via®
Posi-Temp with
Transfer Valve
TS8710 *




Doux™
Posi-Temp with
Transfer Valve
TS2200 *





Wynford®
Posi-Temp with
Transfer Valve
T4500 *



Align®
Posi-Temp with
Transfer Valve
T2190 *



Voss™
Posi-Temp with
Transfer Valve
T2690*

Shower Spa

NEW COLLECTION





POSI-TEMP® MULTI-FUNCTION



With built in two- or three-function transfer valve.

Choose up to two showering devices – handshowers, showerheads or two body sprays – in any combination you desire.





Belfield™
Posi-Temp with
Transfer Valve
T2310 *  



Rizon®
Posi-Temp with
Transfer Valve
T2810 *  




Method™
Posi-Temp with
Transfer Valve
T2800 *  





Gibson™
Posi-Temp with
Transfer Valve
T2900 *  



Genta™
Posi-Temp with
Transfer Valve
T2470 * 

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 286-289.

-  Moen M•PACT® Common Valve System
-  ADA-Compliant
- * Rough-in valve required. Please see price catalog for rough-in model numbers.

Shower Spa

POSI-TEMP®

Choose up to two showering products — handshowers, showerheads or two body sprays — in addition to tub spout if desired.

VALVE TRIM

3 INDEPENDENT FUNCTIONS

Use with valve 3362

2-OR-3 FUNCTION

Use with valves 3372 or 3375

VALVE TRIM

3 INDEPENDENT FUNCTIONS

Use with valve 3362

2-OR-3 FUNCTION

Use with valves 3372 or 3375



**Weymouth®
Valve Trim**
TS3210 *



**Weymouth
Transfer Valve Trim**
TS32206 *



**Weymouth
Transfer Valve Trim**
TS32205 *



**Doux™
Valve Trim**
TS2201 *



**Doux
Transfer Valve Trim**
TS9205 *



**Doux
Transfer Valve Trim**
TS9204 *



**Arris®
Valve Trim**
TS22001 *



**Arris
Transfer Valve Trim**
TS23006 *



**Arris
Transfer Valve Trim**
TS23005 *



**Wynford®
Valve Trim**
T4501 *



**Wynford
Transfer Valve Trim**
T4512 *



**Wynford
Transfer Valve Trim**
T4511 *



**Flara®
Valve Trim**
TS2911 *



**Flara
Transfer Valve Trim**
TS4912 *



**Flara
Transfer Valve Trim**
TS4911 *



**Align®
Valve Trim**
T2191 *



**Align
Transfer Valve Trim**
T4192 *



**Align
Transfer Valve Trim**
T4191 *



**Colinet™
Valve Trim**
TS44201 *



**Voss™
Valve Trim**
T2691 *



**Voss
Transfer Valve Trim**
T4612 *



**Voss
Transfer Valve Trim**
T4611 *



**90°™
Valve Trim**
TS2711 *



**90°
Transfer Valve Trim**
TS4173 *



**90°
Transfer Valve Trim**
TS4172 *



**Belfield™
Valve Trim**
T2311 *



**Belfield
Transfer Valve Trim**
T4301 *



**Via®
Valve Trim**
TS8711 *



**Via
Transfer Valve Trim**
TS2172 *



**Via
Transfer Valve Trim**
TS2171 *



**Kingsley®
Valve Trim**
T2111 *



**Kingsley
Transfer Valve Trim**
T4311 *

VALVE TRIM

3 INDEPENDENT FUNCTIONS

Use with valve 3362

2-OR-3 FUNCTION

Use with valves 3372 or 3375



**Rizon®
Valve Trim**
T2811 *



**Rizon
Transfer Valve Trim**
T2082 *



**Rizon
Transfer Valve Trim**
T2081 *



**Dartmoor™
Valve Trim**
T2181 *



**Dartmoor
Transfer Valve Trim**
T2031 *



**Glyde™
Valve Trim**
T2741 *



**Glyde
Transfer Valve Trim**
T2721 *



**Brantford®
Valve Trim**
T2151 *



**Brantford
Transfer Valve Trim**
T2021 *



**Eva®
Valve Trim**
T2131 *



**Eva
Transfer Valve Trim**
T2011 *



**Method™
Valve Trim**
T2801 *

VALVE TRIM

3 INDEPENDENT FUNCTIONS

Use with valve 3362

2-OR-3 FUNCTION

Use with valves 3372 or 3375



**Vichy™
Valve Trim**
T2661 *



**Gibson™
Valve Trim**
T2901 *



**Gibson
Transfer Valve Trim**
T2922 *



**Gibson
Transfer Valve Trim**
T2921 *



**Genta™
Valve Trim**
T2471 *



**Genta
Transfer Valve Trim**
T2402 *



**Genta
Transfer Valve Trim**
T2401 *

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 286-289.

Moen M•PACT® Common Valve System

ADA-Compliant

* Rough-in valve required. Please see price catalog for rough-in model numbers.

Shower Spa



Annex® Featured in Chrome

ANNEX™

With industrial-inspired sophistication, Moen's **Annex** Shower Rail combines fashion and function, letting you enjoy both the showerhead and handshower of your choice.

Versatile Annex installs without disturbing existing tile or having to change the height of the showerhead, so you can easily add a handshower to your shower design.

With 2½" adjustability between the shower rail and wall, Annex installs easily against any surface. In addition, it mounts directly to a flush wall or a wall with up to a 1" offset. The secure Annex mounting system meets ADA pull-force requirements, up to 250 lbs. Annex pairs with Moentrol® or Posi-Temp® valves and corresponding trims.



Annex Shower Rail
TS366NH

Showerhead and handheld shower sold separately

To order, combine the model number with one of these finish letter(s): Chrome **(CH)**, LifeShine® Brushed Nickel **(BN)**, Oil Rubbed Bronze **(ORB)**, Wrought Iron / Matte Black **(BL)**.

Shower Spa

NEW COLLECTION



Nebia by Moen™ Featured in Chrome Finish

NEBIA BY MOEN™

A Blissful Shower Experience
That Saves Water

Nebia by Moen leverages the best of science and technology to create a showering experience engineered for optimal warmth, rinse-ability and body coverage. Through a process called atomization, the method of breaking water into tiny droplets. Atomization creates the sensation of more water while actually using up to 45% less*.

*When compared to standard
Moen 2.5 showerhead



**Nebia by Moen
Handheld Shower
and Magnetic Dock**
N207H0CH

Nebia by Moen™ Shower Rail
N207R0CH



**Nebia by Moen Shower Rail
and Handshower**
N207C0CH

Tub Fillers



Arris™ Featured in Chrome Finish

TUB FILLERS





Weymouth®
Freestanding or
Wallmount Tub Filler



Cross Handle
S22105 / TS25105 

Lever Handle
S22110 / TS25105  





Arris®
Freestanding
Tub Filler
S93005  





Flara®
Freestanding
Tub Filler
S931  



Colinet™
Freestanding
Tub Filler
S44507  



90°™
Freestanding
Tub Filler
S905  





Doux™ Featured in Matte Black Finish





Flara® Featured in Chrome Finish





Doux™
Freestanding
Tub Filler
S3105  





Wynford®
Freestanding
Tub Filler
655  





Align®
Freestanding
Tub Filler
395  



Belfield™
Freestanding
Tub Filler
9025  
Includes cross and lever
handle options.



Voss™
Freestanding
Tub Filler
695  

Finish varies by style. To view available finishes and ordering instructions, see reference chart on pages 286-289.

 Moen M•PACT® Common Valve System

 ADA-Compliant

* Rough-in valve required. Please see price catalog for rough-in model numbers.

Rainshowers



S6345 Featured in Chrome Finish



S1004 Featured in Chrome Finish



One-Function 10" Showerhead
S112 ✕
S112EP ✕✕



Two-Function 9" Showerhead
S1311 ✕
S1311EP ✕✕



Two-Function 8 1/2" Showerhead
S6345 ✕
S6345EP ✕✕



Two-Function 8" Showerhead
S6320 ✕
S6320EP ✕✕



One-Function 7" Showerhead
S176 ✕
S176EP ✕✕




One-Function 7" Showerhead
S6310 ✕
S6310EP ✕✕



One-Function 6" Showerhead
S6340 ✕
S6340EP ✕✕
S6340EP15 ✕✕



One-Function 6" Showerhead
S6365 ✕
S6365EP ✕✕



S6340 Featured in Brushed Nickel Finish



One-Function 8" Showerhead
S6360 ✂
S6360EP ✧✂



**One-Function 10" Diameter
Spray Head Rainshower**
S1001
S1001EP ✧



**One-Function 10" Diameter
Spray Head Rainshower**
S1003
S1003EP ✧



**One-Function 8" Diameter
Spray Head Rainshower**
S1005
S1005EP ✧



One-Function 8" Showerhead
6345 ✧



**One-Function 12" Diameter
Spray Head Rainshower**
S1002
S1002EP ✧



**One-Function 12" Diameter
Spray Head Rainshower**
S1004
S1004EP ✧



**One-Function 8" Diameter
Spray Head Rainshower**
S1006
S1006EP ✧

✂ Immersion® Rainshower Technology

✧ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

Showerheads

STANDARD AND ECO-PERFORMANCE SHOWERHEADS



**One-Function
6" Showerhead**
S6335
S6335EP ◊
S6335EP15 ◊



**One-Function
5 7/8" Showerhead**
S6312
S6312EP ◊



**Three-Function
Eco-Performance
4" Showerhead**
3233EP ◊



**Four-Function
4 3/8" Showerhead**
3638
3638EP ◊



**Five-Function
4" Showerhead**
3855
3855EP ◊



**Six-Function
Eco-Performance
4 1/2" Showerhead**
6512EP



**One-Function
4 3/8" Showerhead**
6302
6302EP ◊
6302EP15 ◊



**One-Function
3 3/4" Showerhead**
6322
6322EP ◊



**One-Function
4 1/16" Showerhead**
6325
6325EP ◊



**One-Function
3 5/8" Showerhead**
6399
6399EP ◊
6399EP15 ◊



**One-Function
3 3/4" Showerhead**
6370
6370EP



**One-Function
4" Showerhead**
6371
6371EP



**One-Function
3 3/4" Showerhead**
26500
26500EP ◊



**One-Function
3 1/2" Showerhead**
6303
6303EP ◊



**One-Function
Eco-Performance
3 1/2" Showerhead**
6313 ◊



**One-function
2 1/2" Showerhead**
6304
6304EP ◊



**Four-Function
3" Showerhead**
23026























**Three-Function
Eco-Performance
3 3/4" Showerhead**
20001 ◊



**One-Function
2 1/2" Showerhead**
6300
6300EP ◊
6300EP15 ◊

Handheld Showers

ECO-PERFORMANCE HANDSHOWERS

| | | | |
|--|--|--|---|
|  <p>Weymouth® One-Function Eco-Performance Handheld Shower S12107EP◇</p> |  <p>One-Function Eco-Performance Handheld Shower 3869EP◇</p> |  <p>One-Function Eco-Performance Handheld Shower 3868EP◇</p> |  <p>One-Function Eco-Performance Handheld Shower S11705EP◇</p> |
|  <p>Twist Four-Function Eco-Performance Handheld Shower S3870EP◇</p> |  <p>Four-Function Eco-Performance Handheld Shower 3667EP◇</p> |  <p>One-Function Eco-Performance Handheld Shower 3668EP◇</p> |  <p>One-Function Eco-Performance Handheld Shower 3865EP◇</p> |
|  <p>Five-Function Eco-Performance Handheld Shower 3670EP◇Ⓢ</p> |  <p>Four-Function Eco-Performance Handheld Shower 3669EP◇</p> |  <p>Five-Function Eco-Performance Handheld Shower 3558EP◇</p> |  <p>MAGNETIX® Six-Function Eco-Performance Handheld Shower 3662EP◇</p> |
|  <p>Five-Function Eco-Performance Handheld Shower 3671EP◇Ⓢ</p> |  <p>One-Function Eco-Performance Round Handheld Shower 3887EP◇</p> |  <p>Four-Function Eco-Performance Handheld Shower 3636EP◇</p> |  <p>MAGNETIX® Six-Function Eco-Performance Handheld Shower 26100EP◇</p> |
|  <p>90°™ One-Function Eco-Performance Handheld Shower S3879EP◇</p> |  <p>One-Function Eco-Performance Soft Square Handheld Shower 3988EP◇</p> |  <p>One-Function Eco-Performance Round Handheld Shower 3861EP◇</p> | |
|  <p>One-Function Eco-Performance Square Handheld Shower 3880EP◇</p> | | | |

- ⊗ Immersion® Rainshower Technology
- EP Eco-Performance
- Drop ell sold separately
- Ⓢ ADA-Compliant
- ◇ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points.

Handheld Showers

ECO-PERFORMANCE HANDHELD SHOWERS



Handheld Shower
187504



One-Function Eco-Performance 1" Square Handheld Shower
189575



One-Function Eco-Performance 1 1/8" Round Handheld Shower
155891



Five-Function Eco-Performance 4" Handheld Shower
180238



One-Function Eco-Performance 3 3/8" Handheld Shower
154305



One-Function Eco-Performance 2" Handheld Shower
176015



One-Function Eco-Performance 4" Handheld Shower
157276
157276EP15



Aromatherapy Handheld Shower
IN208H2

Aromatherapy Handshower infuses essential oils directly into your shower water when desired



Three-Function Eco-Performance 4" Handheld Shower
147913



Four-Function Eco-Performance 4" Handheld Shower
164928



One-Function Eco-Performance 4" Handheld Shower
164929



Inly Aromatherapy Shower Capsule

INC20801 - Energetic Morning
INC20802 - Tropical Day
INC20803 - Sweet Morning
INC20804 - Zen Time

Compatible with Aromatherapy Shower products (sold separately)



Twist Four-Function Eco-Performance 3 1/4" Handheld Shower
160042



Four-Function Eco-Performance 4" Handheld Shower
164927



One-Function Eco-Performance 1" Soft Square Handheld Shower
189318



One-Function Eco-Performance 3" Handheld Shower
176257



One-Function Eco-Performance 4" Handheld Shower
155747



Five-Function Eco-Performance 4 3/8" Handheld Shower
189315

Handheld Showers Accessories and Body Sprays

HANDHELD SHOWERS ACCESSORIES



Drop Ell
A721



Shower Arm Diverter
A720



Drop Ell
A725



Shower Arm Diverter
CL703



Drop Ell Handshower Bracket
A755



Shower Arm Diverter with Handshower Bracket
CL707



Handshower Bracket
A701



Handshower Bracket
114348



Handshower Bracket
A730



Handshower Bracket
155694



Magnetix Handheld Remote Dock
186117

MOSAIC™ FLUSHMOUNT BODY SPRAYS



Multi-Function Body Spray
TS1420*



One-Function Body Spray
TS1320*



Multi-Function Body Spray
TS1422*



One-Function Body Spray
TS1322*

EXPOSED BODY SPRAYS



One-Function Body Spray
A501

☒ Immersion® Rainshower Technology

EP Eco-Performance

Drop ell sold separately

* Rough-in valve required. Please see price catalog for rough-in model numbers.

Tub Spouts and Drains

DIVERTER TUB SPOUTS



Weymouth®
Slip Fit / S12104



Belfield™
Slip Fit / 185820



Align®
IPS / 172657
Slip Fit / 172656



IPS / 3911
Slip Fit / 3960



Colinet™
Slip Fit / S5000



Glyde™
Slip Fit / 179791



Kingsley®
Slip Fit / 3808



Eva®
Slip Fit / 3853



90°™
IPS / S3894
Slip Fit / S3896



Brantford®
IPS / 3814
Slip Fit / 3814



Moen®
IPS / 3800
Slip Fit / 3801



Rizon®
Slip Fit / 3839



Via®
Slip Fit / S3900



IPS / 3806
Slip Fit / 3807



Wynford®
Slip Fit / 175385



Level
Slip Fit / 3890



Doux™
IPS / 3800
Slip Fit / S3835



Dartmoor™
Slip Fit / 3737



Method™
Slip Fit / 152027



Chateau®
IPS / 3931
Slip Fit / 3931



Arris®
Slip Fit / 165914



Voss™
Slip Fit / 161955



Long-Reach
Slip Fit / 3830



Legend®
IPS / 3911
Slip Fit / 3960

Tub Spouts and Drains

NON-DIVERTER TUB SPOUTS



Weymouth®
Slip Fit / S12105



Collinet™
Slip Fit / S5001



Arris®
Slip Fit / S16900



Flara®
Slip Fit / S990



90™
Slip Fit / S3898



Via®
Slip Fit / S3901



Doux™
IPS / S3836
Slip Fit / S3836



Align®
IPS / 195827



Wynford®
Slip Fit / 195386



Voss®
Slip Fit / 191956



Belfied™
IPS / 193371



Brantford®
Slip Fit / 3858



Chateau®
IPS / 3804
Slip Fit / 3805



Moen®
IPS / 3828
Slip Fit / 3829



Legend®
Slip Fit / 3959



Level
Slip Fit / 3892

TUB/SHOWER DRAIN COVERS




**3" Tub/Shower
Drain Covers**
101663BN

Refer to price
catalog for finishes



**2 5/8" Tub/Shower
Drain Covers**
101664BN

Refer to price
catalog for finishes



**3 3/8" Tub/Shower
Drain Covers**
102763BN

Refer to price
catalog for finishes

Coordinating Accessories



Danbury® Featured Brushed Nickel Finish



Six Ways to Complete Your Bath

1 Double Curved Shower Rods

With the double curved shower rod, you can create up to 5½" of additional elbow room in the shower while providing visual appeal and adding extra hanging space. These innovative rods are available in five of today's most popular finishes and offer an additional rod to separate the decorative shower curtain from the shower liner.



2 Knobs and Pulls

With our distinctive collection of knobs and pulls, you can create a perfectly matched kitchen or bath, available in an array of styles and finishes.



3 Pivoting Paper Holders

Look for this icon to find products with pivoting innovation!



Now there's no excuse to leave the bath tissue roll empty! Many Moen® paper holders feature an innovative, spring-free design that makes changing the roll quick and easy. Simply lift the arm, insert the new roll and set the arm back into place. The pivoting arm remains attached so there's no spring to lose and no extra parts to drop.

All of our bath accessory collections feature a towel ring, robe hook, 18" and 24" towel bars, and a paper holder. And there is so much more — hotel shelves, tank levers, mirrors and glass shelves are offered in many collections.

4 Decorative Hotel Shelves

Kingsley®, Eva® and Iso™ Decorative Hotel Shelves help create the high-end, coordinated styling of an upscale hotel while adding valuable storage space.

6 Grab Bars

Stylish grab bars like Voss™ bring safety and style to the bath in your choice of chrome, brushed nickel, oil rubbed bronze, matte black, and brushed gold finishes. Even better, SecureMount™ Anchors make installation possible anywhere on the wall, with or without studs.

5 Bathroom Lighting

Lighting fixtures are available in ten of the most popular Moen® bathroom collections. All of the styles can be mounted with globes facing either up or down.

In addition to high-end style, our lighting provides installation benefits. The Quick-Connect Wiring System lets you pre-wire the light fixture to the junction box, meaning there is no need to hold the fixture up to the wall during the wiring process. Glazed sockets help ensure the socket rings install with ease. Additionally, the UL®-listed fixtures are backed by the Moen warranty and our industry-leading customer service.



SAVE TIME WITH THE

Pro-Fit[®] Installation System

The Moen[®] three-step Pro-Fit Installation System is the simple, most innovative way to mount bath accessories. Installation is as easy as 1-2-3.



1. DRILL IT

The innovative template has a built-in level for accurate drilling of pilot holes for both 18" and 24" towel bars or paper holders.



2. SCREW IT

The single-screw mounting system creates a fast and solid installation.



3. CLICK IT

The locking tab clicks to hold the post firmly in place and eliminates the need for a set screw.

DRILL IT

Use the installation mounting template with built-in level.

SCREW IT

Screw in fastener.

CLICK IT

Press on the post until it locks into place.

PRO-FIT

INSTALLATION SYSTEM

IT REALLY IS THAT SIMPLE!

Plus, we've eliminated the set screw. Designed with input from professional installers, the Pro-Fit Installation System was made for faster installation and fewer callbacks. And of course, there's the extra assurance of quality that comes with the Moen brand.

To view online installation videos, visit moenpro.com.

The Pro-Fit Installation System eliminates set screws for faster, easier mounting. There's even a template with a built-in level.



YB8081
Pro-Fit Installation Template

Kitchen Compliments

EXCEPTIONAL FAUCETS ARE ONLY THE BEGINNING

Who says Moen towel bars are just for the bathroom? With several faucet-matching collections featuring both kitchen and bath fixture options — such as Weymouth®, 90°, Waterhill® and more — we've made sure our accessories can also do double-duty in the kitchen.

Position a towel bar or towel ring beside the kitchen sink or on a kitchen island. Place a hook to hang potholders. Install a decorative shelf to house spices. And don't forget matching drawer knobs and pulls that help you carry the style throughout the workspace.

Kitchen Compliments is about creating a kitchen without compromise. Moen offers exceptional products that deliver all the style and functionality you need in a dream kitchen — now with the convenience of getting it all from one trusted brand. That means a guaranteed style compatibility, quality and satisfaction.





9:23

MOIN

Make Every Bath a Safe Bath™

While bath safety is often only considered for older adults, it should be for all stages of life. From babies to boomers, Moen® offers a full range of products to make baths safe and stylish.

GRAB BARS

GRAB ON TO SAFETY



Moen's line of grab bars is designed to reduce the risk of falls in the tub or shower, while blending in seamlessly with varying styles of bathroom décor.

SHOWER SEATING

SITTING PRETTY



Moen seats, chairs and transfer benches make showering safer and more relaxing. Our products not only provide stability, but they also offer a host of convenient features that will make every shower more pleasant, safe and enjoyable.

HANDHELD SHOWERS

PAUSE CONTROL



Water flow is reduced at the touch of a button with this handheld shower's innovative pause control feature. An easy-to-turn, oversized spray control offers shower, pulsating or massage sprays in addition to the water-saving pause feature.



SecureMount™ Grab Bars and SecureMount Anchors make it possible to quickly and easily install a grab bar with or without studs.

SECUREMOUNT™ SYSTEM

EASY, SECURE INSTALL... ANYWHERE ON THE WALL™

1. SECUREMOUNT GRAB BARS

The unique flange makes it easy to connect to the stud at multiple points, at any angle!

2. SECUREMOUNT ANCHORS

Precision-engineered for optimal bracing behind the wall, SecureMount Anchors allow for easy grab bar installation — with no studs required — anywhere on the wall.

3. SECUREMOUNT SYSTEM

The SecureMount System is the ultimate choice in easy, secure grab bar installation. Plus, it provides stylish designs and choices in finishes and features.



GRAB BARS

ANCHORS

SYSTEM

MOUNT SECURELY TO A VARIETY OF SUBSTRATES*:

- 1/2" drywall
- 1/2" drywall with tile
- 1/2" drywall with marble
- 1/8" fiberglass tub surround
- 5/8" drywall
- 5/8" drywall with tile
- 5/8" drywall with marble
- 1/4" fiberglass tub surround

*Including multiple layers up to 1½" thick

There is a 300-pound weight capacity when securely installed into above substrates. Limited Lifetime Warranty. Independently tested by CSA and NAHB laboratories to exceed ADA, ASTM, ANSI and CSA standards.

Finish
OptionsSMA1000
SecureMount Anchors

DID YOU KNOW that 16" grab bars can typically mount directly into studs because the standard stud size is 16" on center? 18", 24", 36" and 42" grab bars will often need an anchoring system when mounted into drywall, as an alternative to stud or wood-block installation.



COORDINATING ACCESSORIES



Double Robe Hook
YB8003



Paper Holder (Roller Only)
YB8099

+
Mounting Posts (Pair)
YB8000



18" Towel Bar (Bar Only)
YB8098

+
Mounting Posts (Pair)
YB8000



Towel Ring
YB8086



Double Paper Holder
YB8088
Rollers not included



24" Towel Bar (Bar Only)
YB8094


+
Mounting Posts (Pair)
YB8000

FINISH OPTIONS



Chrome (CH), Brushed Chrome (BC),
Satin Nickel (SN), Old World Bronze (OWB)

To view ordering instructions, see
reference chart on pages 291-293.



**Pro-Fit®
Installation Template**
YB8081

See page 212 to order.



COORDINATING ACCESSORIES



Single Robe Hook
DN8303▲



Towel Ring
DN8386▲



24" Double Towel Bar
DN8322▲



Pivoting Paper Holder
DN8308 (P)▲



Vanity Shelf
DN8390▲



18" Towel Bar
DN8318▲

24" Towel Bar
DN8324▲

FINISH OPTIONS



Chrome (CH), Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 291-293.

- (P) Pivoting Technology
- ▲ Retail Packaging



COORDINATING ACCESSORIES



Single Robe Hook
Y5703▲



18" Towel Bar
Y5718▲

24" Towel Bar
Y5724▲



Paper Holder
Y5708▲



Hand Towel Bar
Y5786▲

FINISH OPTIONS



Chrome **(CH)**, Brushed Nickel **(BN)**,
Matte Black **(BL)**

To view ordering instructions, see
reference chart on pages 291-293.

▲ Retail Packaging



COORDINATING ACCESSORIES



Single Robe Hook
BP1803



Hand Towel Bar
BP1886



18" Towel Bar
BP1818



Single-Post Paper Holder
BP1808



24" Double Towel Bar
BP1822

24" Towel Bar
BP1824



Single-Post Double Paper Holder
BP1888



Rectangular Mirror
BP1892

FINISH OPTIONS



Chrome **(CH)**, Brushed Nickel **(BN)**,
Matte Black **(BL)**

To view ordering instructions, see
reference chart on pages 291-293.



COORDINATING ACCESSORIES



Single Robe Hook
DN0703▲



Towel Ring
DN0786▲



Mirror
DN0792▲



12" Designer Grab Bar
YG0712



Pivoting Paper Holder
DN0708 (P)▲



Towel Shelf
DN0794



Vanity Shelf
DN0790▲

18" Designer Grab Bar
YG0718

24" Designer Grab Bar
YG0724

36" Designer Grab Bar
YG0736

42" Designer Grab Bar
YG0742



Single-Post Paper Holder
DN0709▲



24" Double Towel Bar
DN0722▲



18" Towel Bar
DN0718▲

24" Towel Bar
DN0724▲



Drawer Knob
DN0705▲



One Globe Bath Light
DN0761



Three Globe Bath Light
DN0763



Drawer Pull
DN0707▲




Two Globe Bath Light
DN0762



Four Globe Bath Light
DN0764

FINISH OPTIONS



Chrome **(CH)**, Brushed Nickel **(BN)**,
Brushed Gold **(BG)**, Matte Black **(BL)**

To view ordering instructions, see
reference chart on pages 291-293.

- ⦿ Pivoting Technology
- ▲ Retail Packaging



All lighting fixtures can
be mounted facing either
upward or downward
(rings need to be removed
if mounted up). Bulbs not
included.



COORDINATING ACCESSORIES



Tank Lever
DN6801▲



Towel Ring
DN6886▲



Vanity Shelf
DN6890▲



Single Robe Hook
DN6803▲



Freestanding Paper Holder
DN6850▲



Mirror
DN6892▲



Paper Holder
DN6808▲



24" Double Towel Bar
DN6822▲



18" Towel Bar
DN6818▲
24" Towel Bar
DN6824▲

SAGE FINISH OPTIONS



Chrome **(CH)**, Brushed Nickel **(BN)**,
Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference chart
on pages 291-293.

▲ Retail Packaging



COORDINATING ACCESSORIES



Double Robe Hook
BP3703



Paper Holder
BP3708



Towel Ring
BP3786



18" Towel Bar
BP3718



24" Towel Bar
BP3724

KYVOS FINISH OPTIONS



Chrome **(CH)**, Brushed Nickel **(BN)**

To view ordering instructions, see reference chart on pages 291-293.



COORDINATING ACCESSORIES



Double Robe Hook
DN7703▲



European Paper Holder
DN7708▲



Towel Ring
DN7786▲



24" Double Towel Bar
DN7722▲



18" Towel Bar
DN7718▲
24" Towel Bar
DN7724▲



Vanity Shelf
DN7790▲

LOUNGE FINISH OPTIONS



Chrome (CH), Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 291-293.

▲ Retail Packaging

Madison™



COORDINATING ACCESSORIES



Double Robe Hook
BP6903▲



European Paper Holder
BP6980




Paper Holder
BP6908



Towel Ring
BP6986▲



18" Towel Bar
BP6918▲



24" Towel Bar
BP6924▲

MADISON FINISH OPTIONS



Chrome **(CH)**, Old World Bronze **(OWB)**,
Pewter **(PW)**

To view ordering instructions, see reference chart
on pages 291-293.

▲ Retail Packaging



COORDINATING ACCESSORIES



Double Robe Hook
DN8403▲



European Paper Holder
DN8408▲



Towel Ring
DN8486▲



Vanity Shelf
DN8490▲



24" Double Towel Bar
DN8422▲



18" Towel Bar
DN8418▲

24" Towel Bar
DN8424▲

PRESTON FINISH OPTIONS



Chrome (CH), Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 291-293.

▲ Retail Packaging

Edgestone®



COORDINATING ACCESSORIES



Single Robe Hook
YB4603



European Paper Holder
YB4609



Towel Ring
YB4686



18" Towel Bar (Bar Only)
YB4698
+
Mounting Posts (Pair)
YB4600



24" Towel Bar (Bar Only)
YB4694
+
Mounting Posts (Pair)
YB4600


EDGESTONE FINISH OPTIONS



Chrome (CH), Brushed Nickel (BN)


To view ordering instructions, see reference chart on pages 291-293.

FEATURED INNOVATIONS



**Pro-Fit®
Installation Template**
YB8081

See page 212 for details



COORDINATING ACCESSORIES



Double Robe Hook
DN4103▲



Pivoting Paper Holder
DN4108☞▲



Towel Ring
DN4186▲



18" Towel Bar
DN4118▲

24" Towel Bar
DN4124▲



Freestanding Paper Holder
DN4150▲

STOCKTON FINISH OPTIONS



Brushed Nickel **(BN)**

To view ordering instructions, see reference chart on pages 291-293.

- ☞ Pivoting Technology
- ▲ Retail Packaging



COORDINATING ACCESSORIES



Double Robe Hook
DN6703▲



European Paper Holder
DN6708▲




18" Towel Bar
DN6718▲

24" Towel Bar
DN6724▲



Towel Ring
DN6786▲

DANBURY FINISH OPTIONS



Brushed Nickel **(BN)**, Oil Rubbed Bronze **(ORB)**

To view ordering instructions, see reference chart on pages 291-293.

▲ Retail Packaging



COORDINATING ACCESSORIES



Double Robe Hook
5303▲
BP5303



Paper Holder
5308▲
BP5308



European Paper Holder
BP5380



18" Towel Bar
5318▲
BP5318

24" Towel Bar
5324▲
BP5324



Towel Ring
BP5386▲

YORKSHIRE FINISH OPTIONS



Chrome **[CH]**, Satin Nickel **[SN]**,
Oil Rubbed Bronze **[ORB]**

To view ordering instructions, see reference chart on pages 291-293.

▲ Retail Packaging



COORDINATING ACCESSORIES



Single Robe Hook
5802W▲



18" Towel Bar
5818W▲



Paper Holder
5808W▲



Towel Ring
5886W▲

ASPEN FINISH OPTIONS



Chrome **(CH)**, Glacier **(W)**

▲ Retail Packaging

30" Towel Bars



COORDINATING ACCESSORIES



30" Towel Bar Only
DN9430CH (3/4" diameter)
DN9830CH (5/8" diameter)



30" Towel Bar Only
DN9430BN (3/4" diameter)
DN9830BN (5/8" diameter)



30" Towel Bar Only
DN9830NL (5/8" diameter)



30" Towel Bar Only
DN9830BL (5/8" diameter)



30" Towel Bar Only
DN9830BC (5/8" diameter)



30" Towel Bar Only
DN9830SN (5/8" diameter)



30" Towel Bar Only
DN9830ORB (5/8" diameter)


TOWEL BAR FINISH OPTIONS



Chrome **(CH)**, Brushed Chrome **(BC)**,
Brushed Nickel **(BN)**, Satin Nickel **(SN)**,
Polished Nickel **(NL)**, Oil Rubbed Bronze **(ORB)**,
Matte Black **(BL)**

PRODUCT DETAILS

Order both a 30" bar shown here and an 18" towel bar set (or posts only, if available).



Shower Rods and Rings



Curved Shower Rods



SHOWER RODS



Double Curved Shower Rod
DN2141CH▲



Double Curved Shower Rod
DN2141BN▲



Double Curved Shower Rod
DN2141NL▲



Double Curved Shower Rod
DN2141OWB▲



Double Curved Shower Rod
DN2141BL▲

SHOWER ROD FINISH OPTIONS



Chrome **(CH)**, Brushed Nickel **(BN)**,
Polished Nickel **(NL)**, Oil Rubbed Bronze **(ORB)**,
Matte Black **(BL)**

▲ Retail Packaging

PRODUCT DETAILS

- 430 Stainless Steel
- Provides up to 5.5" more elbow room in the shower
- Features decorative covers
- Separates the curtain and liner
- Adjusts from 57" to 60"
- Works with standard 72" x 72" shower curtains
- Adjustable curved rod
- Corrosion-resistant
- Drywall anchors are included with all curved shower rods

Shower curtains and shower curtain rings are not included with shower curtain rods. Moen® shower curtain rings can be purchased separately. See page 251.

Adjustable Curved Shower Rods



SHOWER RODS



Adjustable Curved Shower Rod
CSR2160CH



Adjustable Curved Shower Rod
CSR2160BN



Adjustable Curved Shower Rod
CSR2160BG



Adjustable Curved Shower Rod
CSR2160NL



Adjustable Curved Shower Rod
CSR2160WB



Adjustable Curved Shower Rod
CSR2160BL



Adjustable Curved Shower Rod
CSR2164CH



Adjustable Curved Shower Rod
CSR2164BN



Adjustable Curved Shower Rod
CSR2164BG



Adjustable Curved Shower Rod
CSR2164NL



Adjustable Curved Shower Rod
CSR2164WB



Adjustable Curved Shower Rod
CSR2164BL



Low-Profile Adjustable Curved Shower Rod
CSR2168CH



Low-Profile Adjustable Curved Shower Rod
CSR2168BN



Low-Profile Adjustable Curved Shower Rod
CSR2168BL

SHOWER ROD FINISH OPTIONS



Chrome **[CH]**, Brushed Nickel **[BN]**,
Polished Nickel **[NL]**, Oil Rubbed Bronze **[ORB]**,
Matte Black **[BL]**

PRODUCT DETAILS

- 304 Stainless Steel
- CSR2168 adjust to fit shower enclosures between 54" and 60". CSR2160 and CSR2164 adjust to fit shower enclosures between 54" and 72"
- Superior strength — weight load capacity of more than 120 lb. [based on independent lab testing]
- No cutting required
- Pivoting flanges provide an easy, secure installation on inconsistent or uneven wall surfaces
- Corrosion-resistant
- Drywall anchors are included with all curved shower rods

FEATURED INNOVATIONS

Flanges Pivot 180 degrees for an easy install.



Shower curtains and shower curtain rings are not included with shower curtain rods. Moen® shower curtain rings can be purchased separately. See page 251.

Fixed Length Curved Shower Rods



SHOWER RODS



Fixed-Length Decorative Curved Shower Rod Set - Pivoting
CSR2165 / CSR2166



Fixed-Length Curved Shower Rod Set - Non Pivoting
CSR2155



Fixed-Length Low-Profile Curved Shower Rod - Pivoting
CSR2167



Fixed-Length Low-Profile Curved Shower Rod - Non-Pivoting
CSR2145



Fixed-Length Curved Shower Rod - Non Pivoting Flanges*
2-102-5* / 65-F-BS / 65-F-PS

SHOWER ROD FINISH OPTIONS



Chrome **(CH)**, Polished Stainless **(PS)**,
Brushed Stainless **(BS)**, Brushed Nickel **(BN)**,
Old World Bronze **(OWB)**, Matte Black **(BL)**

PRODUCT DETAILS

- Corrosion-resistant
- Drywall anchors are included with all curved shower rods

FEATURED INNOVATIONS

CSR2165 / CSR2166 Series: Flanges Pivot 180 degrees for an easy install.



Shower curtain rings are not included with shower curtain rods. Moen® shower curtain rings can be purchased separately. See page 251.

* For a complete curved shower rod unit, order both the curved rod and low-profile flange kit.

Tension Curved Shower Rods



SHOWER RODS



Tension Curved Shower Rods
CSR2172CH



Tension Curved Shower Rods
CSR2172BN

SHOWER ROD FINISH OPTIONS




Chrome **(CH)**, Brushed Nickel **(BN)**

PRODUCT DETAILS

- Adjusts to fit spaces between 57" and 60"
- Corrosion-resistant
- Works with standard 72" x 72" shower curtains
- Easy installation: expand the bar to the correct size, apply tension and snap on the decorative covers
- Adjustable curved rod
- Secure holding strength

Decorative Tension Shower Rods



SHOWER RODS



Decorative Tension Shower Rod
TR1000CH▲



Decorative Tension Shower Rod
TR1000BN▲



Decorative Tension Shower Rod
TR1000WB▲

SHOWER ROD FINISH OPTIONS



Chrome (CH), Brushed Nickel (BN),
Oil Rubbed Bronze (OWB)

▲ Retail Packaging

PRODUCT DETAILS

- Rod expands from 44" to 72"
- Adjustable straight rod
- Corrosion-resistant

FEATURED INNOVATIONS

with
FASTLOCK™
technology

No tools, no additional hardware, no long installation. In fact, our tension rods with FastLock™ technology can be up in a matter of minutes.

Shower curtains and shower curtain rings are not included with shower curtain rods. Moen® shower curtain rings can be purchased separately. See page 251 .

Shower Curtain Rings



SHOWER CURTAIN RINGS



Double Shower Curtain Roller Rings
SR2201CH▲



Double Shower Curtain Roller Rings
SR2201BN▲



Double Shower Curtain Roller Rings
SR2201NL▲



Double Shower Curtain Roller Rings
SR2201OWB▲



Double Shower Curtain Roller Rings
SR2201BL▲



Single Shower Curtain Roller Rings
SR2100CH



Single Shower Curtain Roller Rings
SR2100BN



Single Shower Curtain Roller Rings
SR2100OWB

CURTAIN RING FINISH OPTIONS



Chrome **(CH)**, Brushed Nickel **(BN)**,
Polished Nickel **(NL)**, Old World Bronze **(OWB)**,
Matte Black **(BL)**

▲ Retail Packaging

PRODUCT DETAILS

- Corrosion-resistant
- Fits curved and straight shower rods
- Smooth-rolling ball bearings eliminate snagging, tugging and pulling
- Includes 12 rings per package
- Separates decorative shower curtain from your bath liner
- Offset hook design helps hide your bath liner from view

Moen Lighting

Whether your tastes lean traditional, modern or somewhere in between, Moen® offers a bath lighting choice that will fit your style. Our distinctive lighting options are designed to accent some of our leading faucets. With nine collections to choose from, it's never been easier to tie together the look of your bathroom. Built in the Moen tradition, our lighting offers quality, durability and style.





Finish Options



Waterhill® Bath Lighting
YB9862

VINTAGE and full of character, Waterhill lighting brings provincial elegance to today's more traditional homes.

See page 130 for product details.



Finish Options



Flara® Bath Lighting
YB0362

BALANCED design that blends modern flare and traditional elegance gives Flara it's eye-catching appeal, and creates a new vision of glamour.

See page 106 for product details.



Finish Options



Colinet™ Bath Lighting
YB0562

TAILORED traditional, modern glamour, industrial chic ... all in one. Colinet's uniquely versatile design blends elegant, contemporary elements with beautiful details.

See page 111 for product details.



Finish Options



90°™ Bath Lighting
YB8862

ULTRA-MODERN styling makes 90° lighting a study in minimalism. Geometric forms, squared corners and straight lines create an urban focal point for today's contemporary rooms.

See page 117 for product details.



Finish Options



Voss™ Bath Lighting
YB5162

CRISP edges and uncomplicated style gives Voss lighting an ageless yet fashion-forward presence for transitional style rooms.

See page 140 for product details.



Finish Options



Belfield™ Bath Lighting
YB6462

WILLIAMSBURG-ERA details and intricate design cues give each Belfield light a timeless look, while multiple finish options add a distinctly personalized touch to the traditional styling.

See page 145 for product details.



Finish Options



Brantford® Bath Lighting
YB2262

INTRICATE architectural features that transcend time ensure that Brantford lighting gives any room a polished, traditional look. The globe finial gives this collection a universal appeal.

See pages 163-164 for product details.



Finish Options



Eva™ Bath Lighting
YB2862

FLOWING curves give Eva lighting's transitional design a pure and organic form, providing a relaxed feeling to any room.

See page 168 for product details.



Finish Options



Iso™ Bath Lighting
DN0762

TELESCOPING, machined-metal design is Iso lighting's take on European minimalism as it boldly, and beautifully, embraces the future.

See page 231 for product details.



Knobs and Pulls

With our distinctive collection of knobs and pulls, you can create a perfectly matched bath or kitchen and carry your style throughout the room.



Weymouth® Drawer Knob
YB8405




Weymouth Drawer Pull
YB8407

VICTORIAN details throughout Weymouth's design make a gracious, extravagant design statement.

See page 95 for product details.

Finish Options



90° Drawer Knob
YB8805



90° Drawer Pull
YB8807

ULTRA-MODERN styling makes 90° knobs and pulls a study in minimalism. Geometric forms create an urban focal point for today's contemporary rooms.

See page 116 for product details.

Finish Options



Flara® Drawer Knob
YB0305



Flara Drawer Pull
YB0307

BALANCED design that blends modern flare and traditional elegance gives Flara it's eye-catching appeal.

See page 105 for product details.

Finish Options



Kingsley® Drawer Knob
YB5405



Kingsley Drawer Pull
YB5407

CLASSIC yet understated design details in Kingsley knobs and pulls create enduring, stand-out style.

See page 148 for product details.

Finish Options



Colinet™ Drawer Knob
YB0505



Colinet Drawer Pull
YB0507

TAILORED traditional, modern glamour, industrial chic ... all in one. Colinet's uniquely versatile design blends elegant, contemporary elements with beautiful details.

See page 110 for product details.

Finish Options



Iso™ Drawer Knob
DN0705



Iso Drawer Pull
DN0707

TELESCOPING, machined-metal design of Iso knobs and pulls takes inspiration from European minimalism as it boldly, and beautifully, embraces the future.

See page 231 for product details.

Finish Options



Donner® Straight Shower Rods

ALUMINUM RODS • 1" DIAMETER



5ft Rod with Chrome-Plated Adjustable Flanges

52-5



5ft Rod with Chrome-Plated Poly Adjustable Flanges

54-5



5ft Rod with Exposed Chrome-Plated Flanges

63-5



6ft Rod with Chrome-Plated Adjustable Flanges

52-6



6ft Rod with Chrome-Plated Poly Adjustable Flanges

54-6

HEAVY-DUTY STAINLESS STEEL RODS • 1" DIAMETER



5ft Polished Stainless Steel Rod with Chrome-Plated Adjustable Flanges

52-5-SS



5ft Polished Stainless Steel Rod with Exposed Chrome-Plated Flanges

63-5-HD



5ft Polished Stainless Steel Rod with Concealed Brushed Stainless Steel Flanges

55-5



5ft Polished Stainless Steel Rod with Concealed Chrome Flanges

61-5-SS



5ft Polished Stainless Steel Rod with Exposed Chrome-Plated Flanges

63-5-SS



5ft Polished Stainless Steel Rod with Exposed Brushed Stainless Steel Flanges

58-5

RODS WITH ADJUSTABLE FLANGES



5ft Stainless Steel Rod with Adjustable Flanges (1 set), Brushed Nickel

52-5-BN



5ft Aluminum Rod with Adjustable Flanges (1 set), Old World Bronze

52-5-OWB

Donner® Build-Your-Own Straight Shower Rod

STEP #1: PICK YOUR ROD

ALUMINUM



1" x 5ft Smooth Aluminum Rod, Chrome
2-100-5A



1" x 6ft Smooth Aluminum Rod, Chrome
2-100-6A

POLISHED STAINLESS STEEL



1" x 5ft .035 Polished Stainless Steel Rod
2-100-5SS



1" x 5ft .015 Polished Stainless Steel Rod
2-10155SS

STEP #2: PICK YOUR FLANGE



Chrome-Plated Adjustable Flange
52-F



Chrome-Plated Poly Adjustable Flange
54-F



Brushed Stainless Steel Concealed Flange
55-F



Brushed Stainless Steel Exposed Flange
58-F



Chrome Concealed Flange
61-F



Chrome Exposed Flange
63-F

Donner® Contemporary

ACCESSORIES



18" Aluminum Bar Only
23418A



Chrome Finish Plastic Roller
3C



Double Robe Hook
P5030



Wallmount Toothbrush Holder
P5340



Towel Ring / Lucite Ring
P5500



24" Aluminum Bar Only
23424A



Chrome Finish Metal Roller
3CH



3/4" Chrome Towel Bar Posts for Square Bars (Pair)
P5100



Wallmount Soap Holder
P5360



Towel Ring / Lucite Ring
P5860



30" Aluminum Bar Only
23430A



White Plastic Roller
3W



18" Towel Bar Set with Aluminum Bar
P5118



Paper Holder, White Roller
P5080



Paper Holder, Chrome Roller
P5050



24" Towel Bar Set with Aluminum Bar
P5124

FINISH OPTIONS



Chrome (CH),
Brushed Nickel (BN),
Stainless Steel

ACCESSORIES



18" Stainless Steel Bar Only
23418SS



3/4" Stainless Steel Towel Bar Posts (Pair)
P1700



Double Robe Hook
P1703



24" Stainless Steel Bar Only
23424SS



18" Towel Bar Set
P1718



Towel Ring
P1786



30" Stainless Steel Bar Only
23430SS



24" Towel Bar Set
P1724



Paper Holder, Plastic Roller
P1780

Donner® Economy Metal

ACCESSORIES



Single Robe Hook
902



Paper Holder, White Roller
908



**18" Towel Bar Set with
Aluminum Bar**
910A18



18" Aluminum Bar Only
25818A



Towel Ring / Lucite Ring
950



**5/8" Square Towel Bar
Posts (Pair)**
910



**24" Towel Bar Set with
Aluminum Bar**
910A24



24" Aluminum Bar Only
25824A

HOTEL SHELVES



Stainless Steel 24" Towel Shelf
R5519▲

SHOWER BASKETS



Corner Shower Basket
YB0275CH



Corner Shower Basket
YB0275BN



Corner Shower Basket
YB0275BL

MISCELLANEOUS



Recessed Coverless Facial Tissue box, Chrome Finished
Fits Wall opening 10 1/2" x 5" x 2 1/4"
5520NC



Double Recessed Paper Holder, Chrome Roller, Horizontal,
Overall Dimensions 12 1/2" x 6 1/4" -
Wall Opening 11 3/8" x 5 1/4" x 1 1/2"
5577



Heavy Duty Retractable Clothesline, Polished Stainless Steel, Length 7'6"
RR5506HD



Recessed Facial Tissue box, Chrome Finished
Fits Wall opening 10 1/2" x 5" x 2 1/4"
RR5520SS



Extra Roll Recessed Paper Holder, White Roller,
Overall Dimensions 6 1/4" x 6 1/4" -
Wall Opening 5 1/4" x 5 1/4" x 4"
5571

FINISH OPTIONS



Chrome (CH), Brushed Nickel (BN),
Matte Black (BL)

▲ Retail Packaging

Donner® Recessed Fixtures

RECESSED PAPER HOLDERS



**Recessed Paper Holder
(Includes 588 Clamp)**

DN5075



**Paper Holder, Chrome Roller
(Utilizes BR587 or 588 Clamp)***

575



**Paper Holder, White Roller
(Utilizes BR587 or 588 Clamp)***

1576SS



**Recessed Paper Holder
(Included 588 Clamp)**

DN5075W



**Recessed Paper Holder, Matching Roller
(Utilizes BR587 or 588 Clamp)***

2575

MISCELLANEOUS



**Soap Holder and Utility Bar
(utilizes BR587 or 588 Clamp)***

2565CH



C-Clamp (Boxed)

588



Clamp with Retaining Spring (Boxed)

BR587

FINISH OPTIONS



Chrome **(CH)**, Polished Stainless **(PS)**, Glacier **(W)**.

PRODUCT DETAILS

• ***Clamps must be ordered separately.**

• Chrome-Plated

Overall Dimensions 6¼" × 6¼"
Wall Opening 5¼" × 5¼" × 2"

• Polished Brass Finish

Overall Dimensions 6¼" × 6¼"
Wall Opening 5¼" × 5¼" × 2"

• Polished Stainless Steel

Overall Dimensions 6¼" × 6¼"
Wall Opening 5¼" × 5¼" × 2"


• Economy Size - Zinc Die Cast

Overall Dimensions 6¼" × 5¼"
Wall Opening 5¼" × 4¼" × 1½"



Bath Safety

Grab Bar Guide



HOW MANY GRAB BARS DO I NEED AND WHERE SHOULD THEY BE INSTALLED?

Health professionals typically recommend three grab bars in a bathroom:

- A** At least one near the toilet
- B** At least one along the showerhead wall or whichever end of the tub/shower you use to enter/exit
- C** At least one along the back wall in the bathtub or shower

WHO SHOULD USE GRAB BARS?

Everyone! People of all ages and abilities can benefit from using grab bars.

WHAT CAN A GRAB BAR DO?

- Reduce risk of falling in the tub or shower
- Help steady yourself while getting into and out of the bathtub or shower


THINGS TO CONSIDER WHEN SELECTING A GRAB BAR(S):

- **Length:** Select a grab bar that is the suitable length for your bath or shower area.
- **Weight Capacity:** Choose a grab bar that at least meets ADA requirements (250 lbs.); SecureMount™ Grab Bars have a 500-pound weight-pull capacity that exceeds ADA requirements (when securely installed into studs).
- **Installation:** Grab bars that feature SecureMount have a design that allows for secure installation into a stud or wood backing at any angle. When using SecureMount Anchors, there is no need for installation into a stud or wood backing.
- **Grip Surface:** Consider a grab bar with a textured surface or grip feature that provides a better hold in a wet bathroom environment.
- **Finish:** Consider a grab bar that matches your faucet and other fixtures.


Faucet-Matching Grab Bars



GRAB BARS - 1 1/4" CONCEALED SCREW



Finish Options



Arris® Designer Grab Bar
YG08 Series ♿

LENGTH OPTIONS

Available in 12", 18", 24", 36" and 42" lengths.




Finish Options



Flara® Designer Grab Bar
YG03 Series ♿

LENGTH OPTIONS

Available in 12", 18", 24", 36" and 42" lengths.




Finish Options




90° Designer Grab Bar
YG88 Series ♿

LENGTH OPTIONS

Available in 12", 18", 24", 36" and 42" lengths.



Finish Options



Align® Designer Grab Bar
YG04 Series ♿

LENGTH OPTIONS

Available in 12", 18", 24", 36" and 42" lengths.



Finish Options



Voss® Designer Grab Bar
YG51 Series ♿

LENGTH OPTIONS

Available in 12", 18" and 24" lengths.



Finish Options



Belfield™ Designer Grab Bar
YG64 Series ♿

LENGTH OPTIONS

Available in 12", 18" and 24" lengths.

FEATURED INNOVATIONS

SecureMount™

See page 225 for details.

SecureMount™ Anchors for non-stud installation sold separately.

♿ ADA-Compliant

Faucet-Matching Grab Bars



GRAB BARS



Finish
Options



Kingsley® Designer Grab Bar
YG54 Series ♿

LENGTH OPTIONS

Available in 12", 18", 24", 30",
36" and 42" lengths.



Finish
Options



Brantford® Designer Grab Bar
YG22 Series ♿

LENGTH OPTIONS

Available in 12", 18" and
24" lengths.

COORDINATING GRAB BARS



Finish
Options



Iso™ Designer Grab Bar
YG07 Series ♿

LENGTH OPTIONS

Available in 12", 18", 24", 36"
and 42" lengths.



Finish
Options



Eva® Designer Grab Bar
YG28 Series ♿

LENGTH OPTIONS

Available in 12", 18" and
24" lengths.



Finish
Options



Genta™ Designer Grab Bar
MBHG Series ♿

LENGTH OPTIONS

Available in 18" length.

FEATURED INNOVATIONS

SecureMount™

See page 225 for details.

SecureMount™ Anchors for non-stud installation
sold separately.

♿ ADA-Compliant



DESIGNER GRAB BARS ▲



Designer Elegance with Grip Pads

1 1/4" Diameter Concealed Screw
R8716D1GCH ♿

LENGTH OPTIONS

Available in 16" and 24" lengths.



Designer Elite

1 1/4" Diameter Concealed Screw
LR8724D2CH ♿

LENGTH OPTIONS

Available in 24" length.



Designer Ultima

1 1/4" Diameter Concealed Screw
LR8716D3CH ♿

LENGTH OPTIONS

Available in 16" and 24" lengths.



Designer Ultima with Curl Grips

1 1/4" Diameter Concealed Screw
LR8716D3GCH ♿

LENGTH OPTIONS

Available in 12", 16", 18", 24", 36", 42" and 48" lengths.



Designer Elegance Angled Grab Bar

1 1/4" Diameter Concealed Screw
RA8716D1GBN ♿

LENGTH OPTIONS

Available in 16" length.

FINISH OPTIONS



Chrome **[CH]**, Brushed Nickel **[BN]**, Oil Rubbed Bronze **[OWB]**

▲ Retail Packaging is available for some models.

FEATURED INNOVATIONS

SecureMount™

See page 225 for details.
SecureMount™ Anchors for non-stud installation sold separately.

♿ ADA-Compliant

Grab Bars



CONCEALED SCREW GRAB BARS



**1 1/4" Concealed Screw
Grab Bar**
8716 



**1 1/2" Concealed Screw
Grab Bar**
R8916 


FINISH OPTIONS



Stainless Steel,
Polished Stainless Steel (**PS**),
Polished Brass (**PB**),
White Powder Coat (**W**)

PEENED GRAB BARS



1 1/4" Peened Grab Bar
R8712 



1 1/2" Peened Grab Bar
R8912P 



Peened L-Shaped Grab Bar
8992 

FINISH OPTIONS



Stainless Steel

LENGTH OPTIONS

Available in 12", 16", 18",
24", 30", 32", 36", 42" and
48" lengths.

FEATURED INNOVATIONS

SecureMount™

See page 225 for details.
SecureMount™ Anchors for non-stud
installation sold separately.

▲ Retail Packaging

* Retail Packaging available
for Polished Stainless Steel
finish only.

ADA-Compliant



EXPOSED SCREW GRAB BARS



1 1/4" Exposed Screw Grab Bar
7412 ♿



1 1/2" Exposed Screw Grab Bar
LR7524 ▲ ♿

FINISH OPTIONS



Stainless Steel,
White **(W)**

FLIP-UP GRAB BARS



Flip-Up Grab Bars, Peened
R8960FD ♿



Flip-Up Grab Bars, White
R8960FDW ♿

FINISH OPTIONS



Stainless Steel,
White **(W)**

LENGTH OPTIONS

Available in 12", 18", 24", 36", 42" lengths.

FEATURED INNOVATIONS

SecureMount™

See page 225 for details.
SecureMount™ Anchors for non-stud installation sold separately.

▲ Retail Packaging

♿ ADA-Compliant

Grab Bars with Accessories

GRAB BARS



24" Grab Bar with Towel Bar
LR2350D ▲



8" Grab Bar with Paper Holder
LR2352D ▲



9" Grab Bar with Corner Shelf
LR2354D ▲



16" Grab Bar with Shelf
LR2356D*



FINISH OPTIONS



Chrome (CH), Brushed Nickel (BN),
Old World Bronze (OWB)

FEATURED INNOVATIONS

SecureMount™

See page 225 for details.

SecureMount™ Anchors for non-stud installation sold separately.

▲ Retail Packaging

* Retail Packaging available for Chrome finish only.

SecureMount™ Anchors



ANCHORS



SecureMount Anchors and Plates - 10 Pairs
SMA1001



SecureMount Anchors and Plates - Single
SMA1015

FINISH OPTIONS



Chrome (CH), Old World Bronze (OWB)

PRODUCT DETAILS

300 lb. weight capacity when securely installed per instructions. Limited Lifetime Warranty. Independently tested by CSA and NAHB laboratories to exceed ADA, ASTM, ANSI and CSA standards.

Hand Grips and Balance Assist Bars

GRAB BARS



Designer Hand Grip
LR2250DCH ▲



Exposed Screw Hand Grip
R2250



FINISH OPTIONS



Chrome (CH)

PRODUCT DETAILS

Each hand grip is tested to a 250 lb. weight capacity (when securely installed per instructions) and is easy to install.

▲ Retail Packaging

Tub/Shower Chairs, Seats and Transfer



Old World Bronze Fold-Down Teak Shower Seat

DN71100WB



Adjustable Tool-Free Tub and Shower Chair

DN7060



Transfer Bench

DN7105



Tool-Free Shower Chair

DN7064



Adjustable Tub and Shower Chair

DN8060



Mesh Shower Chair

DN7100



Adjustable Shower Seat

DN7030



Adjustable Tub and Shower Seat

DN7025

Retail Packaging

ADA-Compliant

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Tub, Shower and Toilet Safety



TUB, SHOWER AND TOILET SAFETY



Elevated Toilet Seat
DN7020 ▲ ♿



SecureLock™ Tub Grip
DN7175 ▲ ♿



Multi-Grip Tub Safety Bar
DN7005 ▲ ♿



Toilet Safety Rails
DN7015 ▲ ♿



Locking Dual Tub Grip
DN7075 ▲ ♿



Low-Profile Tub Safety Bar
DN7010 ▲ ♿



Bath Mat
DN7050 ▲ ♿

FINISH OPTIONS



White (W)

▲ Retail Packaging

♿ ADA-Compliant

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

Handheld Showers



HANDHELD SHOWERS



Chrome Pause Control Handheld Shower
DN8001CH 



White Pause Control Handheld Shower
DN8001W 



FINISH OPTIONS



Chrome **(CH)**, White **(W)**

PRODUCT DETAILS

- Multifunction Design
- Shower Spray
 - Massage Spray
 - Pulsating Spray
 - Pause Feature

-  Retail Packaging
-  ADA-Compliant

Reference



Genta™ Featured in Brushed Nickel



Premium Kitchen Finishes



Premium Kitchen Finishes

NEW

FAUCETS



Chrome
(C)



Spot Resist™
Stainless
(SRS)



LifeShine®
Polished Nickel
(NL)



Oil Rubbed
Bronze
(ORB)



Matte Black
(BL)



Wrought Iron
(WR)



LifeShine®
Brushed Gold
(BG)



Black
Stainless
(BLS)

Waterhill®



NEW

Weymouth®
with U by Moen™



NEW

Weymouth® Spring



Weymouth®



NEW

Sinema™ Spring
*Secondary matching finish
handle is packed in the kit.



NEW

Sinema™
*Secondary matching finish
handle is packed in the kit.



NEW

STō®
with U by Moen™



STō®

with MotionSense™



STō®



Etch®



NEW

Nio™
with U by Moen™



Nio™

*Secondary two-tone handle
is packed in the kit.



NEW

Paterson™
with U by Moen™



NEW

Paterson™ Spring



Paterson™

*Secondary wheel handle is
packed in the kit.



Kitchen Finishes

NEW

FAUCETS



Chrome
(C)



Spot Resist™
Stainless
(SRS)



LifeShine®
Classic Stainless
(CSL)



LifeShine®
Polished Nickel
(NL)



Oil Rubbed
Bronze
(ORB)



Matte Black
(BL)



Wrought Iron
(WR)



LifeShine®
Brushed Gold
(BG)



Black
Stainless
(BLS)

Aberdeen™



Woodmere®



Tilt™



Voss™



Notch®



NEW

Align®
with U by Moen™



Align®
with MotionSense™



Align® Spring with
MotionSense Wave™



Align® Spring



Align®



NEW

Brantford®
with U by Moen™



Brantford®
with MotionSense



Brantford® with
MotionSense Wave



Brantford®



























Genta™



Kitchen Finishes

NEW

FAUCETS CONTINUED

| |  |  |  |  |  |  |  |  |  |
|----------------------------------|---|---|---|---|--|---|---|---|---|
| | Chrome (C) | Spot Resist™ Stainless (SRS) | LifeShine® Classic Stainless (CSL) | LifeShine® Polished Nickel (NL) | Oil Rubbed Bronze (ORB) | Matte Black (BL) | Wrought Iron (WR) | LifeShine® Brushed Gold (BG) | Black Stainless (BLS) |
| NEW Arbor® with U by Moen™ |  | ● | ● | | ● | ● | | | |
| Arbor® with MotionSense |  | ● | ● | | ● | | | | |
| Arbor with MotionSense Wave |  | ● | ● | | ● | ● | | | |
| Arbor |  | ● | ● | | ● | ● | | | |
| Camerist® |  | ● | ● | | ● | | | | |
| NEW Sleek™ with U by Moen™ |  | ● | ● | | | ● | | | ● |
| Sleek™ with MotionSense Wave |  | ● | ● | | | ● | | | ● |
| NEW Sleek™ Spring |  | ● | ● | | | ● | | | ● |
| Sleek™ |  | ● | ● | | ● | ● | | | ● |
| Belfield™ |  | ● | ● | | ● | | | | |
| Integra® |  | ● | ● | | | | | | |
| Method™ |  | ● | ● | | | | | | |
| Chateau® |  | ● | ● | | | | | | |
| Torrance™ |  | ● | ● | | | | | | |
| Banbury® |  | ● | ● | | | | | | |

To order, combine the product model number with one of the available finish letters.

Please see moen.com/consumer-support/warranty for complete product warranty information.








LifeShine Finish

Faucets featuring our LifeShine finish will not tarnish, corrode or flake off. LifeShine finish not available on accessories or lighting.
















Premium Kitchen and Bar/Prep Platforms



Sinema™ Featured in Spot Resist™ Stainless

| PREMIUM FAUCETS | U by Moen™ Smart Kitchen | MotionSense™ Handsfree | MotionSense™ Wave™ | Spring Pulldown | Pulldown | Pulldown Handle In-Deck | Pullout | Fixed | Bar/Prep |
|---|--------------------------|------------------------|--------------------|-----------------|----------|-------------------------|---------|-------|----------|
| Waterhill®  | | | | | | | | ● | |
| Nio™ <small>*Secondary two-tone handle is packed in the kit.</small>  | ● | | | | ● | | | | ● |
| STō®  | ● | ● | | | ● | | | | ● |
| Weymouth®  | ● | | | ● | ● | | | ● | ● |
| NEW Sinema™  | | | | ● | ● | | | | ● |
| Etch®  | | | | | ● | | | | ● |
| Paterson™ <small>*Secondary wheel handle is packed in the kit.</small>  | ● | | | ● | ● | | | | ● |

Kitchen and Bar/Prep Platforms

| FAUCETS | U by Moen™ Smart Kitchen | MotionSense™ Handsfree | MotionSense™ Wave™ | Spring Pulldown | Pulldown | Pulldown Handle In-Deck | Pullout | Fixed | Bar/Prep |
|---|-----------------------------|---------------------------|-----------------------|--------------------|----------|-------------------------------|---------|-------|----------|
| Aberdeen™  | | | | | ● | | | | |
| Voss™  | | | | | | | ● | | |
| Notch®  | | | | | ● | | | | ● |
| Align  | ● | ● | | ● | ● | | | ● | ● |
| Brantford®  | ● | ● | ● | | ● | | ● | ● | ● |
| Genta™  | | | | | ● | | | | |
| Arbor®  | ● | ● | ● | | ● | | | ● | ● |
| Camerist®  | | | | | | | ● | ● | ● |
| Sleek™  | ● | | ● | ● | ● | ● | | ● | ● |
| Belfield™  | | | | | | | | ● | |
| Integra™  | | | | | | | ● | | |
| Method™  | | | | | | | ● | | |
| Chateau®  | | | | | | | | ● | ● |
| Torrance™  | | | | | | | | ● | |
| Banbury®  | | | | | | | | ● | |

Kitchen Finishes

NEW

BEVERAGE FAUCETS & SOAP DISPENSERS



Chrome
(C)



Spot Resist™
Stainless
(SRS)



LifeShine®
Polished Nickel
(NL)



Oil Rubbed
Bronze
(ORB)



Matte Black
(BL)



Wrought Iron
(WR)



LifeShine®
Brushed Gold
(BG)



Black
Stainless
(BLS)

NEW

Sip™ Paterson™
Beverage Faucet



Sip™ Traditional
Beverage Faucet



NEW

Sip™ Sinema™
Beverage Faucet



Sip™ Transitional
Beverage Faucet



NEW

Sip™ Nio™
Beverage Faucet



Sip™ Modern
Beverage Faucet



Traditional
Soap Dispenser



Transitional
Soap Dispenser



Transitional
Soap Dispenser



Modern
Soap Dispenser



POT FILLERS

Modern
Pot Filler



Traditional
Pot Filler



To order, combine the product model number with one of the available finish letters.






Please see [moen.com/consumer-support/warranty](https://www.moen.com/consumer-support/warranty) for complete product warranty information.

LifeShine Finish























Faucets featuring our LifeShine finish will not tarnish, corrode or flake off. LifeShine finish not available on accessories or lighting.

Sinks Series Options



| SERIES | Description | Gauge | Undermount Options | Drop-In Options | Bar/Prep Options | Bowl Depth | Sound SHIELD™ | Warranty |
|--|-----------------------------------|-------|--------------------|-----------------|------------------|------------|---------------|------------------|
| NEW Granite  | Alternative Colors | N/A | ● | ● | ● | Up to 10" | | Limited Lifetime |
| 1600™ Professional Series  | Professional | 16 | ● | ● | ● | 10" | ● | Limited Lifetime |
| 1800™ Series  | High-Quality, Extensive Selection | 18 | ● | ● | ● | Up to 10" | ● | Limited Lifetime |
| 2000™ Series  | Design and Functionality | 20 | ● | ● | ● | Up to 8" | ● | Limited Lifetime |
| 2200™ Series  | Sturdy Valve | 22 | | ● | ● | Up to 8" | ● | Limited Lifetime |

Bath and Shower Finishes

| |  |  |  |  |  |  |  |
|--|---|---|---|---|---|---|---|
| | Chrome (-) | Brushed Chrome (BC) | LifeShine® Brushed Nickel (BN) | LifeShine® Polished Nickel (NL) | Oil Rubbed Bronze (ORB) | Matte Black (BL/WR) | LifeShine® Brushed Gold (BG) |
| Wynford®  | ● | | ● | ● | ● | | |
| Align®  | ● | | ● | | | ● | ● |
| Voss™  | ● | | ● | ● | ● | | ● |
| Belfield™  | ● | | ● | ● | ● | | |
| Kingsley®  | ● | | ● | | ● | ● | |
| Rizon®  | ● | | ● | | | ● | |
| Dartmoor™  | ● | | ● | | ● | | |
| Glyde™  | ● | | ● | | | ● | |
| Vichy™  | ● | | | | | | |
| Brantford®  | ● | | ● | | ● | | |
| Eva®  | ● | | ● | | ● | | |
| Method™  | ● | | ● | | | | |
| Gibson™  | ● | | ● | | | ● | |
| Genta™  | ● | | ● | | | ● | |
| Chateau®  | ● | ● | | | | | |

To order, combine the product model number with one of the available finish letters.

Please see moen.com/consumer-support/warranty for complete product warranty information.

LifeShine Finish

Faucets featuring our LifeShine finish will not tarnish, corrode or flake off. LifeShine finish not available on accessories or lighting.

Premium Bath and Shower Platforms



Weymouth™ Featured in Oil Rubbed Bronze










| BATH | One-Handle, One-Hole Lavatory Faucet | One-Handle, Three-Hole Lavatory Faucet | Two-Handle Centerset Lavatory Faucet | Two-Handle Widespread Lavatory Faucet | Two-Handle Wallmount Lavatory Faucet | Floor Mount Tub Filler | Roman Tub Faucet without Handshower | Roman Tub Faucet with Handshower | Bidet | ¾" Thermostatic Showering | M-Core 3 Series Showering | Moentrol® Showering | Transfer Valve Trim | Posi-Temp® Showering | Rainshower Showerhead | Complementary Showerhead | Suite-Specific Handshower | Suite-Specific Showerhead | Matching Bath Accessories |
|--------------|--------------------------------------|--|--------------------------------------|---------------------------------------|--------------------------------------|------------------------|-------------------------------------|----------------------------------|-------|---------------------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|--------------------------|---------------------------|---------------------------|---------------------------|
| Weymouth® | ● | | | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | ● | ● | ● |
| Arris® | ● | | | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | | | ● |
| NEW Flara® | ● | ● | | ● | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | | | ● |
| NEW Colinet™ | ● | | | ● | ● | ● | ● | ● | | ● | ● | | | ● | ● | | | | ● |
| 90™ | ● | ● | | ● | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | | | ● | ● |
| Via® | ● | | | ● | | | ● | | | ● | ● | ● | ● | ● | ● | ● | | | ● |
| Doux™ | ● | | | ● | | ● | ● | ● | | ● | ● | ● | ● | ● | ● | ● | | | ● |










Bath and Shower Platforms

| BATH | One-Handle, One-Hole Lavatory Faucet | One-Handle, Three-Hole Lavatory Faucet | Two-Handle Centerset Lavatory Faucet | Two-Handle Widespread Lavatory Faucet | Two-Handle Wallmount Lavatory Faucet | Floor Mount Tub Filler | Roman Tub Faucet without Handshower | Roman Tub Faucet with Handshower | Bidet | ¾" Thermostatic Showering | M-Core 3 Series Showering | Moentrol® Showering | Transfer Valve Trim | Posi-Temp® Showering | Rainshower Showerhead | Complementary Showerhead | Suite-Specific Handshower | Suite-Specific Showerhead | Matching Bath Accessories |
|------------|--------------------------------------|--|--------------------------------------|---------------------------------------|--------------------------------------|------------------------|-------------------------------------|----------------------------------|-------|---------------------------|---------------------------|---------------------|---------------------|----------------------|-----------------------|--------------------------|---------------------------|---------------------------|---------------------------|
| Wynford® | ● | ● | ● | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | ● |
| Align® | ● | ● | | ● | | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | | ● |
| Voss™ | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | ● | | ● |
| Belfield™ | ● | ● | ● | ● | | ● | ● | | | ● | ● | ● | ● | ● | ● | ● | | | ● |
| Kingsley® | ● | ● | ● | ● | ● | | ● | ● | | | | ● | ● | ● | | | ● | | ● |
| Rizon® | ● | ● | | ● | | | ● | ● | | | ● | | ● | ● | ● | ● | ● | | |
| Dartmoor™ | | | ● | ● | | | ● | | | | ● | | ● | ● | ● | ● | ● | ● | ● |
| Glyde™ | | | ● | ● | | | ● | | | | ● | | ● | ● | ● | ● | ● | ● | ● |
| Vichy™ | ● | | | | | | | | | | | | | ● | | | ● | | |
| Brantford® | ● | ● | ● | ● | | | ● | ● | ● | | ● | | ● | ● | ● | ● | ● | ● | ● |
| Eva® | ● | ● | ● | ● | | | ● | ● | ● | | ● | | ● | ● | ● | ● | ● | ● | ● |
| Method™ | ● | ● | | ● | | | ● | | | | | | | ● | | | ● | | ● |
| Genta™ | ● | ● | | ● | | | ● | | | | ● | | ● | ● | | | ● | | ● |
| Gibson™ | ● | ● | ● | ● | | | ● | | | | | | ● | ● | | ● | ● | ● | ● |
| Chateau® | | ● | ● | ● | | | ● | ● | ● | | ● | | | | ● | | ● | | ● |









Please see [moen.com/consumer-support/warranty](https://www.moen.com/consumer-support/warranty) for complete product warranty information.

Bath-Matching Accessories Finishes

| PREMIUM COLLECTION |  |  |  |  |  |  |  |  |  |
|--------------------|---|---|---|---|---|--|---|---|---|
| | Chrome (-) | Brushed Chrome (BC) | LifeShine® Brushed Nickel (BN) | LifeShine® Polished Nickel (NL) | Satin Nickel (SL) | Oil Rubbed Bronze (ORB) | Old World Bronze (OWB) | Matte Black (BL/WR) | LifeShine® Brushed Gold (BG) |
| Weymouth® | ● | | ● | ● | | ● | | | ● |
| Arris® | ● | | ● | | | | | ● | |
| NEW Flara® | ● | | ● | ● | | | | | ● |
| NEW Colinet™ | ● | | ● | | | | | ● | ● |
| 90°™ | ● | | ● | | | | | | |
| Via® | ● | | | | | | | | |
| Doux™ | ● | | ● | | | | | ● | |

| COLLECTION |  |  |  |  |  |  |  |  |  |
|------------|--|--|--|--|--|---|--|--|--|
| | Chrome (-) | Brushed Chrome (BC) | LifeShine® Brushed Nickel (BN) | LifeShine® Polished Nickel (NL) | Satin Nickel (SL) | Oil Rubbed Bronze (ORB) | Old World Bronze (OWB) | Matte Black (BL/WR) | LifeShine® Brushed Gold (BG) |
| Wynford™ | ● | | ● | ● | | ● | | | |
| Align® | ● | | ● | | | | | ● | ● |
| Voss™ | ● | | ● | ● | | ● | | | ● |
| Belfield™ | ● | | ● | | | ● | | ● | |
| Kingsley® | ● | | ● | | | ● | | ● | |
| Genta™ | ● | | ● | | | | | ● | |
| Dartmoor™ | ● | | ● | | | ● | | | |
| Glyde™ | ● | | ● | | | | | ● | |
| Brantford® | ● | | ● | | | ● | | | |
| Eva® | ● | | ● | | | ● | | | |
| Method™ | ● | | ● | | | | | | |
| Mason® | ● | ● | | | ● | | ● | | |

Coordinating Accessories Finishes

| |  |  |  |  |  |  |  |  |
|--------------|---|---|---|---|--|---|---|---|
| COLLECTION | Chrome (CH) | LifeShine® Brushed Nickel (BN) | Satin Nickel (SL) | Oil Rubbed Bronze (ORB) | Old World Bronze (OWB) | Pewter (PW) | Matte Black (BL) | LifeShine® Brushed Gold (BG) |
| Waterhill® | ● | ● | | ● | | | ● | |
| Retreat® | ● | ● | | | | | | |
| Iso™ | ● | ● | | | | | ● | ● |
| NEW Arlys | ● | | | | | | ● | |
| Triva™ | ● | ● | | | | | ● | |
| Sage® | ● | ● | | ● | | | | |
| Kyvos™ | ● | ● | | | | | | |
| Lounge™ | ● | ● | | | | | | |
| Madison™ | ● | | | | ● | ● | | |
| Preston™ | ● | ● | | | | | | |
| Edgestone® | ● | ● | | | | | | |
| Stockton® | ● | ● | | | | | | |
| Danbury® | | ● | | ● | | | | |
| Yorkshire™ | ● | | ● | | ● | | | |

To order, combine the product model number with one of the available finish letters.

Please see [moen.com/consumer-support/warranty](https://www.moen.com/consumer-support/warranty) for complete product warranty information.

LifeShine Finish

Faucets featuring our LifeShine finish will not tarnish, corrode or flake off. LifeShine finish not available on accessories or lighting.

Premium Bath-Matching Accessories

| PREMIUM COLLECTION | Tank Lever | Robe Hook | Knob and Pull | Paper Holder | Single Towel Bar | Double Towel Bar | Hand Towel Bar/Ring | Lighting | Grab Bar | Additional Feature Items |
|--------------------|----------------------|-----------|----------------------|--------------|------------------|------------------|---------------------|---------------------------|---------------------------|--------------------------|
| Weymouth® | ● | ● | ● | ● | ● | | ● | Coordinates with Rothbury | Coordinates with Kingsley | |
| Arris® | ● | ● | Coordinates with Iso | ● | ● | | ● | Coordinates with Iso | ● | Magnifying Mirror |
| NEW Flara® | ● | ● | ● | ● | ● | | ● | ● | ● | |
| NEW Colinet™ | ● | ● | ● | ● | ● | | ● | | | |
| Waterhill® | | | | | | | | ● | | |
| 90°™ | ● | ● | ● | ● | ● | | ● | ● | ● | |
| Via® | Coordinates with 90° | ● | Coordinates with 90° | ● | ● | | ● | Coordinates with 90° | Coordinates with 90° | |
| Doux™ | ● | ● | | ● | ● | | | | | Corner Shower Basket |

Coordinating Accessories

| COLLECTION | Tank Lever | Robe Hook | Knob and Pull | Paper Holder | Single Towel Bar | Double Towel Bar | Hand Towel Bar/Ring | Lighting | Grab Bar | Shelf |
|------------|------------------------|-----------|---------------------------|--------------|------------------|------------------|---------------------|---------------------------|---------------------------|--------------------------------------|
| Retreat® | Coordinates with Voss | ● | ● | ● | ● | ● | ● | Coordinates with Voss | Coordinates with Voss | Glass Shelf |
| Iso™ | Coordinates with Arris | ● | ● | ● | ● | ● | ● | ● | ● | Mirror Glass Shelf Hotel Shelf |
| Arlys | | ● | | ● | ● | | ● | | | |
| Triva™ | | ● | | ● | ● | ● | ● | | | Mirror |
| Sage® | ● | ● | | ● | ● | ● | ● | | | Mirror Glass Shelf |
| Kyvos™ | Coordinates with 90° | ● | Coordinates with 90° | ● | ● | | ● | Coordinates with 90° | Coordinates with 90° | |
| Lounge™ | | ● | | ● | ● | ● | ● | | | Glass Shelf |
| Madison™ | | ● | Coordinates with Kingsley | ● | ● | | ● | Coordinates with Kingsley | Coordinates with Kingsley | |
| Preston™ | | ● | | ● | ● | ● | ● | | | Glass Shelf |
| Edgestone® | | ● | | ● | ● | | ● | | | |
| Stockton® | | ● | | ● | ● | | ● | | | |
| Danbury® | | ● | | ● | ● | | ● | | | |
| Yorkshire™ | | ● | | ● | ● | | ● | | | |

Bath-Matching Accessories

| COLLECTION | Tank Lever | Robe Hook | Knob and Pull | Paper Holder | Single Towel Bar | Double Towel Bar | Hand Towel Bar/Ring | Lighting | Grab Bar | Additional Feature Items |
|------------|-----------------------|-----------|----------------------------|--------------|------------------|------------------|---------------------|----------------------------|----------------------|----------------------------|
| Wynford® | ● | ● | Coordinates with Waterhill | ● | ● | ● | ● | Coordinates with Waterhill | | Corner Shower Basket |
| Align® | | ● | Coordinates with Iso | ● | ● | | ● | Coordinates with Iso | ● | |
| Voss™ | ● | ● | Coordinates with 90° | ● | ● | | ● | ● | ● | Hair Dryer Holder |
| Belfield™ | ● | ● | Coordinates with Weymouth | ● | ● | ● | ● | ● | ● | |
| Kingsley® | ● | ● | ● | ● | ● | ● | ● | Coordinates with Waterhill | ● | Glass Shelf Hotel Shelf |
| Genta™ | | ● | | ● | ● | | ● | | | |
| Dartmoor™ | ● | ● | Coordinates with Rothbury | ● | ● | | ● | Coordinates with Rothbury | | |
| Glyde™ | Coordinates with Icon | ● | Coordinates with Icon | ● | ● | | ● | | | |
| Brantford® | ● | ● | Coordinates with Waterhill | ● | ● | | ● | ● | ● | |
| Eva® | ● | ● | Coordinates with Icon | ● | ● | | ● | ● | ● | Shelf |
| Method™ | ● | ● | Coordinates with 90° | ● | ● | ● | ● | Coordinates with 90° | Coordinates with 90° | |
| Mason® | | ● | | Two Options | ● | | ● | | | |

Choose the Right Moen® Shower Valve for Your Bathroom

How to Choose the Right Valve



U by Moen™ Shower 2-Outlet Valve**



U by Moen Shower 4-Outlet Valve**



ExactTemp® ¾" Thermostatic Valve***

VALVE OPTIONS AT-A-GLANCE

| | Thermostatic Valves | | |
|--|---------------------|-----|---|
| COMFORT FEATURES | | | |
| Personalization Create settings for every occasion — post workouts, lazy mornings and more. | ● | ● | |
| Temperature consistency Water temperature won't fluctuate even as the hot water in your tank gets low. | ● | ● | ● |
| Maximum-flow shower spa experience Provides the greatest balance of force, flow and coverage in a Moen shower spa. | ● | ● | ● |
| Shower spa compatible Add an extra showerhead or handshower or design a complete shower spa experience. | ● | ● | ● |
| CONVENIENCE FEATURES | | | |
| Remote activation Sync your shower to your smartphone to start, stop and pause remotely. | ● | ● | |
| Precision thermostatic control Dial up the same water temperature every day, just like a thermostat. | ● | ● | ● |
| Voice activation Activate your shower with the sound of your voice. | ● | ● | |
| Volume control Lets you adjust the amount of water that flows through your tub/shower from a gentle stream to full force. | | | ● |
| Temperature memory Dial stays in the same temperature position you last used and returns to that temperature within a few seconds. | | | ● |
| Warm up and pause Save water by having the shower warm up to temperature and pause until you are ready to get in. | ● | ● | |
| SAFETY FEATURES | | | |
| Maximum temperature setting You can set the hottest temperature setting. | ● | ● | ● |
| Meets applicable pressure-balancing or thermostatic safety codes | ● | ● | ● |
| DEPENDABILITY FEATURES | | | |
| Limited Lifetime Warranty | ● | ● | ● |
| Easy-to-replace cartridge | N/A | N/A | ● |

* Must be used with diverting valves 3372, 3362 or 3375 to obtain shower spa compatibility.

** U by Moen is warranted for 5 years against leaks, drips and operation defects to the original consumer purchaser; 1-year warranty if used in commercial applications. 5-year warranty on digital components, limited lifetime trim warranty.

*** Use with ExactTemp ¾" volume control valves.

Please see [moen.com/consumer-support/warranty](https://www.moen.com/consumer-support/warranty) for complete product warranty information.



M-Core™
with Multi-Function
Transfer Valve



M-Core™
Mixing Valve Body



M-Core™
Pressure-Balancing
Volume Control
Cartridge



Posi-Temp®
Pressure-Balancing
Cycling Valve



ExactTemp
Volume Control



M-Core™
Transfer Valve



Nebia
Retrofit onto existing
plumbing. No need to
go behind the wall.



Annex™
Without disturbing the
existing wall, add on
to existing shower

Pressure-Balancing Valves and Cartridge

Volume Control and Transfer Valves



N/A

N/A

N/A

N/A



N/A

N/A

N/A

N/A




N/A

N/A

Shower Valve Flow Rates

Flow Rate vs. Flowing Inlet Pressure of Moen Showering Valves (Unrestricted)





- 1. 3/4" ExactTemp®**
S3371 3/4" ExactTemp: 18.0 gpm
- 2. U by Moen™ Shower – Four-Outlet**
S3104 Four-Outlet: 16.0 gpm
- 3. Volume Control**
S3600 Volume Control: 13+ gpm
- 4. U by Moen Shower – Two-Outlet**
S3102 Two-Outlet: 10.0 gpm
- 5. Posi-Temp® Tub Port**
Four Port Valves
Flow at Tub: 6.3 gpm
- 6. Posi-Temp Shower Port**
Three Port Valves
Flow at Tub: 6.3 gpm
- 7. M-CORE™ Tub Port**
Flow at Tub: 6.2 gpm
- 8. M-CORE Shower Port**
Flow at Shower: 5.8 gpm
- 9. M-CORE with Transfer**
Two Outlets: 5.6 gpm
- 10. Posi-Temp Shower Port**
Four Port Valves
Flow at Shower: 4.0 gpm

Shower Spa Installation Recommendations

| Graph Line | Valve | Flow Rate Through Shower Port (gpm) @ 20 PSI | Flow Rate Through Shower Port (gpm) @ 40 PSI | Flow Rate Through Shower Port (gpm) @ 60 PSI | Use with M-CORE Transfer | Maximum Showering Devices |
|------------|--|--|--|--|--------------------------|--|
| 1 | 3/4" ExactTemp® S3371 | 11.4 | 15.7 | 18.0 | No | 4 showering devices: Any combination of showerheads, handshowers and body sprays (4 max) |
| 2 | U by Moen™ Four-Outlet S3104 | 9.0 | 13.0 | 16.0 | No | 4 showering devices: Any combination of showerheads, handshowers and body sprays (4 max) |
| 4 | U by Moen Two-Outlet S3102 | 6.0 | 8.5 | 10.0 | No | Showerhead, handshower or showerhead, 2 body sprays |
| 6 | Posi-Temp® Three Port Valves | 3.6 | 5.1 | 6.3 | Yes | Showerhead, handshower or showerhead, 2 body sprays* |
| 8 | M-CORE™ Shower Port | 3.1 | 4.6 | 5.8 | Yes | Showerhead, handshower or showerhead, 2 body sprays* |
| 9 | M-CORE with Transfer | 3.0 | 4.5 | 5.6 | No | Showerhead, handshower or showerhead, 2 body sprays* |
| 10 | Posi-Temp Shower Port Four Port Valves | 2.1 | 3.2 | 4.0 | Yes | Showerhead, handshower* |

* Min 50 psi recommended when plumbing a showerhead and 2 body sprays for shared flow





PRICE BAND IDENTIFICATION

Kitchen and Bar/Prep Collections

Waterhill® - TRADITIONAL
 Nio™ - MODERN
 STō® - MODERN
 Sinema™ - TRANSITIONAL
 Weymouth® - TRADITIONAL
 Etch® - TRANSITIONAL
 Paterson™ - TRADITIONAL

Aberdeen® - TRADITIONAL
 Voss® - TRANSITIONAL
 Notch™ - TRANSITIONAL
 Align® - MODERN

Sleek™ - MODERN
 Genta™ - MODERN
 Belfield™ - TRADITIONAL
 Brantford® - TRADITIONAL
 Arbor® - TRANSITIONAL

Brantford® - TRADITIONAL
 Arbor® - TRANSITIONAL
 Camerist® - TRANSITIONAL
 Method™ - MODERN
 Core Soap Dispensers

Integra® - TRANSITIONAL
 Chateau® - TRANSITIONAL
 Banbury® - TRADITIONAL
 Torrance™ - TRANSITIONAL

Pot Fillers
 Sip™ Beverage Faucets
 Premium Soap Dispensers

Kitchen Sinks

Granite
 1600® Professional Series
 1800® Series
 2000® Series
 2200® Series

Garbage Disposals

GT Series - featuring Fast Track™ Installation
 GX Series
 GXPro Series

Flo by Moen™

Flo by Moen™

Digital Kitchen Collections

U by Moen™ Smart Kitchen
 • Nio™
 • STō®
 • Weymouth®
 • Paterson™
 MotionSense™
 • STō®

U by Moen™ Smart Kitchen
 • Align®
 MotionSense™
 • Align®
 MotionSense Wave™
 • Align®

U by Moen™ Smart Kitchen
 • Sleek™
 • Arbor®
 • Brantford®
 MotionSense™
 • Arbor®
 • Brantford®
 MotionSense Wave™
 • Sleek™
 • Arbor®
 • Brantford®

Bath and Shower Collections

Weymouth®* - TRADITIONAL
 Arris®* - MODERN
 90°™* - MODERN
 Doux™* - MODERN
 Via®* - MODERN
 Flara®* - TRANSITIONAL
 Colinet™* - TRADITIONAL
 U by Moen™ Shower
 Premium Showerheads, Handshowers
 & Shower Rails
 Annex & Nebia
 Premium Accessories

Wynford®* - TRADITIONAL
 Align®* - MODERN
 Voss®* - TRANSITIONAL
 Belfield™* - TRADITIONAL
 Kingsley®* - TRADITIONAL
 Rizon® - MODERN

Dartmoor™* - TRADITIONAL
 Glyde™* - TRANSITIONAL

Brantford®* - TRADITIONAL
 Eva®* - TRANSITIONAL
 Method®* - MODERN
 Vichy™ - MODERN
 Genta™* - MODERN
 Gibson™ - MODERN

Chateau® - TRANSITIONAL

KEY

- Premium / Best - IMAP Protected
- 2nd Upgrade / Better - IMAP Protected
- 1st Upgrade / Good - IMAP Protected
- 1st Upgrade / Good - Not IMAP Protected
- Spec - Not IMAP Protected
- Sinks & Disposals - IMAP Protected

* Suite has Matching Accessories



Although descriptions are believed correct at publication approval, accuracy cannot be guaranteed.

Moen reserves the right to make product specification changes from time to time, without notice or obligation, and to change or discontinue models.

Connect with us:
[moen.com/social](https://www.moen.com/social)

U.S. Headquarters:
Moen Incorporated
25300 Al Moen Drive, North Olmsted, OH
44070-8022

Canada Headquarters:
Moen
2816 Bristol Circle, Oakville, Ontario
L6H 5S7

Visit our website at [moen.com](https://www.moen.com)

1-800-BUY-MOEN

1-800-465-6130