

TOILET & LAVATORY



TOTO

Life Anew



TOTO

Life Anew


To create a culture of comfortable, healthy living.

Since our founding, we have continuously pursued innovations that offer greater wellness and comfort to daily life.

Honoring the trust that our customers and society place in us, TOTO remains dedicated to delivering products that offer inclusive functionality and respect for the environment.

We embrace these values every day to create a future that surpasses all expectations.

Life Anew



TOTO®

CONTENTS

ICONS

- 4 Icon Guide

CHART

- 6 NEOREST
- 8 WASHLET
- 10 WASHLET+ Feature Comparison
- 12 WASHLET+ Auto Flush Comparison Chart
- 14 WASHLET+ Non Auto Flush Comparison Chart

TOILET TECHNOLOGIES

- 16 TOTO CLEANOVATION
- 18 Clean Synergy
- 20 EWATER+®
- 24 CEFIONTECT®
- 26 TORNADO FLUSH®
- 26 DYNAMAX TORNADO FLUSH®
- 28 ACTILIGHT®

NEOREST®

- 32 Cleanliness and comforts
- 34 NEOREST Features
- 37 NEOREST NX2
- 37 NEOREST NX1
- 39 NEOREST AH
- 39 NEOREST RH
- 41 NEOREST AC®
- 41 NEOREST EW®
- 43 NEOREST 750H
- 43 NEOREST 700H
- 44 Remote Control Stand
- 46 How The Remote Control Works

WASHLET®

- 48 WASHLET
- 50 Cleansing Functions
- 52 How The Remote Control Works
- 54 WASHLET Technologies

WASHLET®+

- 60 WASHLET+
- 62 WASHLET+ One-Piece Toilets
- 70 WASHLET+ Two-Piece Toilets
- 79 WASHLET+ Wall-Hung Toilets

TOILETS









- 82 Toilet Technologies
- 83 TORNADO FLUSH
- 86 High-Efficiency
- 89 Wall-Hung

LAVATORIES



- 94 Vessel
- 96 Pedestal
- 98 Wall-Mount
- 100 Undercounter
- 104 Self-Rimming

ICON GUIDE






TOILET & LAVATORY

	1.0 GPF	Using only 1 gallon per flush, 1G toilets provide the most efficient flush in the industry.
	DYNAMAX TORNADO FLUSH®	Uses 100% of water to clean and rinse the bowl using a smaller amount of water more efficiently with a 2.5" trapway and quieter flush. Available in 1.0/.9 GPF or 1.28/.8 GPF.
	TORNADO FLUSH®	A state-of-the-art, hole-free rim design that offers dual-nozzle bowl cleansing, creating a centrifugal rinsing action that cleans the bowl more efficiently.
	3D TORNADO FLUSH®	Three powerful nozzles create a powerful centrifugal rinsing action and combines it with the conservation of 0.9 or 1.28 GPF.
	DUAL-MAX®	A dual flushing system that optimizes conservation by selecting the preferred flush volume.
	E-MAX®	High performance, high-efficiency flushing technology using only 1.28 GPF with a 3" wide flush valve, large trapway, and extra-large siphon jet.
	G-MAX®	A reliable flushing technology with 3" wide flush valve, large trapway, and extra-large siphon jet.
	CEFIONTECT®	Ultra-smooth ceramic glaze leaves nowhere for waste to cling.
	UNIVERSAL HEIGHT	Toilet height that allows for a more comfortable height position across a wide range of users.
	SKIRTED DESIGN	The trapway is concealed by smooth porcelain, making the toilet easier to clean.
	LINEARCERAM®	Material used for lavatories that achieves an extremely thin design yet two times as strong as standard fireclay.
	LUMINIST®	An epoxy resin material that combines the translucence of glass with exceptional impact and heat resistance.
	WATER SAVING	Water efficient toilets designed with 1.28 gallons per flush or less.

WASHLET®

	TOTO . WASHLET	An electronic bidet seat featuring adjustable warm water cleansing, heated seat, dryer, deodorizer and much more.
	AIR-IN WONDER WAVE®	Air rich water droplets to produce a more comfortable washing sensation and deliver more thorough cleansing with less water consumption.

washLET® +

	ACTILIGHT®	Special glaze combined with ultraviolet light work together to break down waste in the toilet bowl.
	EWATER+®	Mists the bowl with electrolyzed water, a proven disinfectant, keeping the wand and toilet bowl clean to reduce the need for harsh chemicals.
	PREMIST®	Using the incoming water supply, PREMIST sprays the toilet bowl surface aiding in the elimination of waste approximately 80 percent better than a dry bowl.
	AUTO FLUSH	No need to touch buttons or handles and never worry about someone forgetting to flush — it's automatic after each use.
	AUTO OPEN / CLOSE LID	Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed.



DEODORIZER

Highly effective deodorizing automatically takes place inside the toilet bowl both during and immediately after use, leaving no disturbing odors.



HEATED SEAT

The moment you approach the toilet, the seat begins rapidly warming to a comfortable temperature.



WARM AIR DRYER

Enjoy the ease and comfort of drying with the temperature-adjustable warm-air dryer.

CODES & STANDARDS



ADA

Product complies with Americans with Disabilities Act guidelines.



WATERSENSE

Product that meets EPA standards for water efficiency and performance criteria.



CEC

Product meets California Energy Commission requirements.

CALGreen

Product meets CalGreen Water Regulations for new construction and permitted remodel.

DESIGN AWARDS



The Red Dot is the award for high design quality. The international jury only awards this sought-after seal of quality to products that feature an outstanding design.



IF AWARD

The iF DESIGN AWARD has long become a symbol for excellent form, for aesthetic quality, and for user-focused, ergonomic and efficient design in all disciplines, by companies around the world.



















GOOD DESIGN

The Good Design Awards is the world's oldest and most important industrial design program organized annually by the Chicago Athenaeum Museum. Awarded to our EWATER+ products.

NEOREST[®]

COMPARISON CHART

		NX2	NX1	AC [®]	EW [®]
		MS901CUMFX	MS900CUMFG	CWT996CEMFX	CWT994CEMFG
					
		SEE PAGE 37	SEE PAGE 37	SEE PAGE 41	SEE PAGE 41
	COLOR:	#01			
CLEANSE	REAR CLEANSE				
	SOFT REAR CLEANSE				
	FRONT CLEANSE				
	WIDE FRONT CLEANSE				
	OSCILLATING CLEANSE				
	PULSATING CLEANSE				
	INSTANTANEOUS WATER HEATING				
	WATER PRESSURE CONTROL	5 SETTINGS			
	WATER TEMPERATURE CONTROL				
	WAND POSITION ADJUSTMENT				
AIR	AIR PURIFIER (DEODORIZER)				
	AIR DRYER				
	AIR TEMPERATURE CONTROL	5 SETTINGS			
SEAT	HEATED SEAT				
	HEATED SEAT TEMPERATURE CONTROL	5 SETTINGS			
	SoftClose [®] SEAT AND LID				
SENSOR	SEAT SENSOR				
	 AUTOMATIC OPEN AND CLOSE LID				
	 AUTOMATIC FLUSH				
	NIGHT LIGHT				
REMOTE CONTROL	REMOTE CONTROL				
	REMOTE CONTROLLED SEAT				
	REMOTE CONTROLLED FLUSH				
HYGIENE	 ACTILIGHT [®]	•	-	•	-
	 CEFIONTECT [®]				
	 EWATER+ [®]				
	 PREMIST [®]				
	BOWL CLEANING MODE				
	WAND CLEANING MODE				
	SELF-CLEANING WAND				
FLUSH SYSTEM	FLUSHING TYPE	TORNADO		3D TORNADO	
	GALLONS PER FLUSH	1.0 & 0.8 GPF		1.28 & 0.9 GPF	
ENERGY SAVING	ENERGY-SAVE TIMER	3, 6, 9 HOURS			
	AUTO ENERGY SAVER				
	ON / OFF BUTTON				
USABILITY	INSTALLATION	FLOOR MOUNT		WALL-HUNG	
	 ADA				
	 UNIVERSAL HEIGHT				

750H	700H	AH	RH
MS993CUMFX	MS992CUMFG	MS989CUMFG	MS988CUMFG
			
SEE PAGE 43	SEE PAGE 43	SEE PAGE 39	SEE PAGE 39
#01		#01, #12	
•			
5 SETTINGS			
•			
5 SETTINGS			
•			
5 SETTINGS			
•			
•			
•	-		
•			
TORNADO			
1.0 & 0.8 GPF			
3, 6, 9 HOURS			
•			
FLOOR MOUNT			
•			

ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET









WASHLET+

TOILETS






LAVATORIES

washLÉT®

COMPARISON CHART

		G400	S550e	S500e
		MS920CEMFG (elongated)	SW3056 (elongated) SW3054 (elongated classic)	SW3046 (elongated) SW3044 (elongated classic)
				
		SEE PAGE 56	SEE PAGE 57	SEE PAGE 57
COLOR:		#01, #12	#01, #12	#01, #12
CLEANSE	REAR CLEANSE	•	•	•
	SOFT REAR CLEANSE	•	•	•
	FRONT CLEANSE	•	•	•
	WIDE FRONT CLEANSE	-	•	•
	OSCILLATING CLEANSE	•	•	•
	PULSATING CLEANSE	•	•	•
	INSTANTANEOUS WATER HEATING	-	•	•
	WATER PRESSURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WAND POSITION ADJUSTMENT	•	•	•
AIR	AIR PURIFIER (DEODORIZER)	•	•	•
	AIR DRYER	•	•	•
	AIR TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
SEAT	HEATED SEAT	•	•	•
	HEATED SEAT TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
	SoftClose® SEAT AND LID	•	•	•
SENSOR	SEAT SENSOR	•	•	•
	 AUTOMATIC OPEN AND CLOSE LID	•	•	-
	 AUTOMATIC FLUSH	•	-	-
	NIGHT LIGHT	-	•	-
REMOTE CONTROL	REMOTE CONTROL	•	•	•
	REMOTE CONTROLLED SEAT	•	•	-
	REMOTE CONTROLLED FLUSH	•	-	-
HYGIENE	REMOVABLE LID	•	•	•
	 CEFIONTECT®	•	-	-
	 EWATER+®	-	•	•
	 PREMIST®	•	•	•
	WAND CLEANING MODE	•	•	•
	SELF-CLEANING WAND	•	•	•
ENERGY SAVING	ENERGY-SAVE TIMER	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS
	AUTO ENERGY SAVER	•	•	•
	ON / OFF BUTTON	•	•	•
washLÉT®+		-	•	•

* WASHLET+ is a seat and toilet system specially designed to conceal the supply connections. Please refer to page 60 for more details.

S350e	S300e	C200		C100		A100
SW583 (round)	SW573 (round)	SW2044 (elongated)	SW2043R (round)	SW2034 (elongated)	SW2033R (round)	SW2014 (elongated)
						
SEE PAGE 58	SEE PAGE 58	SEE PAGE 59		SEE PAGE 59		SEE PAGE 59
#01, #12	#01, #12	#01, #12		#01, #12		#01
•	•	•		•		•
•	•	•		•		•
•	•	•		•		•
•	•	-		-		-
•	•	•		•		•
•	•	•		-		-
•	•	-		-		-
5 SETTINGS	5 SETTINGS	5 SETTINGS		5 SETTINGS		5 SETTINGS
5 SETTINGS	5 SETTINGS	5 SETTINGS		3 SETTINGS		3 SETTINGS
•	•	•		•		•
•	•	•		•		-
•	•	•		•		-
5 SETTINGS	5 SETTINGS	5 SETTINGS		3 SETTINGS		-
•	•	•		•		•
5 SETTINGS	5 SETTINGS	5 SETTINGS		3 SETTINGS		3 SETTINGS
•	•	•		•		•
•	•	•		•		•
•	-	-		-		-
-	-	-		-		-
•	•	•		SIDE PANEL		SIDE PANEL
•	-	-		-		-
-	-	-		-		-
•	•	•		•		•
-	-	-		-		-
•	•	-		-		-
•	•	•		•		-
•	•	•		•		•
•	•	•		•		•
3, 6, 9 HOURS	3, 6, 9 HOURS	-		-		-
•	•	•		•		•
•	•	-		-		-
-	-	•		•		-

ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET




WASHLET+







TOILETS

LAVATORIES

washL^{et}.[®]+

COMPARISON

		ELONGATED		
		S550E	S500E	S350E
				
		SW3056AT40 SW3054(A)T40	SW3046AT40 SW3044(A)T40	SW584T20
COLOR		#01	#01	#01
CLEANSE	CONCEALED SUPPLY CONNECTION	•	•	•
	REAR CLEANSE	•	•	•
	SOFT REAR CLEANSE	•	•	•
	FRONT CLEANSE	•	•	•
	WIDE FRONT CLEANSE	•	•	•
	OSCILLATING CLEANSE	•	•	•
	PULSATING CLEANSE	•	•	•
	INSTANTANEOUS WATER HEATING	•	•	•
	WATER PRESSURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WATER TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
	WAND POSITION ADJUSTMENT	•	•	•
AIR	AIR PURIFIER (DEODORIZER)	•	•	•
	AIR DRYER	•	•	•
	AIR TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
SEAT	HEATED SEAT	•	•	•
	HEATED SEAT TEMPERATURE CONTROL	5 SETTINGS	5 SETTINGS	5 SETTINGS
	SoftClose [®] SEAT AND LID	•	•	•
SENSOR	SEAT SENSOR	•	•	•
	AUTOMATIC OPEN AND CLOSE LID	•	—	•
	AUTOMATIC FLUSH	—	—	—
	NIGHT LIGHT	•	—	•
REMOTE CONTROL	REMOTE CONTROL	•	•	•
	REMOTE CONTROLLED SEAT	•	—	•
	REMOTE CONTROLLED FLUSH	—	—	—
HYGIENE	REMOVABLE LID	•	•	•
	EWATER+ [®]	•	•	•
	PREMIST [®]	•	•	•
	WAND CLEANING MODE	•	•	•
	SELF-CLEANING WAND	•	•	•
ENERGY SAVING	ENERGY-SAVE TIMER	3, 6, 9 HOURS	3, 6, 9 HOURS	3, 6, 9 HOURS
	AUTO ENERGY SAVER	•	•	•
RATED POWER USAGE		1288W	1287W	835W
LENGTH OF POWER CORD		Maximum length 4 ft.	Maximum length 4 ft.	Maximum length 4 ft.
WAND FLOW RATE	REAR	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.
	SOFT	10.8 - 14.5 oz. / min.	10.8 - 14.5 oz. / min.	10.8 - 14.5 oz. / min.
	FRONT	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.
	WATER TEMP	86°F - 104°F	86°F - 104°F	86°F - 104°F
DRYER	AIR TEMP	95°F - 140°F	95°F - 140°F	95°F - 140°F
	AIR VOLUME	10.24 ft ³ / min.	10.24 ft ³ / min.	10.24 ft ³ / min.
HEATED SEAT	SURFACE TEMP	82° F - 97° F	82° F - 97° F	82° F - 97° F
WATER SUPPLY PRESSURE		7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi
WATER SUPPLY TEMPERATURE		33°F to 95°F	33°F to 95°F	33°F to 95°F
AMBIENT TEMPERATURE		33°F to 104°F	33°F to 104°F	33°F to 104°F
SIZE	ELONGATED	15-5/16"W x 20-3/4"D x 3-15/16"H	15-5/16"W x 20-3/4"D x 3-15/16"H	15-5/16"W x 20-3/4"D x 3-15/16"H
	D-SHAPE	—	—	—
	SQUARE	—	—	—

ELONGATED			D-SHAPE		SQUARE SHAPE
S300E	C200	C100	C200	RX	SX
					
SW574T20	SW2044T20	SW2034T20	SW2047T20	SW4047(A)T60	SW4049(A)T60
#01	#01	#01	#01	#01	#01
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	—	—	—	—	—
•	•	•	•	•	•
•	•	—	•	•	•
•	—	—	—	•	•
5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	—	—
5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	—	—
•	•	•	•	•	•
5 SETTINGS	5 SETTINGS	3 SETTINGS	5 SETTINGS	5 SETTINGS	5 SETTINGS
•	•	•	•	•	•
•	•	•	•	•	•
—	—	—	—	•	•
—	—	—	—	—	—
•	•	SIDE PANEL	•	•	•
—	—	—	—	—	—
•	•	•	•	—	—
•	—	—	—	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
3, 6, 9 HOURS	—	—	—	—	—
•	•	•	•	•	•
835W	406W	406W	406W	1274W	1282W
Maximum length 4 ft.	Maximum length 3.94 ft.	Maximum length 3.94 ft.	Maximum length 3.94 ft.	Maximum length 2.95 ft.	Maximum length 2.95 ft.
9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9 - 14.1 oz. / min.	9 - 14.1 oz. / min.
10.8 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9.1 - 14.5 oz. / min.	9 - 14.1 oz. / min.	9 - 14.1 oz. / min.
9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	9.8 - 14.5 oz. / min.	10.2 - 14.1 oz. / min.	10.2 - 14.1 oz. / min.
86°F - 104°F	95°F - 104°F	95°F - 104°F	95°F - 104°F	95°F - 104°F	95°F - 104°F
95°F - 140°F	86°F - 140°F	86°F - 140°F	86°F - 140°F	—	—
10.24 ft3 / min.	9.54 ft3 / min.	9.54 ft3 / min.	9.54 ft3 / min.	5.65 ft3 / min.	5.65 ft3 / min.
82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F	82° F - 97° F
7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7 psi - 109 psi	7.25 psi - 109 psi	7.25 psi - 109 psi
33°F to 95°F	33°F to 95°F	33°F to 95°F	33°F to 95°F	32°F to 95°F	32°F to 95°F
33°F to 104°F	33°F to 104°F	33°F to 104°F	33°F to 104°F	32°F to 104°F	32°F to 104°F
15-5/16"W x 20-3/4"D x 3-15/16"H	15-3/8"W x 20-7/8"D x 7-3/8"H	18-13/16"W x 20-7/8"D x 7-3/8"H	—	—	—
—	—	—	15-3/8"W x 20-7/8"D x 7-3/8"H	15-1/2"W x 22-13/16"D x 5-3/4"H	—
—	—	—	—	—	15-1/4"W x 22-13/16"D x 5-3/4"H

ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS





LAVATORIES

washlet® +

 AUTO FLUSH

WASHLET	
ELONGATED	
S550E	S500E
	
SW3056AT40#01 SW3054AT40#01	SW3046AT40#01 SW3044AT40#01

WASHLET+ TOILETS		MODEL NUMBERS		EXTENSION ADAPTER	AUTO FLUSH KIT #	PAGE	KIT NUMBERS	
ONE-PIECE	AIMES®	CST626CEFGAT40#01		—	THU767	64	MW6263056CEFGA#01	MW6263046CEFGA#01
	AQUIA® IV	CST646CUMFGAT40#01			THU765	62	MW6463056CUMFGA#01	MW6463046CUMFGA#01
		CST646CEMFGAT40#01			THU765	62	MW6463056CEMFGA#01	MW6463046CEMFGA#01
	LEGATO®	CST624CEFGAT40#01			THU767	65	MW6243056CEFGA#01	MW6243046CEFGA#01
	NEXUS®	CST642CUFGAT40#01			THU766	63	MW6423056CUFGA#01	MW6423046CUFGA#01
		CST642CEFGAT40#01			THU767	63	MW6423056CEFGA#01	MW6423046CEFGA#01
TWO-PIECE	DRAKE	CT746CUFGT40#01	ST746UMA#01		THU765	71	MW7463056CUMFGA#01	MW7463046CUMFGA#01
		CT746CUGT40#01	ST746UMA#01		THU765	71	MW7463056CUMGA#01	MW7463046CUMGA#01
		CT746CUFGT40.10#01	ST746UMA#01		THU765	71	MW7463056CUMFGA.10#01	MW7463046CUMFGA.10#01
		CT746CUFGT40#01	ST746EMA#01		THU765	71	MW7463056CEMFGA#01	MW7463046CEMFGA#01
		CT746CUFGT40#01	ST746SMA#01		THU765	71	MW7463056CSMFGA#01	MW7463046CSMFGA#01
		CT746CUGT40#01	ST746EMA#01		THU765	71	MW7463056CEMGA#01	MW7463046CEMGA#01
		CT746CUGT40#01	ST746SMA#01	THU765	71	MW7463056CSMGA#01	MW7463046CSMGA#01	
		CT746CUFGT40.10#01	ST746EMA#01	THU765	71	MW7463056CEMFGA.10#01	MW7463046CEMFGA.10#01	
		CT746CUFGT40.10#01	ST746SMA#01	THU765	71	MW7463056CSMFGA.10#01	MW7463046CSMFGA.10#01	
	AQUIA IV	CT446CUFGT40#01	ST446UMA#01	9AU321-A	THU765	73	MW4463056CUMFGA#01	MW4463046CUMFGA#01
		CT446CUFGT40#01	ST446EMA#01	9AU321-A	THU765	73	MW4463056CEMFGA#01	MW4463046CEMFGA#01
		CT446CUGT40#01	ST446UMA#01	9AU321-A	THU765	72	MW4463056CUMGA#01	MW4463046CUMGA#01
		CT446CUGT40#01	ST446EMA#01	9AU321-A	THU765	72	MW4463056CEMGA#01	MW4463046CEMGA#01
	NEXUS	CT442CUFGT40#01	ST442UA#01	9AU321-A	THU766	74	MW4423056CUFGA#01	MW4423046CUFGA#01
		CT442CUFGT40#01	ST442EA#01	9AU321-A	THU767	74	MW4423056CEFGA#01	MW4423046CEFGA#01

WASHLET			
ELONGATED		D-SHAPE	SQUARE
S550E	S500E	RX	SX
			
SW3056AT40#01	SW3046AT40#01	SW4047AT60#01	SW4049AT60#01

WASHLET+ TOILETS		MODEL NUMBERS		PG.	KIT NUMBERS		
WALL-HUNG	AP	CT426CFGT40#01	WT173MA	81	CWT4263056CMFGA#MS	—	—
	EP	CT428CFGT40#01	WT173MA	81	CWT4283056CMFGA#MS		
	RP	CT447CFGT60#01	WT173MA	79	—	CWT4474047CMFGA#MS	
	SP	CT449CFGT60#01	WT173MA	79		CWT4494049CMFGA#MS	

washlet® +






NON AUTO FLUSH
COMPATIBLE



WASHLET+ TOILETS		MODEL NUMBERS		EXTENSION ADAPTER	PG	KIT NUMBERS	
ONE-PIECE	AIMES®	CST626CEFGAT40#01		—	64	MW6263056CEFG#01	MW6263046CEFG#01
	AQUIA® IV	CST646CUMFGAT40#01			62	MW6463056CUMFG#01	MW6463046CUMFG#01
		CST646CEMFGAT40#01			62	MW6463056CEMFG#01	MW6463046CEMFG#01
	LEGATO®	CST624CEFGAT40#01			65	MW6243056CEFG#01	MW6243046CEFG#01
	NEXUS®	CST642CUFGAT40#01			63	MW6423056CUFG#01	MW6423046CUFG#01
CST642CEFGAT40#01		63	MW6423056CEFG#01		MW6423046CEFG#01		
TWO-PIECE	DRAKE	CT746CUFGT40#01	ST746UMA#01		71	MW7463056CUMFG#01	MW7463046CUMFG#01
		CT746CUGT40#01	ST746UMA#01		71	MW7463056CUMG#01	MW7463046CUMG#01
		CT746CUFGT40.10#01	ST746UMA#01		71	MW7463056CUMFG.10#01	MW7463046CUMFG.10#01
		CT746CUFGT40#01	ST746EMA#01		71	MW7463056CEMFG#01	MW7463046CEMFG#01
		CT746CUFGT40#01	ST746SMA#01	71	MW7463056CSMFG#01	MW7463046CSMFG#01	
		CT746CUGT40#01	ST746EMA#01	71	MW7463056CEMG#01	MW7463046CEMG#01	
		CT746CUGT40#01	ST746SMA#01	71	MW7463056CSMG#01	MW7463046CSMG#01	
		CT746CUFGT40.10#01	ST746EMA#01	71	MW7463056CEMFG.10#01	MW7463046CEMFG.10#01	
		CT746CUFGT40.10#01	ST746SMA#01	71	MW7463056CSMFG.10#01	MW7463046CSMFG.10#01	
	AQUIA IV	CT446CUFGT40#01	ST446UM#01	9AU321-A	73	MW4463056CUMFG#01	MW4463046CUMFG#01
		CT446CUFGT40#01	ST446EM#01	9AU321-A	73	MW4463056CEMFG#01	MW4463046CEMFG#01
		CT446CUGT40#01	ST446UM#01	9AU321-A	72	MW4463056CUMG#01	MW4463046CUMG#01
		CT446CUGT40#01	ST446EM#01	9AU321-A	72	MW4463056CEMG#01	MW4463046CEMG#01
	CONNELLY®	CT494CEFGT40#01	ST494M#01	9AU321-A	75	MW4943054CEMFG#01	MW4943044CEMFG#01
	NEXUS	CT442CUFGT40#01	ST442UA#01	9AU321-A	74	MW4423056CUFG#01	MW4423046CUFG#01
		CT442CUFGT40#01	ST442EA#01	9AU321-A	74	MW4423056CEFG#01	MW4423046CEFG#01

WASHLET			
ELONGATED			
S350E	S300E	C200	C100
			
SW584T20#01	SW574T20#01	SW2044T20#01	SW2034T20#01

WASHLET+ TOILETS		MODEL NUMBERS	PG	KIT NUMBERS			
ONE-PIECE	ULTRAMAX® II 1G®	CST604CUFGT20#01	67	MW604584CUFG#01	MW604574CUFG#01	MW6042044CUFG#01	MW6042034CUFG#01
	ULTRAMAX II	CST604CEFGT20#01	67	MW604584CEFG#01	MW604574CEFG#01	MW6042044CEFG#01	MW6042034CEFG#01
	CARLYLE® II 1G®	CST614CUFGT20#01	66	MW614584CUFG#01	MW614574CUFG#01	MW6142044CUFG#01	MW6142034CUFG#01
	CARLYLE II	CST614CEFGT20#01	66	MW614584CEFG#01	MW614574CEFG#01	MW6142044CEFG#01	MW6142034CEFG#01
	SUPREME® II	CST634CEFGT20#01	69	MW634584CEFG#01	MW634574CEFG#01	MW6342044CEFG#01	MW6342034CEFG#01
	CAROLINA® II	CST644CEFGT20#01	68	MW644584CEFG#01	MW644574CEFG#01	MW6442044CEFG#01	MW6442034CEFG#01
TWO-PIECE	DRAKE® II 1G®	C454CUFGT20#01	77	MW454584CUFG#01	MW454574CUFG#01	MW4542044CUFG#01	MW4542034CUFG#01
		ST453U					
	DRAKE II	C454CEFGT20#01	77	MW454584CEFG#01	MW454574CEFG#01	MW4542044CEFG#01	MW4542034CEFG#01
		ST454E					
	VESPIN® II 1G®	CT474CUFGT20#01	76	MW474584CUFG#01	MW474574CUFG#01	MW4742044CUFG#01	MW4742034CUFG#01
		ST453U					
VESPIN II	CT474CEFGT20#01	76	MW474584CEFG#01	MW474574CEFG#01	MW4742044CEFG#01	MW4742034CEFG#01	
	ST454E						

WASHLET				
ELONGATED		D-SHAPE	SQUARE	D SHAPE
S550E	S500E	RX	SX	C200
				
SW3056AT40#01	SW3046AT40#01	SW4047T60#01	SW4049T60#01	SW2047T20#01

WASHLET+ TOILETS		MODEL NUMBERS	PG.	KIT NUMBERS				
WALL-HUNG	MH	CT437FGT20#01	79	—			CWT4372047MFG#MS	
		WT172M						
	AP	CT426CFG40#01	81	—	CWT4263046CMFG#MS		—	
		WT173M						
	EP	CT428CFG40#01	81		CWT4283046CMFG#MS			
		WT173M						
	RP	CT447CFG60#01	79		CWT4474047CMFG#MS			
		WT173M						
	SP	CT449CFG60#01	79		—			CWT4494049CMFG#MS
		WT173M						



TOTO CLEANOVATION

Clean gives peace of mind

Clean makes life beautiful

Clean feels refreshing

Clean is caring for people and the planet

Clean brings wellness to everyday life

TOTO innovation brings a new world of clean to life,
enriching every moment of every day.



EWATER+[®]
For WAND

PREVENTS the accumulation of
waste on WAND

CLEAN SYNERGY

Your toilet reappears clean every time



PREMIST[®]

PREVENTS waste
from CLINGING



EWATER+
For BOWL

PREVENTS the accumulation of
waste on BOWL



CEFIONTECT®

FORCES waste to
SLIDE DOWN



TORNADO FLUSH®

SWIRLS and EJECTS
waste entirely

CLEAN SYNERGY



EWATER+[®]
For BOWL

Prevents the accumulation of waste on bowl.

Electrolyzed water reduces waste and dirt you can't see.


EWATER+®

WASHES THE WAND AND TOILET BOWL WHERE WASTE TENDS TO ACCUMULATE AND PRODUCE STAINS THAT CAN BECOME PERMENANT.

Using no chemicals or cleaning agents, EWATER+ provides peace of mind every day that microscopic waste has no place to hide.




How EWATER+ Cleans



What is EWATER+?

Produced by electrolysis of the chloride ion in tap water. It is completely free of chemicals and cleaning agents. Over time, EWATER+ returns to its original state of ordinary water, making it completely environmentally friendly.



CLEAN SYNERGY



EWATER+[®]
For WAND

Prevents the accumulation of waste on wand.


The wand washes itself inside and out with EWATER+ to maintain hygienic conditions.



EWATER+®

BEFORE AND AFTER EACH USE, THE WAND AUTOMATICALLY WASHES ITSELF WITH EWATER+.

This thorough cleaning occurs inside the wand as well as all around the exterior. Even when the toilet is not being used, the wand periodically cleans itself to ensure constant hygienic conditions.



Without EWATER+


With EWATER+

Self-Cleaning Inside the Mechanism



Always Keeping Conditions Clean

Made of high-quality, waste-resistant resin and automatically sprayed with EWATER+ after each use, the wand is extremely resistant to waste and stains. What's more, the wand attaches to the seat, not the bowl, so waste is less likely to even reach it. Though the wand is self-cleaning, you will appreciate how easily you can reach it and wipe it spotless.



CLEAN SYNERGY



CEFIONTECT®

Forces waste to slide down.
Ultra-smooth ceramic leaves
nowhere for waste to cling.




PREMIST®

Prevents waste from clinging.
A film of water keeps waste
from clinging.

CEFIONTECT® IS AN ULTRA-SMOOTH CERAMIC GLAZE THAT COATS THE TOILET BOWL.

Its microscopic surface ridges are far smaller than waste particles, leaving no place for waste to gain a foothold. Extremely durable, CEFIONTECT is designed for enduring beauty and cleanliness.




Eliminating the microscopic gaps where waste hides

Conventional ceramic may appear perfectly smooth to the eyes, but has gaps where waste, mold and bacteria hide. At just one millionth of a millimeter, CEFIONTECTS's surface ridges are much tinier than waste particles.

What makes CEFIONTECT so durable?


Glass layers are burned onto conventional glaze, making CEFIONTECT an extremely durable material.



CEFIONTECT toilet micrograph *1Qm=0.001mm

Water has a strong affinity to CEFIONTECT

Hydrophilic describes organisms and materials that attract water. CEFIONTECT is hydrophilic. Water spreads easily over the toilet bowl, so waste particles easily wash away.



Water hydrophobic

Water hydrophilic



PREMIST®

To ensure waste washes away easily, a film of water keeps waste from clinging to the toilet bowl.

PREMIST automatically sprays water over the surface of the inner toilet bowl before every use. Due to the ceramic's hydrophilic nature, waste washes away more easily.



CLEAN SYNERGY



**TORNADO
FLUSH®**

Swirls and ejects waste entirely.
360° cleaning power reaches
every spot using less water.

DYNAMAX TORNADO FLUSH®
 USES 100% OF WATER TO CLEAN AND RINSE BOWL.



DYNAMAX combines powerful bowl cleaning and waste evacuation using water that is 100% projected from the rim creating 360° cleaning power. Using only 1.0/0.8 or 1.28/0.8 gallons per flush, coupled with a 25% larger trapway diameter, this high-efficiency system uses 20% less water with improved performance while also creating a quieter flush. With a modern rimless design, it performs more consistently and is easy to clean.

TORNADO FLUSH® NOT ONLY CLEANS MORE EFFECTIVELY, IT DOES SO QUIETLY USING LESS WATER.

Powerful streams of water merge and swirl 360 degrees, washing every spot inside the RIMLESS toilet bowl.



Powerful washing where waste accumulates most easily

TORNADO FLUSH's dynamic waterjet discharges from near the front of the toilet bowl, travels in a narrow channel along a hairpin curve, and with sustained water pressure thoroughly cleanses the areas where waste accumulates most easily - and then washes the entire bowl clean. Exquisitely high-quality ceramic makes this innovative design possible.

 **RIMLESS**


The RIMLESS design not only leaves no place for waste and germs to hide, it also makes for a much easier to clean toilet.





ACTILIGHT®


Photocatalytic glaze, the ultimate cleaning technology, has the natural power to decompose waste.



ACTILIGHT® elevates toilet cleaning to an extraordinary new dimension. With ultraviolet light and a titanium dioxide-fired toilet bowl, this extraordinary technology initiates a photocatalytic process that breaks down even microscopic waste particles.

State-of-the-art materials

Titanium dioxide attracts water to the surface of the toilet bowl, setting the stage for photocatalysis. The toilet bowl's photocatalytic glaze also contains zirconium oxide, which provides its extreme durability.



Operates 24 hours a day to maintain hygienic conditions

The photocatalytic process with UV light and titanium dioxide produces activated oxygen from the ambient oxygen and water molecules, which further breaks down organic waste and reduces the food source that microbes feed on.


PREMIST, a fine mist of water, is sprayed inside the toilet

Since waste is less able to adhere to a wet surface, it is more easily washed away

Automatic flushing, then spraying of EWATER+

The UV light continues to react with the titanium dioxide, decomposing waste on the toilet bowl

Before use → During use → After use → During standby



NEOREST®



NEOREST® NX2
NEOREST NX1



NEOREST 750H
NEOREST 700H



NEOREST AC®
NEOREST EW®



NEOREST AH




NEOREST RH

NEOREST®

Every moment of every day,
enjoy the cleanliness and comforts of
Life Anew.

Constantly at work, automated technologies keep surfaces hygienic
and maintain a place that is inviting and comfortable to use.

Cycle of Cleanliness and Comfort



NEOREST[®]
FEATURES



**SoftClose®
LID**

The SoftClose lid automatically closes gently to eliminate seat slamming.

PREMIST®

Using the incoming water supply, PREMIST wets the toilet bowl surface aiding in the elimination of waste approximately 80% better than a dry bowl.

HEATED SEAT

The contoured seat has five temperature settings for maximum comfort.

EWATER+®

After each use, EWATER+ sprays the bowl with electrolyzed water, reducing the need for harsh cleaning chemicals.

**SELF-CLEANING
WAND**

The self-cleaning function cleans the entire wand with EWATER+ before and after each use.

DRYER

Enjoy the ease and comfort of drying with the temperature-adjustable warm-air dryer.

ACTILIGHT®

Uses a special photocatalytic glaze and an ultraviolet light inside the lid to get rid of both visible and invisible waste. Available on NEOREST models NX2, AC, and 750H.

**AUTOMATIC
DEODORIZER**

The deodorizer cleans the air around the toilet using powerful filters. Air is drawn in, passing through an ionized carbon filter to eliminate unpleasant odors.





NEOREST® NX1;
MS900CUMFG



NEOREST®

NX2

MS901CUMFX (With ACTILIGHT)



reddot award 2018
winner



Remote (Front View)



Remote (Top View)

NEOREST®

NX1

MS900CUMFG



reddot award 2018
winner



Remote (Front View)



Remote (Top View)



CALGreen

- ACTILIGHT® UV light cleaning system built in lid (*NEOREST NX2 only*)
- TORNADO FLUSH® system, ultra-high efficiency
- Dual flush function (1.0 GPF/3.8 LPF and 0.8 GPF/3.0 LPF)
- CEFIONTECT® ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design - Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+® - Electrolyzed water that sanitizes toilet bowl and wand
- PREMIST® of bowl before each use
- Universal Height
- ADA compliant
- Meets WaterSense efficiency and performance standards

AVAILABLE
COLOR



#01
Cotton



NEOREST.
AH
 MS989CUMFG



Remote (Front View)



Remote (Top View)

NEOREST.
RH
 MS988CUMFG



Remote (Front View)



Remote (Top View)



CALGreen

- TORNADO FLUSH® system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CEFIONTECT® ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design - Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+® - Electrolyzed water that sanitizes toilet bowl and wand
- PREMIST® of bowl before each use
- Meets WaterSense efficiency and performance standards
- Universal Height
- ADA compliant

AVAILABLE COLORS





NEOREST AC[®];
CWT996CEMFX

NEOREST®

AC®/EW®

CWT996CEMFX/CWT994CEMFG



Remote (Front View)



Remote (Top View)

- *ACTILIGHT® UV light cleaning system built into lid
- 3D TORNADO FLUSH® system, ultra-high efficiency (1.28 GPF/4.8 LPF and 0.9 GPF/3.4 LPF)
- CEFIONTECT® ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design - Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+® - Electrolyzed water that sanitizes toilet bowl and wand
- PREMIST® of bowl before each use
- Universal Height
- ADA compliant
- Meets WaterSense efficiency and performance standards

*ACTILIGHT only available on NEOREST AC

**AVAILABLE
COLOR**



#01
Cotton

NEOREST IN-WALL TANK UNIT - 1.28/0.9 GPF

WT174M (Copper supply line)
2" x 6" installation
2" x 4" outlet kit available
Push plates sold separately



PUSH PLATE YT994#WH

Glass/White plastic





NEOREST 750H;
MS993CUMFX

NEOREST® 750H

MS993CUMFX (With ACTILIGHT)



Remote (Front View)



Remote (Top View)

NEOREST® 700H

MS992CUMFG



Remote (Front View)



Remote (Top View)



CALGreen


- ACTILIGHT® UV light cleaning system built in lid (*NEOREST 750H only*)
- TORNADO FLUSH® system, ultra-high efficiency (1.0GPF/3.8LPF and 0.8GPF/3.0LPF)
- CEFIONTECT® ceramic glaze minimizes debris and mold from sticking to porous, ceramic surfaces
- WASHLET® with three wash modes (front, rear, soft)
- Skirted Design - Concealed trapway for easy cleaning
- Auto open/close lid, auto flush
- EWATER+® - Electrolyzed water that sanitizes toilet bowl and wand
- PREMIST® of bowl before each use
- Universal Height
- ADA compliant
- Meets WaterSense efficiency and performance standards

AVAILABLE
COLOR



#01
Cotton

NEOREST® REMOTE CONTROL STAND



NEOREST REMOTE CONTROL STAND;
YS990

NEOREST®

YS990

- Versatile design with removable remote control plate for a stand alone toilet paper holder
- Solid brass construction weighing 22 lbs.
- Designed to hold two rolls of toilet paper and one remote control
- Remote control not included



**AVAILABLE
FINISH**



#CP
Polished
Chrome

For more information on dimensions please refer to product spec sheet.

ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS


LAVATORIES

REMOTE CONTROL HOW IT WORKS

Easy and Convenient to Use.

NEOREST®


NX2, NX1, AH, & RH models



*1.0 GPF available on NEOREST NX2, NX1, 750H, and 700H
1.28 GPF available on NEOREST AC and EW

NEOREST®

AC®, EW®, 750H, & 700H models



INTERFACE OF THE REMOTE CONTROL IS SUBJECT TO CHANGE.

For more information on dimensions please refer to product spec sheet.

TOTO : WASHLET



AUTOMATION THAT KEEPS YOU CLEAN AND COMFORTABLE

WASHLET® is an electronic bidet seat that cleanses you with warm water and provides an exceptionally clean feeling. With the touch of a button, the self-cleaning wand extends from under the seat to deliver soothing warm water. The wand is fully adjustable, allowing users to set the precise temperature and spray type.

Instead of traditional toilet paper that can sometimes be rough, WASHLET quickly provides comfortable warm water cleansing, heated seat, PREMIST, dryer, and automated technology.

A once mundane trip to the bathroom can become a spa-like experience with WASHLET.





REAR SPRAY

REAR SOFT SPRAY

FRONT SPRAY

WIDE FRONT SPRAY

TOTO : washlet

CLEANSING FUNCTIONS




CLEANSING FUNCTIONS

WITH THE TOUCH OF A BUTTON, A WAND EXTENDS FROM UNDER THE SEAT FOR SOOTHING WARM-WATER CLEANSING.

How WASHLET® works

AIR-IN WONDER-WAVE® technology is the precise, pleasant, air rich stream that keeps you clean. As water is fired at different speeds, small droplets collide with larger ones, combining and expanding as the droplets fill with more air. The injection of air enlarges water droplets by around 30%.



Select the type of cleansing you desire each time.



REAR SPRAY

The rear spray is designed to clean the rear intimate area. It features pleasant, yet strong water pressure to target this specific area.



REAR SOFT SPRAY

It has a larger radius to cover more area. Lower water pressure makes for a soft, comfortable spray.



FRONT SPRAY

The front wash consists of large, soft drops for comfortable intimate cleansing - for a clean, fresh feeling.



WIDE FRONT SPRAY


It has a larger radius to cover more area. Lower water pressure makes for a soft, comfortable spray.

S550e & S500e Remote Control

HOW THE REMOTE CONTROL WORKS


Easy and Convenient to Use.

WASHLET® S550e & S500e models



Interface of the remote control is subject to change.
Bracket available for wall-mounting.

WASHLET® S350e, S300e, & C200 models



*FRONT WIDE ON/OFF function only available on S350e/S300e

WASHLET® TECHNOLOGIES

For greater performance
and hygiene in the bathroom.

WASHLET is complete with functions designed for both comfort and hygiene, turning a mundane trip to the bathroom into a hygienic, spa-like experience.




No need to touch buttons or handles
and never worry about someone
forgetting to flush — it's automatic
after each use

**Auto Flush models only*



The wand washes itself inside and
out with EWATER+ to maintain
hygienic conditions.




Using the incoming water supply,
PREMIST wets the toilet bowl surface
aiding in the elimination of waste
approximately 80% better than
a dry bowl.

**Not available on A100*




Deodorizing automatically takes place inside the toilet bowl both during and immediately after use, leaving no disturbing odors.

**Not available on A100*




The moment you approach the toilet, the seat begins rapidly warming to a comfortable temperature.



Eliminating the need to touch the toilet surfaces, the lid automatically opens and closes when the toilet is approached and departed.

**S550e and S350e only*



Enjoy the ease and comfort of drying with the temperature-adjustable warm-air dryer.

**Not available on A100*



WASHLET®
G400 WITH INTEGRATED TOILET
MS920CEMFG (elongated)



- 3D TORNADO FLUSH® system
- Dual flush option
- CEFIONTECT® ceramic glaze
- Sleek, full skirted one-piece
- Elongated front bowl
- 12" rough-in
- Mounting and connection hardware included
- Universal height
- ADA compliant
- PREMIST® of bowl before each use
- WASHLET® cleansing with 5 water pressure settings
- Front and rear cleanse
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Auto open/close lid
- Hands-free automatic flush
- Meets WaterSense efficiency and performance standards

**AVAILABLE
 COLORS**



#01
 Cotton



#12
 Sedona
 Beige

WASHLET®
S550E / S500E
 CONTEMPORARY
 SW3056 (elongated)
 SW3046 (elongated)



- Elongated front WASHLET toilet seat with cover
- EWATER+® on wand and bowl
- PREMIST® of bowl before each use
- Auto open/close lid (*Only WASHLET S550e*)
- Remote control operated
- Front and rear warm water washing with adjustable temperature and pressure controls
- Heated seat with temperature control
- Automatic air deodorizer
- Warm air dryer
- Illuminated touch pad
- 2 user memory
- Night light (*Only WASHLET S550e*)
- SoftClose® Seat
- Quick release feature
- Mounting and connection hardware included

WASHLET
S550E / S500E
 CLASSIC
 SW3054 (elongated)
 SW3044 (elongated)




- Elongated front WASHLET toilet seat with cover
- EWATER+ on wand and bowl
- PREMIST of bowl before each use
- Auto open/close lid (*Only WASHLET S550e*)
- Remote control operated
- Front and rear warm water washing with adjustable temperature and pressure controls
- Heated seat with temperature control
- Automatic air deodorizer
- Warm air dryer
- Illuminated touch pad
- 2 user memory
- Night light (*Only WASHLET S550e*)
- SoftClose Seat
- Quick release feature
- Mounting and connection hardware included

**AVAILABLE
 COLORS**



#01
 Cotton



#12
 Sedona
 Beige

For more information on dimensions please refer to product spec sheet.

ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES

WASHLET®
S350E
 SW583 (round)



- WASHLET® cleansing with 5 water pressure settings
- EWATER+® technology
- PREMIST® of bowl before each use
- Front and rear cleanse
- SoftClose® seat
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Instantaneous water heating
- 2 user memory
- Quick release feature
- Auto open/close lid
- Night light

WASHLET
S300E
 SW573 (round)



- WASHLET cleansing with 5 water pressure settings
- EWATER+ technology
- PREMIST of bowl before each use
- Front and rear cleanse
- SoftClose seat
- Adjustable water and seat temperatures
- Oscillating spray option
- Warm-air dryer
- Built-in air deodorizing system
- Instantaneous water heating
- 2 user memory
- Quick release feature

**AVAILABLE
 COLORS**



WASHLET®
C200
 SW2044 (elongated)
 SW2043R (round)



- Gentle aerated, warm water, dual action spray with oscillating and pulsating feature
- PREMIST® of bowl before each use
- Front and rear cleanse
- SoftClose® seat
- Adjustable water temperature and pressure
- Warm air drying with five variable temperature settings
- Built-in air deodorizer
- Wireless remote with touch pad
- 2 user settings
- Adjustable seat temperature

WASHLET
C100
 SW2034 (elongated)
 SW2033R (round)



- Gentle aerated, warm water, dual action spray with oscillating feature
- PREMIST of bowl before each use
- Front and rear cleanse
- SoftClose seat
- Adjustable water temperature and pressure
- Warm air drying with five variable temperature settings
- Built-in air deodorizer
- Adjustable seat temperature

WASHLET
A100
 SW2014 (elongated)



- Gentle aerated, warm water, dual action spray with oscillating feature
- Front and rear cleanse
- SoftClose seat
- Adjustable water temperature and pressure
- Adjustable seat temperature
- Available only in #01 Cotton

**AVAILABLE
 COLORS**



#01
 Cotton



#12
 Sedona
 Beige

For more information on dimensions please refer to product spec sheet.

ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES

washlet® +

INTRODUCING A NEW SERIES OF
WASHLET+ TOILET AND SEAT SETS.




THE NEW STANDARD OF COMFORT AND CLEANLINESS FOR DAILY LIFE.

Designed for every home, **WASHLET®+** is the smart way to introduce the comfort and cleanliness of TOTO technology into your life. Each unit is harmoniously designed with a concealed connection - no visible hoses or cords - making the bathroom a most inviting space. A wide range of sets are available for you to discover.

HOW IT WORKS

WASHLET+ offers a concealed supply connection for seamless installation.



WASHLET®+ ONE-PIECE TOILETS

AQUIA® IV WASHLET+



*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW6463056CUMFG(A)#01 - 1.0 GPF / 0.8 GPF

MW6463056CEMFG(A)#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with S550e



MW6463046CUMFG(A)#01 - 1.0 GPF / 0.8 GPF

MW6463046CEMFG(A)#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with S500e



WASHLET®+ ONE-PIECE TOILETS

NEXUS® WASHLET+



*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW6423056CUFG(A)#01 - 1.0 GPF
 MW6423056CEFG(A)#01 - 1.28 GPF
 NEXUS WASHLET+ with S550e



MW6423046CUFG(A)#01 - 1.0 GPF
 MW6423046CEFG(A)#01 - 1.28 GPF
 NEXUS WASHLET+ with S500e



WASHLET®+ ONE-PIECE TOILETS

AIMES® WASHLET+



COMPATIBLE OPTIONS

MW6263056CEFG(A)#01 - 1.28 GPF

AIMES WASHLET+ with S550e



MW6263046CEFG(A)#01 - 1.28 GPF

AIMES WASHLET+ with S500e



*(A) indicates toilet is auto flush compatible.

WASHLET®+ ONE-PIECE TOILETS

LEGATO® WASHLET+



*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW6243056CEFG(A)#01 - 1.28 GPF
LEGATO WASHLET+ with S550e



MW6243046CEFG(A)#01 - 1.28 GPF
LEGATO WASHLET+ with S500e



ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES

WASHLET®+ ONE-PIECE TOILETS

CARLYLE® II WASHLET+



COMPATIBLE OPTIONS

MW614584CUFG#01 - 1.0 GPF
 MW614584CEFG#01 - 1.28 GPF
 CARLYLE II WASHLET+ with S350e



MW614574CUFG#01 - 1.0 GPF
 MW614574CEFG#01 - 1.28 GPF
 CARLYLE II WASHLET+ with S300e



MW6142044CUFG#01 - 1.0 GPF
 MW6142044CEFG#01 - 1.28 GPF
 CARLYLE II WASHLET+ with C200



MW6142034CUFG#01 - 1.0 GPF
 MW6142034CEFG#01 - 1.28 GPF
 CARLYLE II WASHLET+ with C100



WASHLET®+ ONE-PIECE TOILETS

ULTRAMAX® II WASHLET+



COMPATIBLE OPTIONS

MW604584CUFG#01 - 1.0 GPF
 MW604584CEFG#01 - 1.28 GPF
 ULTRAMAX II WASHLET+ with S350e



MW604574CUFG#01 - 1.0 GPF
 MW604574CEFG#01 - 1.28 GPF
 ULTRAMAX II WASHLET+ with S300e



MW6042044CUFG#01 - 1.0 GPF
 MW6042044CEFG#01 - 1.28 GPF
 ULTRAMAX II WASHLET+ with C200



MW6042034CUFG#01 - 1.0 GPF
 MW6042034CEFG#01 - 1.28 GPF
 ULTRAMAX II WASHLET+ with C100



WASHLET®+ ONE-PIECE TOILETS

CAROLINA® II WASHLET+



COMPATIBLE OPTIONS

MW644584CEFG#01 - 1.28 GPF
CAROLINA II WASHLET+ with S350e



MW644574CEFG#01 - 1.28 GPF
CAROLINA II WASHLET+ with S300e



MW6442044CEFG#01 - 1.28 GPF
CAROLINA II WASHLET+ with C200



MW6442034CEFG#01 - 1.28 GPF
CAROLINA II WASHLET+ with C100



WASHLET®+ ONE-PIECE TOILETS

SUPREME® II WASHLET+



COMPATIBLE OPTIONS

MW634584CEFG#01 - 1.28 GPF
SUPREME II WASHLET+ with S350e



MW634574CEFG#01 - 1.28 GPF
SUPREME II WASHLET+ with S300e



MW6342044CEFG#01 - 1.28 GPF
SUPREME II WASHLET+ with C200



MW6342034CEFG#01 - 1.28 GPF
SUPREME II WASHLET+ with C100



ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES



WASHLET®+ TWO-PIECE TOILETS

NEW

DRAKE WASHLET+ (Universal Height)



*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

- MW7463056CUM(F)G(A)#01 - 1.0 GPF / 0.8 GPF
- MW7463056CEM(F)G(A)#01 - 1.28 GPF / 0.8 GPF
- MW7463056CSM(F)G(A)#01 - 1.6 GPF / 0.8 GPF
- DRAKE WASHLET+ with S550e



- MW7463046CUM(F)G(A)#01 - 1.0 GPF / 0.8 GPF
- MW7463046CEM(F)G(A)#01 - 1.28 GPF / 0.8 GPF
- MW7463046CSM(F)G(A)#01 - 1.6 GPF / 0.8 GPF
- DRAKE WASHLET+ with S500e



ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES

WASHLET®+ TWO-PIECE TOILETS

AQUIA® IV WASHLET+



*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW4463056CUMG(A)#01 - 1.0 GPF / 0.8 GPF

MW4463056CEMG(A)#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with S550e



MW4463046CUMG(A)#01 - 1.0 GPF / 0.8 GPF

MW4463046CEMG(A)#01 - 1.28 GPF / 0.8 GPF

AQUIA IV WASHLET+ with S500e



WASHLET®+ TWO-PIECE TOILETS

AQUIA® IV WASHLET+ (Universal Height)



*(A) indicates toilet is auto flush compatible.

COMPATIBLE OPTIONS

MW4463056CUMFG(A)#01 - 1.0 GPF / 0.8 GPF
 MW4463056CEMFG(A)#01 - 1.28 GPF / 0.8 GPF
 AQUIA IV WASHLET+ with S550e



MW4463046CUMFG(A)#01 - 1.0 GPF / 0.8 GPF
 MW4463046CEMFG(A)#01 - 1.28 GPF / 0.8 GPF
 AQUIA IV WASHLET+ with S500e



ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES

WASHLET®+ TWO-PIECE TOILETS

NEXUS® WASHLET+



COMPATIBLE OPTIONS

MW4423056CUFG(A)#01 - 1.0 GPF

MW4423056CEFG(A)#01 - 1.28 GPF

NEXUS WASHLET+ with S550e



MW4423046CUFG(A)#01 - 1.0 GPF

MW4423046CEFG(A)#01 - 1.28 GPF

NEXUS WASHLET+ with S500e



*(A) indicates toilet is auto flush compatible.

WASHLET®+ TWO-PIECE TOILETS

CONNELLY® WASHLET+



COMPATIBLE OPTIONS

MW4943054CEMFG#01 - 1.28 GPF / 0.8 GPF
CONNELLY WASHLET+ with S550e



MW4943044CEMFG#01 - 1.28 GPF / 0.8 GPF
CONNELLY WASHLET+ with S500e



ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES

WASHLET®+ TWO-PIECE TOILETS

VESPIN® II WASHLET+



COMPATIBLE OPTIONS

MW474584CUFG#01 - 1.0 GPF
MW474584CEFG#01 - 1.28 GPF
 VESPIN II WASHLET+ with S350e



MW474574CUFG#01 - 1.0 GPF
MW474574CEFG#01 - 1.28 GPF
 VESPIN II WASHLET+ with S300e



MW4742044CUFG#01 - 1.0 GPF
MW4742044CEFG#01 - 1.28 GPF
 VESPIN II WASHLET+ with C200



MW4742034CUFG#01 - 1.0 GPF
MW4742034CEFG#01 - 1.28 GPF
 VESPIN II WASHLET+ with C100



WASHLET®+ TWO-PIECE TOILETS

DRAKE® II WASHLET+



COMPATIBLE OPTIONS

MW454584CUFG#01 - 1.0 GPF
 MW454584CEFG#01 - 1.28 GPF
 DRAKE II WASHLET+ with S350e



MW454574CUFG#01 - 1.0 GPF
 MW454574CEFG#01 - 1.28 GPF
 DRAKE II WASHLET+ with S300e



MW4542044CUFG#01 - 1.0 GPF
 MW4542044CEFG#01 - 1.28 GPF
 DRAKE II WASHLET+ with C200



MW4542034CUFG#01 - 1.0 GPF
 MW4542034CEFG#01 - 1.28 GPF
 DRAKE II WASHLET+ with C100





SP WASHLET+ SX
WALL-HUNG TOILET

WASHLET®+ WALL-HUNG TOILETS

NEW

RP WASHLET+



CWT4474047CMFG(A)#MS

1.28 GPF / 0.9 GPF

RP WASHLET+ with RX



*Requires WT173M(A) In-Wall Tank System and Push Plate

NEW

SP WASHLET+



CWT4494049CMFG(A)#MS

1.28 GPF / 0.9 GPF

SP WASHLET+ with SX



*Requires WT173M(A) In-Wall Tank System and Push Plate

MH® WASHLET+



CWT4372047MFG#MS

1.28 GPF / 0.9 GPF

MH WASHLET+ with C200



*Requires WT172M In-Wall Tank System and Push Plate

WASHLET®+ WALL-HUNG COMPONENTS

DUOFIT® IN-WALL TANK SYSTEM - 1.28/0.9 GPF

WT172M (Exposed Water Outlet)
WT173M(A) (Hidden Water Outlet)

2' x 6" installation
2' x 4" outlet kit available
Push plates sold separately



PUSH PLATE YT920#MS

Matte Silver



PUSH PLATE YT920#WH

White Matte



PUSH PLATE YT930#MS

Matte Silver



PUSH PLATE YT930#WH

White Matte



PUSH PLATE YT970#SS

Stainless Steel



PUSH PLATE YT980#SS

Stainless Steel





AP WASHLET+ S550e
WALL-HUNG TOILET

WASHLET®+ WALL-HUNG TOILETS

NEW

AP WASHLET+



CWT4263056CMFGA#MS - 1.28 GPF / 0.9 GPF

AP WASHLET+ with S550e



CWT4263046CMFG#MS - 1.28 GPF / 0.9 GPF

AP WASHLET+ with S500e



*Requires In-Wall Tank System and Push Plate

NEW

EP WASHLET+



CWT4283056CMFGA#MS - 1.28 GPF / 0.9 GPF

EP WASHLET+ with S550e



CWT4283046CMFG#MS - 1.28 GPF / 0.9 GPF

EP WASHLET+ with S500e



*Requires In-Wall Tank System and Push Plate

WASHLET®+ WALL-HUNG COMPONENTS

**DUOFIT® IN-WALL
TANK SYSTEM - 1.28/0.9 GPF**
WT172M (Exposed Water Outlet)
WT173M(A) (Hidden Water Outlet)

2' x 6" installation
2' x 4" outlet kit available
Push plates sold separately



**PUSH PLATE
YT920#MS**

Matte Silver



**PUSH PLATE
YT920#WH**

White Matte



**PUSH PLATE
YT930#MS**

Matte Silver



**PUSH PLATE
YT930#WH**

White Matte



**PUSH PLATE
YT970#SS**

Stainless Steel



**PUSH PLATE
YT980#SS**

Stainless Steel





TOILET TECHNOLOGIES

Our 1G toilets offer substantial water savings without wavering on our renowned performance. Using our powerful — yet surprisingly quiet — gravity-fed, hole-free rim TORNADO FLUSH® technology, 1G fully evacuates the bowl with an ultra-efficient one gallon of water. Combined with the extraordinarily smooth CEFIONTECT® glaze that prevents particulates from adhering to porous, ceramic surfaces every inch of your bowl stays cleaner, longer.



VS.



TOTO® 1G TOILETS

5,840 GALLONS*
Used in Flushing

\$175 Operation
Cost

PER YEAR

STANDARD 1.6 GPF TOILETS

9,344 GALLONS*
Used in Flushing

\$280 Operation
Cost

PER YEAR



*The average American flushes five times a day at home. Assuming an average household of 3.2 people over 365 days @ 3¢ per gallon.

ONE-PIECE TORNADO FLUSH TOILETS

AQUIA® IV
 MS646124CUMF(G) (Elongated) - 1.0 GPF
 MS646124CEMF(G) (Elongated) - 1.28 GPF
 SS124 seat included



AQUIA® IV
 *MS646234CUMFG (Elongated) - 1.0 GPF
 *MS646234CEMFG (Elongated) - 1.28 GPF
 SS234 seat included
 Available in #01 only



PROMENADE® II
 MS814224CUF(G) (Elongated) - 1.0 GPF
 MS814224CEF(G) (Elongated) - 1.28 GPF
 SS224 seat included



NEXUS®
 MS642124CUF(G) (Elongated) - 1.0 GPF
 MS642124CEF(G) (Elongated) - 1.28 GPF
 SS124 seat included



NEXUS®
 *MS642234CUFG (Elongated) - 1.0 GPF
 *MS642234CEFG (Elongated) - 1.28 GPF
 SS234 seat included
 Available in #01 only



AIMES®
 MS626124CEF(G) (Elongated) - 1.28 GPF
 SS124 seat included



AIMES
 *MS626234CEFG (Elongated) - 1.28 GPF
 SS234 seat included



LEGATO®
 MS624124CEF(G) (Elongated) - 1.28 GPF
 SS124 seat included



LEGATO
 *MS624234CEFG (Elongated) - 1.28 GPF
 SS234 seat included
 Available in #01 only



AVAILABLE COLORS



*Available only in #01 Cotton
 (G) Ebony #51 less CeFIONtect
 (R) Right-hand trip lever available
 For more information on dimensions please refer to product spec sheet.

ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES

ONE-PIECE TORNADO FLUSH TOILETS CONTINUED

ECO SOIRÉE®

MS964214CEF(G) (Elongated) - 1.28 GPF
 SS214 seat included



CARLYLE® II

MS614114CUF(R)(G) (Elongated) - 1.0 GPF
 MS614114CEF(R)(G) (Elongated) - 1.28 GPF
 SS114 seat included



ULTRAMAX® II

MS604114CUF(R)(G) (Elongated) - 1.0 GPF
 MS604114CEF(R)(G) (Elongated) - 1.28 GPF
 SS114 seat included



CAROLINA® II

MS644114CEF(G) (Elongated) - 1.28 GPF
 SS114 seat included



SUPREME® II

MS634114CEF(G) (Elongated) - 1.28 GPF
 SS114 seat included



TWO-PIECE TORNADO FLUSH TOILETS

NEW

DRAKE®

MS746124CUM(F)G (Elongated) - 1.0 GPF
 MS746124CEM(F)G (Elongated) - 1.28 GPF
 MS746124CSM(F)G (Elongated) - 1.6 GPF
 SS124 seat included



NEW

DRAKE

CST746124CUM(F)(R)(G) (Elongated) - 1.0 GPF
 CST746124CEM(F)(R)(G) (Elongated) - 1.28 GPF
 CST746124CSM(F)(G) (Elongated) - 1.6 GPF
 Seat sold separately



NEXUS®

MS642124CUF(G) (Elongated) - 1.0 GPF
 MS642124CEF(G) (Elongated) - 1.28 GPF
 SS124 seat included



TWO-PIECE TORNADO FLUSH TOILETS CONTINUED

NEXUS®

*MS642234CUFG (Elongated) - 1.0 GPF
 *MS642234CEFG (Elongated) - 1.28 GPF
 SS234 seat included
 Available in #01 only



AQUIA® IV

MS446124CUM(F)(G) (Elongated) - 1.0 GPF
 MS446124CEM(F)(G) (Elongated) - 1.28 GPF
 SS124 seat included
 Regular height available



AQUIA® IV

*MS446234CUMFG (Elongated) - 1.0 GPF
 *MS446234CEMFG (Elongated) - 1.28 GPF
 SS234 seat included
 Available in #01 only



AQUIA IV

CST446CUM(F)G (Elongated) - 1.0 GPF
 CST446CEM(F)G - 1.28 GPF
 Regular Height Available



CONNELLY®

MS494124CEMF(G) (Elongated)
 - 1.28 GPF/0.9 GPF
 SS124 seat included



CONNELLY

*MS494234CEMFG (Elongated)
 - 1.28 GPF/0.9 GPF
 SS234 seat included
 Available in #01 only



CONNELLY

CST494CEMF(R)(G) (Elongated)
 - 1.28 GPF/0.9 GPF



DRAKE® II

CST454CUF(R)(G) (Elongated) - 1.0 GPF
 CST454CEF(R)(G) (Elongated) - 1.28 GPF



DRAKE II ROUND FRONT

CST453CUF(R)(G) (Round) - 1.0 GPF
 CST453CEF(R)(G) (Round) - 1.28 GPF



AVAILABLE COLORS



For more information on dimensions please refer to product spec sheet.

*Available only in #01 Cotton
 Two-piece toilet seat sold separately
 (G) Ebony #51 less CeFiONtect
 (R) Right-hand trip lever available

ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES

TWO-PIECE TORNADO FLUSH TOILETS CONTINUED

VESPIN® II

CST474CUF(R)(G) (Elongated) - 1.0 GPF
 CST474CEF(R)(G) (Elongated) - 1.28 GPF



PROMENADE II

CST404CUF(G) (Elongated) - 1.0 GPF
 CST404CEF(G) (Elongated) - 1.28 GPF



MARIS®

CST484CEMF(G) (Elongated)
 - 1.28 GPF/0.9 GPF



ONE-PIECE HIGH-EFFICIENCY TOILETS

ECO ULTRAMAX®

*MS854114E(L)(G) (Elongated) - 1.28 GPF
 *MS853113E (Round) - 1.28 GPF
 SS114 seat included (MS854114E(L)(G))
 SS113 seat included (MS853113E)
 ADA height available (MS854114EL(G))
 CeFiONtect available (MS854114EL(G))
 Standard glazed model available



ULTIMATE®

MS854114 (Elongated) - 1.6 GPF
 MS853113 (Round) - 1.6 GPF
 SS114 seat included (MS854114)
 SS113 seat included (MS853113)



AVAILABLE COLORS



*1.6 GPF version available
 (G) Ebony #51 less CeFiONtect

For more information on dimensions please refer to product spec sheet.

TWO-PIECE HIGH-EFFICIENCY TOILETS

ECO DRAKE® TRANSITIONAL

**CST744EN(G) (Elongated) - 1.28 GPF
 CST743EN (Round) - 1.28 GPF
 ADA height available (CST744ELNG)
 Standard glazed model available



ECO DRAKE

***CST744E(R)(G) (Elongated) - 1.28 GPF
 *CST743E(R) (Round) - 1.28 GPF
 ADA height available (CST744ELG)
 Bolt-down tank lid available
 Standard glazed model available



ECO CLAYTON®

*CST784EF (Elongated) - 1.28 GPF



ECO DARTMOUTH®

CST754EF (Elongated) - 1.28 GPF



ECO PROMENADE®

*CST423EF(G) (Round) - 1.28 GPF
 Standard glazed model available



ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES

AVAILABLE COLORS



Two-piece toilet seat sold separately
 *1.6 GPF version available
 (G) Ebony #51 less CeFIONtect
 (R) Right-hand trip lever available
 ** 10" Rough-in available

***Limited inventory. Available while supplies last.
 For more information on dimensions please refer to product spec sheet.

WALL-HUNG TOILETS



WALL-HUNG TOILETS

RP WALL-HUNG TOILET 1.28/0.9 GPF

CWT447247CMFG#WH
Includes seat SS247, in-wall tank WT172M, and push plate YT930#WH
Can be mounted at ADA height



SP WALL-HUNG TOILET 1.28/0.9 GPF

CWT449249CMFG#WH
Includes seat SS249, in-wall tank WT172M, and push plate YT920#WH
Can be mounted at ADA height



NEW

AP WALL-HUNG TOILET 1.28/0.9 GPF

CWT426CMFG#WH
Includes in-wall tank WT172M, and push plate YT930#WH
Can be mounted at ADA height



NEW

EP WALL-HUNG TOILET 1.28/0.9 GPF

CWT428CMFG#WH
Includes in-wall tank WT172M, and push plate YT930#WH
Can be mounted at ADA height




BASIC ROUND PUSH PLATE - DUAL BUTTON

YT930#WH
YT930#MS
White Matte
Matte Silver



WALL ROUND PUSH PLATE - DUAL BUTTON

YT970#SS
Brushed Stainless Steel




BASIC SQUARE PUSH PLATE - DUAL BUTTON

YT920#WH
YT920#MS
White Matte
Matte Silver



WALL SQUARE PUSH PLATE - DUAL BUTTON

YT980#SS
Brushed Stainless Steel



NEW

DUOFIT® IN-WALL TANK SYSTEM - 1.28/0.9 GPF

WT172M (Exposed Water Outlet)
WT173M(A) (Hidden Water Outlet)
2" x 6" installation
2" x 4" outlet kit available
Push plates sold separately



AVAILABLE
COLOR



#01
Cotton

For more information on dimensions please refer to product spec sheet.

ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES

WALL-HUNG TOILETS



MH® WALL-HUNG TOILET;
CT437FG

WALL-HUNG TOILETS

MH WALL-HUNG TOILET 1.28/0.9 GPF

CWT437117MFG#WH (D-shape)
Includes seat SS117, in-wall tank
WT172M, and push plate YT920#WH
Can be mounted at ADA height



AQUIA® WALL-HUNG TOILET 1.6/0.9 GPF

CWT418MFG#WH (Elongated)
Includes in-wall tank WT171M and
push plate YT920#WH
Can be mounted at ADA height
Seat sold separately



MARIS® WALL-HUNG TOILET 1.6/0.9 GPF

CWT486MFG#WH (Elongated)
Includes in-wall tank WT171M and
push plate YT920#WH
Can be mounted at ADA height
Seat sold separately



BASIC ROUND PUSH PLATE - DUAL BUTTON

YT930#WH
YT930#MS
White Matte
Matte Silver



WALL ROUND PUSH PLATE - DUAL BUTTON

YT970#SS
Brushed Stainless Steel



BASIC SQUARE PUSH PLATE - DUAL BUTTON

YT920#WH
YT920#MS
White Matte
Matte Silver



WALL SQUARE PUSH PLATE - DUAL BUTTON

YT980#SS
Brushed Stainless Steel



DUOFIT® IN-WALL TANK SYSTEM - 1.28/0.9 GPF

WT172M (Copper supply line)
2" x 6" installation
2" x 4" outlet kit available
Push plates sold separately



DUOFIT IN-WALL TANK SYSTEM - 1.6/0.9 GPF

WT171M (Copper supply line)
2" x 6" installation
2" x 4" outlet kit available
Push plates sold separately



AVAILABLE
COLORS



#01
Cotton

For more information on dimensions please refer to product spec sheet.

ICONS

CHARTS

TECHNOLOGIES


NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES





VESSEL LAVATORIES



KIWAMI® ASYMMETRICAL VESSEL LAVATORY;
LT477MT

LUMINIST® RECTANGLE

LLT151

W 19-11/16" x D 12-5/8" x H 3-9/16"
Basin W 17-7/8" x D 10-13/16"



LUMINIST ROUND

LLT150

ø15-3/4" Dia. H 3-9/16"
Basin ø14-7/8" Dia.



KIWAMI® RECTANGLE



LT476(G)(MT) (Shown)

W 23-5/8" x D 15" x H 2-13/16"
Basin W 23-5/16" x D 14-11/16" x H 3-9/16"

LT475(G)(MT)

W 19-11/16" x D 15" x H 2-13/16"
Basin W 19-3/8" x D 14-11/16" x H 3-9/16"



CLEAN MATTE (MT) available Q4 2019

NEOREST® KIWAMI SEMI-RECESSED

LT994G (Shown)

W 29-3/8" x D 17-5/8"
Basin W 28-7/16" x D 16-15/16"

LT995G

W 23-7/16" x D 15-5/8"
Basin W 22-1/2" x D 15"



KIWAMI RENESSE® II

**LT171G

W 23-5/8" x D 17-3/4" x H 2-3/4"
Basin W 21-5/8" x D 12-3/4"



KIWAMI RENESSE I

**LT172G

W 18-1/8" x D 18-1/8" x H 2-1/8"
Basin W 16-1/8" x D 12-1/2"



VERNICA® DESIGN II

*LT155

Basin W 20" x H 18"



MARIS®

LT480G

W 19-1/2" x D 15-5/32" x H 2"
Basin W 18-13/16" x D 15-1/16"



ARVINA® RECTANGLE

LT426G (Shown)

W 23-5/8" x D 13-13/16" x H 2-13/16"
Basin W 23" x D 14-5/16" x H 4-3/4"

LT425G

W 19-11/16" x D 13-13/16" x H 2-13/16"
Basin W 19-1/16" x D 14-5/16" x H 4-3/4"



ARVINA RECTANGLE



**LT416G (Shown)

23-5/8" x D 17-3/4" x H 2-13/16"
Basin W 22-7/8" x D 13-1/8" x H 4-3/4"

*LT415G

W 19-11/16" x D 17-3/4" x H 2-13/16"
Basin W 19-1/16" x D 13-1/8" x H 4-3/4"



ARVINA SQUARE

LT574

W 16-9/16" x D 16-9/16" x H 4-15/16"
Basin W 16-1/16" x D 16-1/16"



ARVINA ROUND

LT572 (Shown)

ø15-3/4" Dia. H 4-15/16"

Basin ø15-1/4" Dia.

LT573

ø16-9/16" Dia. H 4-15/16"
Basin ø16-1/8" Dia.



NEW

KIWAMI ASYMMETRICAL

LT477(G)(MT)

Basin W 20" x H 18"



CLEAN MATTE (MT) available Q4 2019

KIWAMI® OVAL



LT473(G)(MT)

W 15-3/4" x D 10-1/4" x H 3-1/8"
Basin: W 15-7/16" x D 9-15/16"

LT474(G)(MT) (Shown)

W 23-5/8" x D 16-9/16" x H 3-9/16"
Basin W 23-5/16" x D 16-1/4"



CLEAN MATTE (MT) available Q4 2019

ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES

*Available in single-hole, 4", or 8" centers

**Available in single-hole or 8" centers

For more information on dimensions please refer to product spec sheet.

PEDESTAL LAVATORIES



GUINEVERE® PEDESTAL LAVATORY; LPT972#01
SINGLE HANDLE FAUCET; TL970SDLQ

CLAYTON®

*LPT780

W 27" x D 19-5/8" x H 34"



DARTMOUTH®

*LPT642

W 24-1/4" x D 18-1/4" x H 34"



GUINEVERE®

**LPT970/LPT972

W 27-1/8" x D 19-7/8" x H 34" (LPT970)
W 24-3/8" x D 19-7/8" x H 34" (LPT972)



PROMENADE®

*LPT530N/LPT532N

W 27-1/2" x D 22-1/4" x H 34-3/8" (LPT530N)
W 24" x D 19-1/4" x H 34-3/8" (LPT532N)



PROMINENCE®

*LPT242(G)

W 26" x D 21-1/2" x H 34-1/2"



SOIRÉE®

**LPT962

W 25-1/8" x D 18-7/8" x H 34" (LPT962)



SUPREME®

*LPT241(G)

W 22-7/8" x D 19-5/8" x H 34-1/2"



WHITNEY®

*LPT754

W 25" x D 19" x H 34"



AVAILABLE COLORS



#01 Cotton



#12 Sedona Beige



#03 Bone



#11 Colonial White



#51 Ebony

* Available in single-hole, 4", or 8" centers

** Available in single-hole or 8" centers

For more information on dimensions please refer to product spec sheet.

ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES

WALL-MOUNT LAVATORIES



SUPREME® WALL-MOUNT LAVATORY; LHT241
SILAS® WIDESPREAD FAUCET; TL210DD

PROMINENCE®

*LHT242(G)
W 26" x D 21-1/2"



SUPREME®

*LHT241(G)
W 22-7/8" x D 19-5/8"



LT650G

W 29-1/2" x D 11-13/16"



ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES

* Available in single-hole, 4", or 8" centers

** Available in single-hole or 8" centers

For more information on dimensions please refer to product spec sheet.

UNDERCOUNTER LAVATORIES



ATHERTON UNDERCOUNTER LAVATORY; LT221
OBERON®-S SINGLE-HANDLE FAUCET; TL363SD12

AIMES®
LT626(G)
W 17" x D 15"



ATHERTON®
LT221
W 17" x D 13"



CONNELLY®
LT491(G)
W 14" x D 14"



PROMENADE®
LT533
W 18-1/2" x D 14-1/2"



LEGATO®
LT624(G)
W 17" x D 15"



LLOYD®
LT931
W 21" x D 14"



VERNICA®
LT156
W 19-1/2" x D 12-3/4"



LT191(G)
W 20-1/2" x D 12-3/8"



ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES

**AVAILABLE
COLORS**



#01 Cotton



#12 Sedona Beige



#03 Bone



#11 Colonial White



#51 Ebony

For more information on dimensions please refer to product spec sheet.

LT540G
W 21-1/4" x D 14-3/8"



LT542G
W 19" x D 12-3/8"



SOIRÉE®
LT967
W 24-3/4" x D 14-1/8"



ATHERTON®
LT231
W 17" x D 14"



ATHERTON
LT233
W 19" x D 15"



DANTESCA®
LT597(G)
W 19" x D 15"



DARTMOUTH®
LT641
W 19-9/16" x D 14-3/8"



DARTMOUTH
LT643
W 17-1/4" x D 12-7/8"



**AVAILABLE
COLORS**



-  #01 Cotton
-  #12 Sedona Beige
-  #03 Bone
-  #11 Colonial White
-  #51 Ebony

LT577
W 15" x D 12"




RENDEZVOUS®
LT579(G)
W 17-1/2" x D 14-1/4"
 





LT546(G)
W 19-11/16" x D 13-3/4"
 





LT548(G)
W 21-5/8" x D 14-5/8"
 





WAZA BARROCCO®
LT641#01-NA
W 19-9/16" x D 14-3/8"
 



MARIS®
LT483(G)
W 17-5/8" x D 14-9/16"
 



MARIS
LT481(G)
W 20-5/16" x D 15-9/16"
 



Pattern detail

ICONS

CHARTS

TECHNOLOGIES

NEOREST

WASHLET

WASHLET+

TOILETS

LAVATORIES

SELF-RIMMING LAVATORIES

PROMENADE®

*LT531

W 22-1/2" x D 18-3/4"



CLAYTON®

*LT781

W 25" x D 18-1/4"



Available in #01 only

GUINEVERE®

*LT971

W 28-1/8" x D 19-5/8"



ULTIMATE®

*LT512(G)

W 19" x D 19"



SUPREME®

*LT511(G)

W 20" x D 17"



PACIFICA®

**LT909

W 25-5/8" x D 17-3/4"



Available in #01 only

**AVAILABLE
COLORS**



* Available in single-hole, 4", or 8" centers

** Available in single-hole or 8" centers

For more information on dimensions please refer to product spec sheet.

SCAN CODE NOW
FOR DIGITAL BROCHURE



TOTO USA, INC.
1155 SOUTHERN ROAD
MORROW, GA 30260
800-350-8686

www.totousa.com
www.washlet.com

#KO-102019-TLB
Printed in the U.S.A. 10/19